

Training and Transcript RTDW Documentation

Technical Specification

Version 20.02.00

May 2020

Document History

Author	Version	Sections	Date	Changes Made
Olha Makasyeyeva	1.0	All	July 2016	Initial Document
Olha Makasyeyeva	16.04.00	All	October 2016	Updated views, relations, diagrams, report sections and fields for 'ILT Session Schedule (Part Level)' and 'Training' sections: - added ILT Part Instructor fields; - added report.vw_rpt_training_prerequisite view and prerequisite fields; - added report.vw_rpt_transcript_scorm2004 view, 'SCORM 2004 Quiz Data' section, and SCORM fields to 'Transcript Report'; - updated report.vw_rpt_training_rating_review view, added Course Rating Reviewer fields into 'Training' section; - updated report.vw_rpt_transcript view, added Training Badges & Points fields to the 'Transcript' Section; - added report.vw_rpt_training_curricula view and 'Curriculum Title', 'Curriculum Section Title', and 'Session Withdrawal Date' fields - added views: report.vw_rpt_transcript_status, report.vw_rpt_transcript_status_local, report.vw_rpt_training_session_schedule, report.vw_rpt_training_type, report.vw_rpt_training_type_local, report.vw_rpt_training_version
Olha Makasyeyeva	16.04.01	All	November 2016	- Added views: report.vw_rpt_training_cf_text_local, report.vw_rpt_ou_type - Updated report.vw_rpt_training_schedule view.
Olha Makasyeyeva	16.04.02	All	December 2016	- Added view: report.vw_rpt_lo_event_local
Olha Makasyeyeva	17.01.00	All	February 2017	- Added views: report.vw_rpt_transcript_ojt_history report.vw_rpt_transcript_curricula report.vw_rpt_training_subject report.vw_rpt_training_subject_equivalent report.vw_rpt_ou_title_local (replaced lookup table report.rpt_ou on report.vw_rpt_ou_title_local) - Deleted tables: report.rpt_training_extra_subject_equivalencies report.rpt_training_extra_subject_parents - Updated views: - report.vw_rpt_training_base (deleted all columns taken from report.vw_rpt_user); - report.vw_rpt_training_ilt_session_instructor - Added 'On The Job Training' section to the 'Transcript Report' - Updated 'Transcript report views relations' table
Olha Makasyeyeva	17.01.01	All	February 2017	Added view: report.vw_rpt_subject_local. Updated description of fields in report.vw_rpt_training_subject, report.vw_rpt_training_subject_equivalent. Updated Reference Table 'Mapping between report and lookup views' for Training

				Subject, Parent Training Subject, Equivalent Subject, Parent Equivalent Subject.
Olha Makasyeyeva	17.02.00	All	May 2017	<p>- Updated views:</p> <ul style="list-style-type: none"> - report.vw_rpt_transcript (<u>deleted all columns taken from report.vw_rpt_training_base</u>, deleted all training custom fields taken from report.vw_rpt_training_cf); - report.vw_rpt_transcript_base (deleted all columns taken from report.vw_rpt_training_base). <p>Note: report.vw_rpt_transcript_base is for backward compatibility only, it is equivalent to report.vw_rpt_transcript.</p> <p>- Added views:</p> <p>report.vw_rpt_transcript_cf, report.vw_rpt_transcript_cf2 report.vw_rpt_training_cf2</p> <p>Updated Figures: 1, 2.1, 2.2; Reference Table ‘Transcript report views relations’; Reference Table. Training report views relations.</p> <ul style="list-style-type: none"> - Added Figure 6 – ‘Training Assignment relationship diagram’ - Added Reference Table ‘Training Assignment report views relations’ - Added new ‘Assignment Report’ Category, ‘Assignment’ Report Section and related views: <p>report.vw_rpt_training_assignment report.vw_rpt_training_assignment_user_criteria report.vw_rpt_training_assignment_criteria_definition_file report.vw_rpt_training_assignment_user report.vw_rpt_training_assignment_set</p> <p>Added lookup views:</p> <p>report.vw_rpt_training_assignment_status_type report.vw_rpt_training_assignment_enroll_type report.vw_rpt_training_assignment_email_option report.vw_rpt_training_assignment_recurrence_relative_type report.vw_rpt_training_assignment_schedule_relative_typ report.vw_rpt_training_assignment_due_date_type report.vw_rpt_training_assignment_termination_type report.vw_rpt_training_purpose_local2 report.vw_rpt_training_assignment_schedule_type report.vw_rpt_training_assignment_recurrence_type report.vw_rpt_lo_material_local report.vw_rpt_training_available_language</p> <ul style="list-style-type: none"> - Added new ‘ILT Preferred Instructor’ Report Section and related view: report.vw_rpt_preferred_instructor - Added new ‘SCO Data’ Report Section to ‘Transcript Report’ and related view: report.vw_rpt_transcript_scorm_dump
Olha Makasyeyeva	17.03.00	All	August 2017	<ul style="list-style-type: none"> - Added views: <p>report.vw_rpt_transcript_modifications report.vw_rpt_transcript_roster_comments report.vw_rpt_training_equivalent_training report.vw_rpt_training_language_equivalent_training report.vw_rpt_transcript_part_attendance</p> <ul style="list-style-type: none"> - Updated views: <p>report.vw_rpt_lo_notes, report.vw_rpt_training_base</p> <ul style="list-style-type: none"> - Deleted tables: <p>report.rpt_training_extra_equivalencies report.rpt_training_extra_language_equivalencies</p>

				<ul style="list-style-type: none"> - Updated Reference Table 'Transcript report views relations' - Updated Reference Table 'Training report views relations' - Updated Ref. Table 'Training Assignment report views relations' - Added Unique Key definition to main views
Olha Makasyeyeva	17.03.01	2	August 2017	<ul style="list-style-type: none"> - Updated report.vw_rpt_filter_lo_user view - added flu_user_id column.
Olha Makasyeyeva	17.04.00	All	October 2017	<ul style="list-style-type: none"> - Deleted deprecated views from documentation. Note: Deprecated views report.vw_rpt_transcript_cf2, report.vw_rpt_training_cf2, report.vw_rpt_transcript_base, report.vw_rpt_training_base, report.vw_rpt_lo_material will be deleted from Database in Release 18.02.00 (May 2018) - Updated views: report.vw_rpt_training_assignment_user_criteria report.vw_rpt_training: <ul style="list-style-type: none"> - deleted all training custom fields - added training_version_start_dt, training_version_end_dt (use report.vw_rpt_training instead of deprecated report.vw_rpt_lo_material to get training version start and end dates) - Added vw_rpt_ou_description_local view - Updated Reference Tables: 'Transcript report views relations', Training report views relations'.
Olha Makasyeyeva	18.01.00	All	February 2018	<ul style="list-style-type: none"> - Added description of report.vw_rpt_ou view; - changed unique key in report.vw_rpt_ou view from key on ([ou_id] ASC, [type_id] ASC) to key on ([ou_id] ASC) - updated report.vw_rpt_transcript view (added user_lo_status_group_id, is_latest_version_on_transcript, [user_lo_minutes_participated], deprecated [user_lo_time] will be deleted in Release 18.03.00 (August 2018)) - Added views: report.vw_rpt_transcript_status_group report.vw_rpt_transcript_assignment_user - Updated views: report.vw_rpt_training_assignment - Added Figure 7 – 'Training Assignment relationship diagram in Transcript Report'. - Added Reference Table 'Training Assignment report views relations in Transcript Report' - Updated column descriptions in report.vw_rpt_lo_notes.
Olha Makasyeyeva	18.02.00	All	May 2018	<ul style="list-style-type: none"> - Updated views: report.vw_rpt_transcript (added [user_lo_last_modified_dt]) report.vw_rpt_training (added [lo_material_status]) - Added report.vw_rpt_training_material_status_local view - Added new Report Category 'Playlist Report' - Added views: report.vw_rpt_training_playlist report.vw_rpt_training_playlist_items - Added Figure 8 'Playlist relationship diagram in Playlist Report' and Ref. Table 'Playlist report views relations in Playlist Report' - Added new Report Category 'Curriculum Transcript Report' Added views: report.vw_rpt_curriculum report.vw_rpt_transcript_src_curriculum

				<ul style="list-style-type: none"> - Added Figure 9 'Curriculum Transcript relationship diagram in Curriculum Transcript Report' and Reference Table 'Curriculum Transcript report views relations in Curriculum Transcript Report'
Olha Makasyeyeva	18.03.00	All	August 2018	<ul style="list-style-type: none"> - Deleted deprecated views: report.vw_rpt_transcript_cf2, report.vw_rpt_training_cf2, report.vw_rpt_transcript_base, report.vw_rpt_training_base, report.vw_rpt_lo_material - Deleted deprecated column [user_lo_time] from views: report.vw_rpt_transcript, report.vw_rpt_certification, report.vw_rpt_evaluations, report.vw_rpt_transaction report.vw_rpt_compliance, report.vw_rpt_test. Use [user_lo_minutes_participated] column instead of deprecated column. - Added Unique key descriptions for lookup views. - Added views: report.vw_rpt_training_playlist_follower, report.vw_rpt_training_cohort_instructor, report.vw_rpt_training_cohort, report.vw_rpt_transcript_cohort report.vw_rpt_transcript_device_interactions - Added Report Section 'Course Interaction' into 'Transcript Report'. - Updated views: report.vw_rpt_training_playlist report.vw_rpt_training (existing fields [lo_start_dt], [lo_end_dt] were enhanced to include data for Cohorts). report.vw_rpt_training (added [lo_is_mobile_compatible]) report.vw_rpt_training_cf (data type for training custom fields of type 'Multiple Checkbox' was changed from nvarchar(200) to nvarchar(400)) report.vw_rpt_transcript_cf (data type for transcript custom fields of type 'Multiple Checkbox' was changed from nvarchar(200) to nvarchar(400)) - Updated Figure 8 'Playlist relationship diagram in Playlist Report' and Reference Table 'Playlist report views relations in Playlist Report' - Added Figure 10 'Cohort relationship diagram in Training and Transcript Report' and Reference Table 'Cohort report views relations in Transcript Report and Training Report'. - Added Figure 2.3. 'Transcript Course Interaction views relationship diagram' and updated Reference Table 'Transcript report views relations'.
Olha Makasyeyeva	18.03.01	All	August 2018	<ul style="list-style-type: none"> - Added lookup view report.vw_rpt_training_local - localized training title, description, keywords for all types of training objects. <u>Note</u>: use that view instead of report.vw_rpt_lo_text_local to get localized titles for sections. - Updated lookup view (replaced report.vw_rpt_lo_text_local on report.vw_rpt_training_local) for: <ul style="list-style-type: none"> - report.vw_rpt_training_curricula ('Curriculum Section Title') - report.vw_rpt_transcript_curricula ('Curriculum Section Title (Transcript)') - report.vw_rpt_transcript_src_curriculum ('Curriculum Section Title (Curriculum)') - report.vw_rpt_training_cohort ('Cohort Section Title (Training)') - report.vw_rpt_transcript_cohort('Cohort Section Title (Transcript)').

				<ul style="list-style-type: none"> - Updated Reference Table 'Mapping between report and lookup views to get localized descriptions' (replaced report.vw_rpt_lo_text_local on report.vw_rpt_training_local) for above mentioned vews. - Added Unique key descriptions for views: report.vw_rpt_training_ilt_session_instructor report.vw_rpt_training_schedule, report.vw_rpt_training_subject
Olha Makasyeyeva	18.03.02	2	September 2018	<ul style="list-style-type: none"> - Added Unique key descriptions for views: report.vw_rpt_transcript_curricula
Olha Makasyeyeva	18.04.00	2	October 2018	<ul style="list-style-type: none"> - Updated report.vw_rpt_transcript_ojt_history view (renamed Custom Report Fields and updated their descriptions; updated view description; added [observed_status_id] column); renamed "On The Job Training" Section to "Observed Training (On the Job Training & Express Class)"; view includes data for the On Job trainings and trainings assigned via Express Class). - Added: report.vw_rpt_transcript_observation_status_local report.vw_rpt_training_local - report.vw_rpt_lo_text_local was deprecated, marked for deletion and will be deleted in Release 19.02.00 (May 2019). Use report.vw_rpt_training_local instead of deprecated report.vw_rpt_lo_text_local view.
Olha Makasyeyeva	18.04.03	1,2	December 2018	<ul style="list-style-type: none"> - Added report.vw_rpt_transcript_waitlist_position - Updated report.vw_rpt_transcript - [user_lo_waitlist_order] column was deprecated, marked for deletion and will be deleted in Release 19.02.00 (May 2019). Use [twlp_waitlist_position] column in report.vw_rpt_transcript_waitlist_position instead of deprecated [user_lo_waitlist_order] column. Note: [user_lo_waitlist_order] column was deprecated and will be deleted in Release 19.02.00 (May 2019) from views: report.vw_rpt_transcript, report.vw_rpt_certification report.vw_rpt_evaluations, report.vw_rpt_transaction report.vw_rpt_compliance, report.vw_rpt_test - Updated Reference Table. Transcript report views relations (added relations with report.vw_rpt_transcript_waitlist_position). - Updated Reference Table 'Mapping between report and lookup views to get localized descriptions' for report.vw_rpt_training_local - Updated order of columns lo_object_id, object_type, lo_type,object_id, lo_object_type in report.vw_rpt_training - Added description for existing column [curriculum_version] into report.vw_rpt_training_curricula
Olha Makasyeyeva	19.01.00	All	February 2019	<ul style="list-style-type: none"> - Added views: report.vw_rpt_connect_item_type_local report.vw_rpt_transcript_delivery_method_local report.vw_rpt_transcript_equivalency_type_local report.vw_rpt_curriculum_child_due_date_type_local report.vw_rpt_transcript_completed_equivalent_version report.vw_rpt_curriculum_structure - Added new Custom Report Category 'Curriculum Training Report' - Updated description for [lo_connect_item_type_id] ('Connect Posting Type' report field) in report.vw_rpt_training;

				<ul style="list-style-type: none"> - Updated views: report.vw_rpt_transcript, report.vw_rpt_training, report.vw_rpt_curriculum - Updated 'Transcript report views relations' table Added Figure 11 'Curriculum Training relationship diagram in Curriculum Training Report' Added 'Curriculum Training report views relations in Curriculum Training Report' table
Olha Makasyeyeva	19.01.02	2,3	March 2019	<ul style="list-style-type: none"> Added description of existing views: report.vw_lo_exempt_status_reason_approver_local report.vw_rpt_ou_path
Olha Makasyeyeva	19.01.02	2	March 2019	<ul style="list-style-type: none"> Included note into Section 2. "Design Overview in Detail" that Reporting Objects' fields in this document do not correlate to a specific numbered order.
Olha Makasyeyeva	19.02.00	2	May 2019	<ul style="list-style-type: none"> - Updated report.vw_rpt_transcript - deleted deprecated column [user_lo_waitlist_order]. Use [twlp_waitlist_position] column in report.vw_rpt_transcript_waitlist_position instead of deprecated [user_lo_waitlist_order] column. - Deleted deprecated view report.vw_rpt_lo_text_local. - Updated report.vw_rpt_training (added fields: event_min_enrollment, event_max_enrollment, is_available_offline, is_available_offline_network). - Updated report.vw_rpt_training_assignment (added proxy__maintain_progress field). - Updated report.vw_rpt_transcript_assignment_user (added peua__is_progress_maintained field). - Updated column list in report.rpt_training_type_local – included existing column [is_default]. - Corrected name of existing field from [arl_title] on [arl_title] in report.vw_rpt_user_lo_action_reason_local. - Corrected name of existing field from [fl_desc] on [fl_desc] in report.vw_rpt_lo_form_local. - Corrected name of existing field from [fvl_title] on [cfvl_title] in report.vw_rpt_lo_form_cf_display_value_local. - Updated report.vw_rpt_transcript - deleted non-existent fields [user_lo_review], [user_lo_rating].
Olha Makasyeyeva	19.03.00	2	August 2019	<ul style="list-style-type: none"> - Corrected datatype of existing field [training_title_local_lo_title_local] from nvarchar(50) on nvarchar(1000) in report.vw_rpt_training_title_local.
Olha Makasyeyeva	19.04.00	-	October 2019	<ul style="list-style-type: none"> Updated document version
Olha Makasyeyeva	19.04.01	2	November 2019	<ul style="list-style-type: none"> - Added report.vw_rpt_training_provider. - Updated report.vw_rpt_training (added [is_standalone] field).
Olha Makasyeyeva	19.04.03	2	December 2019	<ul style="list-style-type: none"> - Added views (report fields are available in Reporting 2.0.): report.vw_rpt_subject_equivalent, report.vw_rpt_subject_local2 report.vw_rpt_subject_training, report.vw_rpt_subject, report.vw_rpt_user_subject - Updated report.vw_rpt_training_assignment - changed datatype from smalldatetime to datetime for columns: proxy__assignment_created_dt, proxy__tdd_fixed_date, proxy__ar_annual_dt, proxy__ar_termination_fixed_dt, proxy__apsd_fixed_dt.
Olha Makasyeyeva	19.04.06	3	January	<ul style="list-style-type: none"> - Added view report.vw_rpt_ou_local.

			2020	
Olha Makasyeyeva	20.01.00	1, 2, 3	February 2020	<ul style="list-style-type: none"> - Updated report.vw_rpt_transcript – deleted deprecated fields: user_lo_remover_first_name, user_lo_remover_last_name, exemptor_ref, exemptor_full_name, user_part_attendance, user_lo_status; added user_lo_remover_id. - Added report.vw_rpt_transcript_user_part_attendance. Join report.vw_rpt_transcript_user_part_attendance with report.vw_rpt_transcript on upa_user_id= transc_user_id and upa_object_id = transc_object_id. Refer to “Deprecated Objects - RTDW Documentation” for details. - Updated Reference Table “Transcript report views relations”, Figure 1 “Training and Transcript report views”, Figure 2.1 “Transcript views relationship diagram”.
Olha Makasyeyeva	20.02.00		May 2020	<ul style="list-style-type: none"> report.vw_rpt_transcript_export, report.vw_rpt_subject_local, report.vw_rpt_lo_subject_local, report.vw_rpt_ou_type_local, report.vw_rpt_lo_material_type_local, report.vw_rpt_session_schedule_local were deprecated and <u>will be deleted in Release 20.04.00 (Oct 2020)</u>. Refer to “Deprecated Objects - RTDW Documentation” for details. - Added report.vw_rpt_ou_type_local2 (replacement for deprecated report.vw_rpt_ou_type_local). - Added report.vw_rpt_training_part_local (replacement for deprecated report.vw_rpt_session_schedule_local). - Included into documentation report.vw_rpt_training_material_type_local (added in 19.04.05) - replacement for deprecated report.vw_rpt_lo_material_type_local.

Technical Specification document

Abstract:

This document describes the Training and Transcript Real-Time Warehouse (RTDW) views and fields used in Custom Reports.

Created By:

Olha Makasyeyeva

1. Design Overview in Brief

This section describes in brief major report views which are part of the Training and Transcript reporting. Detailed description of the report views can be found in the next section.

Custom Reports with *Training* and *Transcript* Sections:

Custom Report Category: **Training Report**

Report Sections: *Training; ILT Session Schedule (Part Level); ILT Seat Allocation; ILT Facility; ILT Preferred Instructor*

Custom Report Category: **Transcript Report**

Report Sections: *Assignment; User; Training; Transcript; ILT Session Schedule (Part Level); ILT Seat Allocation; ILT Facility; Training Request Forms; SF-182 Request; SCORM 2004 Quiz Data; SCO Data; Observed Training (On the Job Training & Express Class); ILT Preferred Instructor; Course Interaction*

Custom Report Category: **Transaction Report**

Report Sections: *User; Training; Transcript; Transaction; ILT Session Schedule (Part Level); ILT Seat Allocation; ILT Facility; ILT Preferred Instructor*

Custom Report Category: **Assignment Report**

Report Sections: *Assignment; User; Training; Transcript*

Custom Report Category: **Certification Report**

Report Sections: *User; Training; Transcript; Certifications; ILT Preferred Instructor*

Custom Report Category: **Compliance Report**

Report Sections: *User; Training; Transcript; Compliance; ILT Preferred Instructor*

Custom Report Category: **Curriculum Training Report**

Report Sections: *Curriculum; Training*

Custom Report Category: **Curriculum Transcript Report**

Report Sections: *Assignment; Curriculum; User; Training; Transcript; Training Request Forms; Observed Training (On the Job Training & Express Class)*

Custom Report Category: **Evaluations Report**

Report Sections: *User; Training; Transcript; ILT Session Schedule (Part Level); Evaluations Report; ILT Preferred Instructor*

Custom Report Category: **Test Report**

Report Sections: *User; Transcript; Test Report*

Custom Report Category: **Training Plan Report**

Report Sections: *Training Plan Template; Training Plan; Training Request; Training Forecast; Organizational Unit; User; Training; ILT Preferred Instructor*

Custom Report Category: **FINRA User Report**

Report Sections: *User; FINRA User; Regulatory Approvals; Training; Transcript; ILT Preferred Instructor*

Custom Report Category: **Playlist Report**

Report Sections: *Playlist; Training; User*

Training and Transcript major report views:

1. **report.vw_rpt_training** (view) – main view to get training data
(Custom Report Section: **Training**)
2. **report.vw_rpt_transcript** (view) – main view to get transcript data
(Custom Report Section: **Transcript**)
3. **report.vw_rpt_transcript_cf** (view) – transcript custom fields
(Custom Report Section: **Transcript**)
4. **report.vw_rpt_training_cf** (view) – training custom fields
(Custom Report Section: **Training**)
5. **report.vw_curriculum_user_info** (view) – curriculum data: percentage of the curriculum completed by user
(Custom Report Section: **Transcript**)
6. **report.vw_rpt_transcript_curricula** (view) – curriculum data at the transcript level: curriculum' version, title, section's title
(Custom Report Section: **Transcript**)
7. **report.vw_rpt_transcript_modifications** (view) – transcript edited fields
(Custom Report Section: **Transcript**)
8. **report.vw_rpt_transcript_roster_comments** (view) - transcript roster comments
(Custom Report Section: **Transcript**)
9. **report.vw_rpt_transcript_part_attendance** (view) - user attendance per individual training session part
(Custom Report Section: **Transcript**)
10. **report.vw_rpt_transcript_scorm2004** (view) – SCORM 2004 Quiz data
(Custom Report Section: **SCORM 2004 Quiz Data**)
11. **report.vw_rpt_training_ilt_session_cost** (view) - ILT session cost
(Custom Report Section: **Training**)
12. **report.vw_rpt_lo_notes**(view) – training comments (*Training Roster Comments, Training Version Comments*)
(Custom Report Section: **Training**)
13. **report.vw_rpt_training_rating_review** (view) – training course reviews (*User Course Review Title, User Course Review Desc*)
(Custom Report Section: **Training**)
14. **report.vw_rpt_filter_lo_ou** (view) – training available to OU users
(Custom Report Section: **Training**)
15. **report.vw_rpt_filter_lo_user** (view) – training available to users
(Custom Report Section: **Training**)
16. **report.vw_rpt_training_equivalent_training** (view) – training equivalencies
(Custom Report Section: **Training**)
17. **report.vw_rpt_training_language_equivalent_training** (view) – training equivalencies based on language
(Custom Report Section: **Training**)
18. **report.vw_rpt_training_schedule** (view) – ILT session schedule data
(Custom Report Section: **ILT Session Schedule (Part Level)**)

19. **report.vw_rpt_training_ilt_session_instructor** (view) – ILT session part instructor data
(Custom Report Section: **ILT Session Schedule (Part Level)**)
20. **report.vw_rpt_training_ilt_seat_allocation** (view) - ILT session seat reservations and enrollment restrictions
(Custom Report Section: **ILT Seat Allocation**)
21. **report.vw_rpt_training_ilt_facility** (view) - ILT facility data
(Custom Report Section: **ILT Facility**)
22. **report.vw_rpt_request_form** (view) – training Request Forms data
(Custom Report Section: **Training Request Forms**)
23. **report.vw_rpt_transcript_sf182_request** (view) – SF-182 (Standard Form 182) "Authorization, Agreement, and Certification of Training" requests data
(Custom Report Section: **SF-182 Request**)
24. **report.vw_rpt_training_prerequisite** (view) – training prerequisites
(Custom Report Section: **Training**)
25. **report.vw_rpt_training_curricula** (view) – training Curriculum data
(Custom Report Section: **Training**)
26. **report.vw_rpt_training_subject** (view) – training subjects (including parent subjects) data
(Custom Report Section: **Training**)
27. **report.vw_rpt_training_subject_equivalent** (view) – training equivalent subjects (including parent equivalent subjects) data
(Custom Report Section: **Training**)
28. **report.vw_rpt_transcript_ojt_history** (view) – Observed Training (On the Job Training & Express Class) data
(Custom Report Section: **Observed Training (On the Job Training & Express Class)**)
29. **report.vw_rpt_preferred_instructor** (view) – ILT Preferred Instructor data
(Custom Report Section: **ILT Preferred Instructor**)
30. **report.vw_rpt_transcript_scorm_dump** (view) – SCO Data
(Custom Report Section: **SCO Data**)
31. **report.vw_rpt_training_cohort** (view) – Cohort training data
(Custom Report Section: **Training**)
32. **report.vw_rpt_training_cohort_instructor** (view) – Cohort instructor data
(Custom Report Section: **Training**)
33. **report.vw_rpt_transcript_cohort** (view) – Cohort transcript data
(Custom Report Section: **Transcript**)
34. **report.vw_rpt_transcript_device_interactions** (view) – Course Interaction data about how users are taking courses on the iOS or Android Learn native apps
(Custom Report Section: **Course Interaction**)
35. **report.vw_rpt_transcript_waitlist_position** (view) – Position in the waiting list queue for training item
(Custom Report Section: **Transcript**)
36. **report.vw_rpt_curriculum_structure** (view) – the Curriculum information within the Course Catalog including its child training information (Custom Report Section: **Training**)

Assignment Report major report views:

1. **report.vw_rpt_training_assignment** (view) – training assignment data
(Custom Report Section: **Assignment**)
2. **report.vw_rpt_training_assignment_user_criteria** (view) – training assignment user criteria (User ID, User Name, OU ID, OU title)
(Custom Report Section: **Assignment**)
3. **report.vw_rpt_training_assignment_criteria_definition_file** (view) – training assignment data (name of the file that was uploaded to the assignment)
(Custom Report Section: **Assignment**)
4. **report.vw_rpt_training_assignment_user** (view) – training assignment data (flag indicating if users are dynamically removed from assignment)
(Custom Report Section: **Assignment**)
5. **report.vw_rpt_training_assignment_set** (view) – training assignment data (assignment ID, title, description)
(Custom Report Section: **Assignment**)

Additional join views used in relations:

report.vw_rpt_transcript_assignment_user – join view used in relations to report on the training that was selected for the Assignment but may not have been assigned to the user (due to language equivalencies).
(Custom Report Section: **Assignment**)

Playlist Report major report views:

1. **report.vw_rpt_training_playlist** (view) – Playlist data
(Custom Report Section: **Playlist**)
2. **report.vw_rpt_training_playlist_items** (view) – data about training that within a Playlist (date when training was added/modified in the Playlist, training comments, training order)
(Custom Report Section: **Playlist**)
3. **report.w_rpt_training_playlist_follower** (view) – Playlist followers' data
(Custom Report Section: **Playlist**)

Curriculum Transcript Report major report views:

1. **report.vw_rpt_curriculum** (view) – Curriculum training data
(Custom Report Section: **Curriculum**)
2. **report.vw_rpt_transcript_src_curriculum** (view) – Key fields for learning objects (identifiers for user, training object, registration number) for Curriculum and training within Curriculum, user transcript relations between training and its containers
(Custom Report Section: **Curriculum**)

Curriculum Training Report major report views:

1. **report.vw_rpt_curriculum_structure** (view) – Curriculum structure
(Custom Report Section: **Training**)
2. **report.vw_rpt_curriculum** (view) – Curriculum training data
(Custom Report Section: **Curriculum**)

Lookup Views used to get descriptions (localized translation text) for identifier fields.

For more information, see Reference Table '[Mapping between report and lookup views](#)'

- report.vw_rpt_lo_removal_reason_local
- report.vw_rpt_training_purpose_local

- report.vw_rpt_lo_classification_local
- report.vw_rpt_training_material_type_local
- report.vw_rpt_ou_type
- report.vw_rpt_ou_type_local2
- report.vw_lo_exempt_status_reason_local
- report.vw_rpt_user_lo_action_reason_local
- report.vw_rpt_lo_publication_local
- report.vw_rpt_training_part_local
- report.vw_rpt_facility_type_local
- report.vw_rpt_lo_form_status_local
- report.vw_rpt_lo_form_local
- report.vw_rpt_lo_form_cf_display_value_local
- report.vw_rpt_lo_prerequisite_local
- report.vw_rpt_lo_competencies_local
- report.vw_rpt_lo_signature_local
- report.vw_rpt_lo_status_local
- report.vw_rpt_training_title_local
- report.vw_rpt_feedback_badge_local
- report.vw_rpt_transcript_status
- report.vw_rpt_transcript_status_local
- report.vw_rpt_training_session_schedule
- report.vw_rpt_training_type
- report.vw_rpt_training_type_local
- report.vw_rpt_training_version
- report.vw_rpt_training_cf_text_local
- report.vw_rpt_lo_event_local
- report.vw_rpt_subject_local2
- report.vw_rpt_training_assignment_status_type
- report.vw_rpt_training_assignment_enroll_type
- report.vw_rpt_training_assignment_email_option
- report.vw_rpt_training_assignment_recurrence_relative_type
- report.vw_rpt_training_assignment_schedule_relative_type
- report.vw_rpt_training_assignment_due_date_type
- report.vw_rpt_training_assignment_termination_type
- report.vw_rpt_training_purpose_local2
- report.vw_rpt_training_assignment_schedule_type
- report.vw_rpt_training_assignment_recurrence_type
- report.vw_rpt_lo_material_local
- report.vw_rpt_training_available_language
- report.vw_rpt_ou_title_local
- report.vw_rpt_ou_local
- report.vw_rpt_ou_description_local
- report.vw_rpt_ou
- report.vw_rpt_transcript_status_group
- report.vw_rpt_lo_session_local
- report.vw_rpt_training_material_status_local
- report.vw_rpt_training_local
- report.vw_rpt_transcript_observation_status_local
- report.vw_rpt_connect_item_type_local
- report.vw_rpt_transcript_delivery_method_local
- report.vw_rpt_transcript_equivalency_type_local
- report.vw_rpt_curriculum_child_due_date_type_local




Figure 1 – Training and Transcript report views




Figure 2.1 - Transcript views relationship diagram




Figure 2.2 - Transcript SCORM views relationship diagram




Figure 2.3 – Transcript and course interaction views relationship diagram

Reference Table. Transcript report views relations

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_transcript	transc_user_id transc_object_id	report.vw_rpt_request_form	user_id rrf_object_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id	report.vw_rpt_transcript_sf182_request	sf_user_id sf_user_id sf_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training_schedule	rts_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training_ilt_session_cost	ilt_session_cost_object_id	LEFT
report.vw_rpt_training	lo_location_id	report.vw_rpt_training_ilt_facility	facility_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training_ilt_seat_allocation	ilt_seat_allocation_object_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id	report.vw_rpt_transcript_cf	transc_cf_user_id transc_cf_object_id	LEFT
report.vw_rpt_transcript	transc_user_id	report.vw_rpt_nasd	user_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_curriculum_user_info	curriculum_user_id curriculum_id curriculum_reg_num	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_filter_lo_user	flu_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_filter_lo_ou	flo_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training_rating_review	rl_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_lo_notes	lo_notes_object_id	LEFT
report.vw_rpt_transcript	transc_user_id	report.vw_rpt_nasd	user_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_scom2004	sco_user_id sco_crse_object_id sco_crse_reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_scom_dump	sco_dump_user_id sco_dump_object_id sco_dump_reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_ojt_history	ojt_user_id ojt_object_id ojt_reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_curricula	transc_curr_user_id transc_curr_object_id transc_curr_reg_num	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training_subject	traning_subject_object_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_training	object_id	LEFT

report.vw_rpt_transcript	transc_user_id	report.vw_rpt_user	user_id	LEFT
report.vw_rpt_training_subject	training_subject__subject_id	report.vw_rpt_training_subject_equivalent	tes__subject_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id	report.vw_rpt_training_assignment_user	pu__user_id pu__object_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment	proxy__proxy_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment_user_criteria	pf__proxy_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment_criteria_definition_file	pup__proxy_id	LEFT
report.vw_rpt_training_assignment	proxy__assignment_id	report.vw_rpt_training_assignment_set	ta__assignment_id	LEFT
report.vw_rpt_transcript	transc_object_id	report.vw_rpt_preferred_instructor	pref_ins__training_object_id	LEFT
report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	report.vw_rpt_transcript_modifications	transc_mod__object_id transc_mod__user_id transc_mod__reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_device_interactions	tdi__user_id tdi__object_id tdi__reg_num	LEFT
report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	report.vw_rpt_transcript_roster_comments	transc_comments__object_id transc_comments__user_id transc_comments__reg_num	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_equivalent_training	tet__object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_language_equivalent_training	tlet__object_id	LEFT
report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	report.vw_rpt_transcript_part_attendance	pa__user_id pa__object_id pa__reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id reg_num	report.vw_rpt_transcript_cohort	transc_chrt_user_id transc_chrt_object_id transc_chrt_reg_num	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id is_latest_reg_num = 1	report.vw_rpt_transcript_waitlist_position	twlp_user_id twlp_object_id	LEFT
report.vw_rpt_transcript	user_lo_equivalent_object_id	report.vw_rpt_transcript_completed_equivalent_version	tce_object_id	LEFT
report.vw_rpt_transcript	user_lo_remover_id	report.vw_rpt_user	user_id	LEFT
report.vw_rpt_transcript	exemptor_id	report.vw_rpt_user	user_id	LEFT
report.vw_rpt_transcript	transc_user_id transc_object_id	report.vw_rpt_transcript_user_part_attendance	upa_user_id upa_object_id	LEFT




Figure 3 - Training views relationship diagram




Figure 4 - ILT Session Schedule (Part Level) instructors' relationship diagram




Figure 5 – Training prerequisites relationship diagram

Reference Table. Training report views relations

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_training	object_id	report.vw_rpt_filter_lo_user	flu_object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_filter_lo_ou	flo_object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_rating_review	rl_object_id	LEFT
report.vw_rpt_training	lo_object_id	report.vw_rpt_lo_notes	lo_notes_object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_schedule	rts_object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_ilt_session_cost	ilt_session_cost_object_id	LEFT
report.vw_rpt_training	lo_object_id	report.vw_rpt_training_prerequisite	prereq_parent_lo_object_id	LEFT
report.vw_rpt_training	lo_location_id	report.vw_rpt_training_ilt_facility	facility_id	LEFT
report.vw_rpt_training_prerequisite	prereq_child_lo_object_id, @user_culture_id	report.vw_rpt_training_title_local	training_title_local_object_id, training_title_local_culture_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_ilt_seat_allocation	ilt_seat_allocation_object_id	LEFT
report.vw_rpt_training	lo_object_id	report.vw_rpt_training_curricula	curriculum_child_object_id	LEFT
report.vw_rpt_training_schedule	schedule_id	report.vw_rpt_training_ilt_session_instructor	ins_schedule_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_preferred_instructor	pref_ins__training_object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_equivalent_training	tet__object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_language_equivalent_training	tlet__object_id	LEFT
report.vw_rpt_training	object_id	report.vw_rpt_training_cf	train_cf_object_id	LEFT

Note: @culture_id = {user's culture}

report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	uivalent_training report.vw_rpt_transcript_assignment _user	peua__object_id peua__user_id peua__regnum	LEFT
report.vw_rpt_transcript_assignment_user	peua__user_id peua__proxy_id	report.vw_rpt_training_assignment_u ser	pu__user_id pu__proxy_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment	proxy__proxy_id	LEFT




Figure 7 - Training Assignment relationship diagram in Transcript Report

Reference Table. Training Assignment report views relations in Transcript Report

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	report.vw_rpt_transcript_assignment _user	peua__object_id peua__user_id peua__regnum	LEFT
report.vw_rpt_transcript_assignment_user	peua__user_id peua__proxy_id	report.vw_rpt_training_assignment_u ser	pu__user_id pu__proxy_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment	proxy__proxy_id	LEFT
report.vw_rpt_training_assignment_user	pu__proxy_id	report.vw_rpt_training_assignment_u ser_criteria	pf__proxy_id	LEFT
report.vw_rpt_training_assignment	proxy__assignm ent_id	report.vw_rpt_training_assignment_c riteria_definition_file	pup__assignment_id	LEFT
report.vw_rpt_training_assignment	proxy__assignm ent_id	report.vw_rpt_training_assignment_s et	ta__assignment_id	LEFT




Figure 8 – Playlist relationship diagram in Playlist Report

Reference Table. Playlist report views relations in Playlist Report

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_training_playlist	lo_playlist_object_id	report.vw_rpt_training_playlist_items	lo_playlist_items_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training	object_id	LEFT
report.vw_rpt_training_playlist	lo_playlist_created_by_user_id	report.vw_rpt_user	user_id	LEFT
report.vw_rpt_training_playlist	lo_playlist_created_by_user_id	report.vw_rpt_user_audit	user_audit_user_id	LEFT
report.vw_rpt_training_playlist	lo_playlist_created_by_user_id	report.vw_rpt_user_cf	user_cf_user_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_filter_lo_ou	flo_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_filter_lo_user	flu_object_id	LEFT

report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_lo_notes	lo_notes_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_preferred_inst_ructor	pref_ins__training_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_cf	train_cf_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_curricula	curriculum_child_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_equivalent_training	tet_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_ilt_facility	facility_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_ilt_seat_allocation	ilt_seat_allocation_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_ilt_session_cost	ilt_session_cost_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_language_equivalent_training	tlet_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_prerequisite	prereq_parent_lo_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_rating_review	rl_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_schedule	rts_object_id	LEFT
report.vw_rpt_training_playlist_items	lo_playlist_items_item_object_id	report.vw_rpt_training_subject	traning_subject__object_id	LEFT
report.vw_rpt_training_playlist	lo_playlist_object_id	report.vw_rpt_training_playlist_follower	plf_playlist_object_id	LEFT

report.vw_rpt_transcript_s rc_curriculum	cp__object_id	report.vw_rpt_training_ilt_ses sion_cost	ilt_session_cost_object_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id	report.vw_rpt_training_prere quisite	prereq_parent_lo_object_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id	report.vw_rpt_training_rating _review	rl_object_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id	report.vw_rpt_training_subje ct	traning_subject__object_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id	report.vw_rpt_transcript_cf	transc_cf_object_id transc_cf_user_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript_curr ricula	transc_curr_object_id transc_curr_user_id transc_curr_reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript_mo difications	transc_mod__object_id transc_mod__user_id transc_mod__reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript_ojt_ history	ojt_object_id ojt_user_id ojt_reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript_part _attendance	pa__object_id pa__user_id pa__reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__object_id cp__user_id cp__reg_num	report.vw_rpt_transcript_rost er_comments	transc_comments__object_id transc_comments__user_id transc_comments__reg_num	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__user_id	report.vw_rpt_user	user_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__user_id	report.vw_rpt_user_audit	user_audit_user_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__user_id	report.vw_rpt_user_cf	user_cf_user_id	LEFT
report.vw_rpt_transcript_s rc_curriculum	cp__curriculum_ object_id cp__user_id cp__curriculum_ reg_num	report.vw_rpt_transcript_assi gnment_user	peua__object_id peua__user_id peua__regnum	LEFT
report.vw_rpt_transcript_a ssignment_user	peua__user_id peua__proxy_id	report.vw_rpt_training_assign ment_user	pu__user_id	LEFT
report.vw_rpt_transcript_a ssignment_user	peua__proxy_id	report.vw_rpt_training_assign ment_user	pu__proxy_id pu__proxy_id	LEFT




Figure 10 – Cohort relationship diagram in Transcript Report and Training Report

Reference Table. Cohort report views relations in Transcript Report and Training Report

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_transcript	transc_object_id transc_user_id reg_num	report.vw_rpt_transcript_cohort	transc_chrt_user_id transc_chrt_object_id transc_chrt_reg_num	LEFT
report.vw_rpt_training	lo_object_id	report.vw_rpt_training_cohort	tchrt_object_id	LEFT
report.vw_rpt_training	lo_object_id	report.vw_rpt_training_cohort_instructor	chi_cohort_object_id	LEFT




Figure 11 – Curriculum Training relationship diagram in Curriculum Training Report

Reference Table. Curriculum Training report views relations in Curriculum Training Report

Main Report View		Related View		Join type
View name	Join column	View Name	Join column	
report.vw_rpt_curriculum	curriculum__object_id	report.vw_rpt_curriculum_structure	cstr__curriculum_object_id	LEFT
report.vw_rpt_curriculum_structure	cstr__object_id	report.vw_rpt_training	object_id	LEFT

2. Design Overview in Detail

This section includes a detailed description of Training and Transcript report views and fields as follows: (clicking on the report view will link to its description).

Note: Due to enhancements to our product and services, the fields in this document do not correlate to a specific numbered order. As we add additional fields, the ordinals of the data will change over time. We recommend that you either refer to fields by name, or if you want sequential processing of the fields, enforce the ordering explicitly in your extraction/query methods.

Object type	View name	Report Section	Description
view	report.vw rpt transcript	<i>Transcript</i>	Main view to get all user transcript related data
view	report.vw rpt transcript cf	<i>Transcript</i>	Transcript custom fields
view	report.vw curriculum user info	<i>Transcript</i>	User curriculum related data
view	report.vw rpt transcript curricula	<i>Transcript</i>	Curriculum data at the transcript level: curriculum' version, title, section's title
view	report.vw rpt transcript modifications	<i>Transcript</i>	Transcript edited fields
view	report.vw rpt transcript roster comments	<i>Transcript</i>	Transcript roster comments
view	report.vw rpt transcript part attendance	<i>Transcript</i>	User attendance per individual training session part
view	report.vw rpt transcript scorm2004	<i>SCORM 2004 Quiz Data</i>	SCORM 2004 Quiz data
view	report.vw rpt transcript scorm dump	<i>SCO Data</i>	SCO data
view	report.vw rpt transcript ojt history	<i>Observed Training (On the Job Training & Express Class)</i>	Observed Training (On the Job Training & Express Class) data
view	report.vw rpt transcript waitlist position	<i>Transcript</i>	Position in the waiting list queue for training item
view	report.vw rpt transcript completed equivalent version	<i>Transcript</i>	Completed Equivalent Training Version
view	report.vw rpt transcript user part attendance	<i>Transcript</i>	Number of session parts attended by users
'Training assignment' report views			
view	report.vw rpt training assignment	<i>Assignment</i>	Training assignment data
view	report.vw rpt training assignment user criteria	<i>Assignment</i>	Training assignment user criteria (User ID, User Name, OU type, OU title, OU description, OU parent, OU owner)
view	report.vw rpt training assignment criteria definition file	<i>Assignment</i>	Training assignment data (name of the file that was uploaded to the assignment)
view	report.vw rpt training assignment user	<i>Assignment</i>	Training assignment data (flag indicating if users are dynamically removed from assignment)
view	report.vw rpt training assignment set	<i>Assignment</i>	Training assignment data (assignment ID, title, description)
view	report.vw rpt transcript assignment user	<i>Assignment</i>	Join view used in relations to

			report on the training that was selected for the Assignment but may not have been assigned to the user (due to language equivalencies).
'Training' report views			
view	report.vw rpt training	<i>Training</i>	<u>Main view</u> to get all user training related data
view	report.vw rpt training cf	<i>Training</i>	Training custom fields
view	report.vw rpt lo notes	<i>Training</i>	Training comments (Training Roster Comments, Training Version Comments)
view	report.vw rpt training rating review	<i>Training</i>	Training course reviews (User Course Review Title, User Course Review Desc)
view	report.vw rpt filter lo ou	<i>Training</i>	Training available to OU users
view	report.vw rpt filter lo user	<i>Training</i>	Training available to users
view	report.vw rpt training prerequisite	<i>Training</i>	Training prerequisites
view	report.vw rpt training curricula	<i>Training</i>	Training Curriculum data
view	report.vw rpt training subject	<i>Training</i>	Training subjects (including parent subjects) data
view	report.vw rpt training subject equivalent	<i>Training</i>	Training equivalent subjects (including parent equivalent subjects) data
view	report.vw rpt training equivalent training	<i>Training</i>	Training equivalencies
view	report.vw rpt training language equivalent training	<i>Training</i>	Training equivalencies based on language
ILT (instructor led training) report views			
view	report.vw rpt training schedule	<i>ILT Session Schedule (Part Level)</i>	ILT session schedule data
view	report.vw rpt training ilt session instructor	<i>ILT Session Schedule (Part Level)</i>	ILT session part instructor data
view	report.vw rpt training ilt session cost	<i>Training</i>	ILT session cost
view	report.vw rpt training ilt seat allocation	<i>ILT Seat Allocation</i>	ILT session seat reservation and enrollment restrictions
view	report.vw rpt training ilt facility	<i>ILT Facility</i>	ILT facility data
view	report.vw rpt preferred instructor	<i>ILT Preferred Instructor</i>	ILT preferred instructor data
SF-182 (Standard Form 182) report views			
view	report.vw rpt transcript sf182 request	<i>SF-182 Request</i>	<u>Main view</u> to get all SF-182 Form requests for external training data
Training Request report views			
view	report.vw rpt request form	<i>Training Request Forms</i>	Training Request Forms data
Playlist report views			
view	report.vw rpt training playlist	<i>Playlist</i>	Playlist data
view	report.vw rpt training playlist items	<i>Playlist</i>	Data about training that within a

			Playlist (date when training was added/modified in the Playlist, training comments, training order)
view	report.vw rpt training playlist follower	<i>Playlist</i>	Playlist followers' data
Curriculum Transcript report views			
view	report.vw rpt curriculum	<i>Curriculum</i>	Curriculum training data
view	report.vw rpt transcript src curriculum	<i>Curriculum</i>	Key fields for learning objects (identifiers for user, training object, registration number) for Curriculum and training within Curriculum, user transcript relations between training and its containers
Curriculum Training report views			
view	report.vw rpt curriculum structure	<i>Training</i>	Curriculum structure
Cohort report views			
view	report.vw rpt training cohort	<i>Training</i>	Cohort training data
view	report.vw rpt training cohort instructor	<i>Training</i>	Cohort instructor data
view	report.vw rpt transcript cohort	<i>Transcript</i>	Cohort transcript data
Course Interaction report views			
view	report.vw rpt transcript device interactions	<i>Training</i>	Course Interaction data about how users are taking courses on the iOS or Android Learn native apps

Lookup Views

Object type	View name	Description
view	report.vw rpt ou title local	Localized OU title
view	report.vw rpt ou local	Localized OU title
view	report.vw rpt ou description local	Localized OU description
view	report.vw rpt ou	Organizational Unit (OU)
view	report.vw rpt ou path	OU hierarchy
view	report.vw rpt lo removal reason local	Localized training removal reason
view	report.vw rpt training purpose local	Localized training request purpose
view	report.vw rpt lo classification local	Localized classification
view	report.vw rpt lo material type local	Localized material type. Note: report.vw_rpt_lo_material_type_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020). Use vw_rpt_training_material_type_local instead of deprecated object.
view	report.vw rpt training material type local	Localizations for training part names and descriptions
view	report.vw rpt ou type	OU type
view	report.vw rpt ou type local	Localized OU type. Note: report.vw_rpt_ou_type_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020). Use report.vw_rpt_ou_type_local2 instead of deprecated object.
view	report.vw rpt ou type local2	Localizations for Organizational Unit types
view	report.vw lo exempt status reason local	Localized training exemption reason
view	report.vw lo exempt status reason approver local	Localized training exemption reason
view	report.vw rpt user lo action reason local	Localized action (withdrawal, cancellation) reason
view	report.vw rpt lo publication local	Localized course publication
view	report.vw rpt session schedule local	Localized session schedule part. Note: report.vw_rpt_session_schedule_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020). Use report.vw_rpt_training_part_local instead of deprecated object.
view	report.vw rpt training part local	Localizations for training part names and descriptions
view	report.vw rpt facility type local	Localized ILT facility type
view	report.vw rpt lo form status local	Localized form submission status
view	report.vw rpt lo form local	Localized form title, description, and instructions
view	report.vw rpt lo form cf display value local	Localized custom fields values
view	report.vw rpt lo subject local	Localized training subjects (per LO) Note: report.vw_rpt_lo_subject_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020). Use report.vw_rpt_lo_subject_local2 instead of deprecated object.

		report.vw_rpt_subject_local2 instead of deprecated object.
view	report.vw_rpt_lo_prerequisite_local	Localized training prerequisites
view	report.vw_rpt_lo_competencies_local	Localized training competencies
view	report.vw_rpt_training_local	Localized training title, description, keywords for all types of training objects
view	report.vw_rpt_lo_signature_local	Localized electronic training signature
view	report.vw_rpt_lo_status_local	Localized training status
view	report.vw_rpt_training_title_local	Localized training title
view	report.vw_rpt_feedback_badge_local	Localized feedback badge title
view	report.vw_rpt_transcript_status	Transcript status
view	report.vw_rpt_transcript_status_local	Localized transcript status
view	report.vw_rpt_training_session_schedule	Training session schedule data
view	report.vw_rpt_training_type	Training type
view	report.vw_rpt_training_type_local	Localized training type
view	report.vw_rpt_training_version	Training versions
view	report.vw_rpt_training_cf_text_local	Localized training custom fields values
view	report.vw_rpt_lo_event_local	Localized LO event (ILT course) descriptive identifiers
view	report.vw_rpt_subject_local	Localized training subjects (per subject) Note: report.vw_rpt_subject_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020). Use report.vw_rpt_subject_local2 instead of deprecated object.
view	report.vw_rpt_subject_local2	Localizations for training subject titles (per subject).
view	report.vw_rpt_training_assignment_status_type	Training assignment status type
view	report.vw_rpt_training_assignment_enroll_type	Training assignment enrollment type
view	report.vw_rpt_training_assignment_email_option	Training assignment email setting
view	report.vw_rpt_training_assignment_recurrence_relative_type	Training assignment recurrence relative type
view	report.vw_rpt_training_assignment_schedule_relative_type	Training assignment schedule relative type
view	report.vw_rpt_training_assignment_due_date_type	Training assignment due date type
view	report.vw_rpt_training_assignment_termination_type_type	Training assignment recurrence termination type
view	report.vw_rpt_training_purpose_local2	Localized training purpose (by purpose ID)
view	report.vw_rpt_training_assignment_schedule_type	Training assignment schedule type for processing frequency
view	report.vw_rpt_training_assignment_recurrence_type	Training assignment recurrence type
view	report.vw_rpt_lo_material_local	Localized training Material URL
view	report.vw_rpt_training_available_language	Languages that are available for a for a particular LO
view	report.vw_rpt_transcript_status_group	Transcript status group
view	report.vw_rpt_lo_session_local	Localized Training IDs
view	report.vw_rpt_training_material_status_local	Localized Document Management System Material sourced status
view	report.vw_rpt_training_local	Localized training title, description, keywords for all types of training objects
view	report.vw_rpt_transcript_observation_status_local	Localized observed training result

view	report.vw rpt connect item type local	Localized connect posting type
view	report.vw rpt transcript equivalency type local	Localized transcript equivalency type
view	report.vw rpt transcript delivery method local	Localized transcript delivery method
view	report.vw rpt curriculum child due date type local	Localized curriculum child due date type

Object name: **report.vw_rpt_training**

Object type: view

Unique key: *object_id* ASC

Description: Main view to get all user training related data

Custom Report Section: Training

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
lo_object_id	<i>Training Object ID</i>	uniqueidentifier	Internal Identifier for learning object (LO); it is equivalent to object_id .
object_type	<i>n/a</i>	varchar(4)	Training type textual code: CRSE = Online Class EVNT = Event MTRL = Material PRGM = Curriculum SCO = Quick Course VID = Video SLCH = Cohort SLPG = Program, etc.
lo_type	<i>Training Type</i>	varchar(510)	Training Type description: <ul style="list-style-type: none"> • Online Class • Event • Material • Curriculum • Quick Course • Video • Cohort Program, etc.
object_id	<i>Training ID</i>	uniqueidentifier	Internal Identifier for learning object. Use report.vw_rpt_lo_session_local joined on object_id to get localized 'Training ID'; refer to ' Mapping between report and lookup views '
lo_object_type	<i>n/a</i>	varchar(4)	Learning object type textual code: CRSE = Online Class EVNT = Event MTRL = Material PRGM = Curriculum SCO = Quick Course VID = Video, etc. It is equivalent to object_type .
<i>n/a</i>	<i>Training Competencies</i>	<i>Use lookup view to get report field</i>	Use report.vw_rpt_lo_competencies_local joined on object_id to get localized 'Training Competencies'; refer to ' Mapping between report and lookup views '
<i>n/a</i>	<i>Classification</i>	<i>Use lookup view to get report field</i>	Description of the educational objective classification associated with learning object; use report.vw_rpt_lo_classification_local joined on object_id to get

			localized 'Classification'; refer to 'Mapping between report and lookup views'
n/a	<i>Training Title</i>	<i>Use lookup view to get report field</i>	Use report.vw rpt training local joined on object_id to get localized 'Training Title'; refer to 'Mapping between report and lookup views'
n/a	<i>Training Description</i>	<i>Use lookup view to get report field</i>	Use report.vw rpt training local joined on object_id to get localized 'Training Description'; refer to 'Mapping between report and lookup views'
n/a	<i>Keyword</i>	<i>Use lookup view to get report field</i>	Use report.vw rpt training local joined on object_id to get localized 'Keyword'; refer to 'Mapping between report and lookup views'
n/a	<i>Electronic Signature Message</i>	<i>Use lookup view to get report field</i>	Use report.vw rpt lo signature local joined on object_id to get localized 'Electronic Signature Message'; refer to 'Mapping between report and lookup views'
lo_hours	<i>Training Hours</i>	decimal(9, 2)	Training total duration (for sessions, the break time is omitted)
lo_size	<i>Training File Size (MB)</i>	decimal(9, 2)	Training file size (in MB)
lo_credit	<i>Training Credits</i>	decimal(9, 2)	Credit user would receive from attending training
lo_max_score	<i>Max score</i>	int	Maximum score user can achieve while participating in the training
lo_mastery_score	<i>n/a</i>	int	The minimum score a user would need to get in order to pass the training
lo_price	<i>Training Price</i>	money	The price associated with learning object (used for billing purposes)
lo_root_id	<i>n/a</i>	uniqueidentifier	Identifier of the top parent learning object (LO) to training item. For example, event (ILT course) is parent object to sessions (scheduled instances of event) that hold this course at different times and locations by different instructors.
lo_start_dt	<i>Training Start Date</i>	datetime	Start date of training (relevant for session, external training, and cohort)
lo_end_dt	<i>Training End Date</i>	datetime	Finish date of training item (relevant for session, external training, and cohort)
lo_locator	<i>Training Locator Number</i>	int	Numeric identifier for session
lo_reg_min	<i>Training Min Registration</i>	int	Minimum number of users needed to register for training in order to launch training

lo_reg_max	<i>Training Max Registration</i>	bigint	Maximum number of users who can register for learning object
lo_min_parts	<i>Minimum part attendance</i>	int	Minimum parts of the training item user must participate in
lo_withdraw_dt	<i>Withdrawal Deadline</i>	smalldatetime	Latest date user can withdraw from training
lo_instructor_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training instructor (relevant for ILT session)
lo_location_id	<i>n/a</i>	int	OU (Organizational Unit) location identifier for training to take place (relevant for ILT session)
lo_provider_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training provider
lo_version	<i>Training Version</i>	nvarchar(50)	Version of the learning object (LO)
lo_contact	<i>Training Contact</i>	nvarchar(402)	Semicolon delimited list of Full names of users who can be contacted regarding learning object (LO)
lo_contact_user_ref	<i>Training Contact (User ID)</i>	nvarchar(400)	Semicolon delimited list of descriptive identifiers (user_ref from report.vw_user) of users who can be contacted regarding training
lo_no_show	<i>Transaction No Show Charge</i>	money	Monetary penalty for not showing up on registered LO
lo_withdrawal_penalty	<i>Transaction Withdrawal Charge</i>	money	Monetary penalty for withdrawal from the LO after its withdrawal date (lo_withdraw_dt)
lo_created_by_user_id	<i>n/a</i>	int	Internal identifier for user (user_id from report.vw_user) who created learning object
lo_end_registration	<i>Training Reg Deadline</i>	smalldatetime	The latest date (UTC datetime) users can register for the LO
lo_adv_reg_deadline	<i>Training Advanced Reg. Deadline</i>	smalldatetime	Deadline of the advance registration for the LO
lo_eval_01	<i>Training Eval 1</i>	int	Internal identifier of the level 1 evaluation associated with learning object (LO)
lo_eval_02	<i>Training Eval 2</i>	int	Internal identifier of the level 2 evaluation associated with learning object (LO)
lo_eval_03	<i>Training Eval 3</i>	int	Internal identifier of the level 3 evaluation associated with learning object (LO)
lo_eval_01_override	<i>n/a</i>	int	For internal use
lo_eval_02_override	<i>n/a</i>	int	For internal use
lo_eval_03_override	<i>n/a</i>	int	For internal use
lo_active	<i>Training Active</i>	char(1)	Flag that indicates whether the LO is active: Y = active N = inactive
total_sco	<i>n/a</i>	int	Number of modules (SCO - Quick Course) an online course consists

			of
lo_create_dt	<i>Training Created Date</i>	datetime	Creation date of learning object (LO)
related_lo_id	<i>n/a</i>	uniqueidentifier	Identifier of the LO which is original version of the training item
classification_id	<i>n/a</i>	uniqueidentifier	Internal identifier of the educational objective classification associated with LO
lo_language_id	<i>n/a</i>	int	Language identifier associated with learning object
lo_status_type	<i>Training Status</i>	char(4)	Textual code for the training status
lo_currency_id	<i>n/a</i>	int	Internal identifier for LO price currency
lo_modified_by_user_id	<i>n/a</i>	int	Internal identifier of user (user_id from report.rpt_user) who modified LO
lo_modified_dt	<i>Last Modified Date</i>	smalldatetime	Date when learning object(LO) was modified
lo_seats_total	<i>Total Seats</i>	bigint	Total number of seats available for learning object(LO) (session includes the session total capacity, whereas event summarizes all its sessions capacity)
lo_seats_taken	<i>Total Seats Taken</i>	bigint	Total number of seats that are used by participants for the LO (session includes the session total used seats, whereas event summarizes all its sessions taken seats)
lo_seats_available	<i>Total Seats Available</i>	bigint	Total seats available for the LO
lo_total_users_requests	<i>Total Number of Requesting Users</i>	int	Total number of users who explicitly requested training
lo_publication_id	<i>Course Publication Title</i>	int	Internal identifier of the publication the LO was associated with (relevant for online courses); use report.vw_rpt_lo_publication_local to get localized publication title; refer to ' Mapping between report and lookup views '
lo_material_type_id	<i>Material Type Name</i>	int	Internal identifier for material type of the LO (relevant for material); use report.vw_rpt_training_material_type_local to get localized material type name; refer to ' Mapping between report and lookup views '
lo_interest_tracking_allowed	<i>Interest Tracking Allowed</i>	bit	Flag indicating whether the option of adding the LO to the user interest tracking is enabled: 1 = True 0 = False
lo_multiple_sessions_allowed	<i>Multiple</i>	bit	Flag indicating whether the option

	<i>Session Enrollment Allowed</i>		'Allow Users To Attend Multiple Sessions ' is enabled and users can register for more than one session of the event: 1 = True 0 = False
lo_waitlist_allowed	<i>Waitlists Allowed</i>	bit	Flag indicating whether user can be added to the waitlist when he registers for a session with no seats available: 1 = True 0 = False
lo_waitlist_auto_register	<i>Auto-Registration of Waitlist</i>	bit	Flag indicating whether user is automatically registered for the LO once he is granted a seat from the waitlist : 1 = True 0 = False
lo_waitlist_auto_manage	<i>Auto-management of Waitlist</i>	bit	Flag indicating whether the system is allowed to manage the waitlist by maintaining a list of waitlisted users and granting waitlisted users a seat automatically if one becomes available: 1 = True 0 = False
lo_owner_names	<i>Owners</i>	nvarchar(800)	Semicolon delimited list of full names of LO owners (relevant for Curriculum)
lo_timezone_id	<i>n/a</i>	int	Internal identifier of the time zone (relevant for ILT sessions)
lo_total_cost	<i>Total Session Cost</i>	money	Total cost of training session
lo_test_graders_ids	<i>Test Graders (ID)</i>	nvarchar(800)	Comma separated list of users' descriptive identifiers (user_ref from report.rpt_user) who can grade the LO (relevant for test)
lo_test_attempts_allowed	<i>Number of Attempts Allowed (Tests)</i>	int	Maximum number of attempts allowed for a test
lo_test_max_time_allowed	<i>Time Limit Minutes (Tests)</i>	int	Maximum time user can spend on a test
lo_test_max_entries	<i>Maximum Number of Test Entries</i>	int	Maximum number of entries allowed per test per user
lo_session_selection_allowed	<i>Ability to Select Sessions End Users</i>	bit	Flag indicating whether user is allowed to select the different event's sessions: 1 = True 0 = False
lo_admin_session_selection_allowed	<i>Ability to Select Session Admins and Managers</i>	bit	Flag indicating whether Admins and Managers are allowed to select an event session on behalf of a user via the Select Session option on the

			user's Universal Profile - Transcript or Training Details page: 1 = True 0 = False
lo_billing_entity	n/a	int	Internal Identifier for billing entity
lo_product_code	Product/Commodity Code	nvarchar(20)	Product code for the LO
lo_secondary_training_provider_id	n/a	uniqueidentifier	Internal identifier of secondary training provider
lo_is_part_of_curriculum	Inside Curriculum	bit	Flag indicating whether LO is part of curriculum (values 0/1)
lo_connect_item_type_id	Connect Posting Type	int	Internal identifier for connect posting type; use report.vw_rpt_connect_item_type_local to get localized Connect Posting Type; refer to ' Mapping between report and lookup views '
training_version_effective_dt	Training Version Effective Date	datetime	Effective date of training version
training_version_start_dt	Training Version Start Date	datetime	Start date of training version
training_version_end_dt	Training Version End Date	datetime	End date of training version
lo_secondary_training_provider	Secondary Training Provider	nvarchar(100)	Name of secondary training provider
lo_training_ref	Training Reference Number	nvarchar(100)	Training descriptive identifier
lo_owners_ids	Owners	nvarchar(800)	Semicolon delimited list of full names of LO owners (relevant for Curriculum)
lo_type_id	n/a	int	Internal identifier for training type
lo_ref	n/a	nvarchar(100)	Descriptive identifier for LO
lo_email_option_id	Email Configuration	int	Internal identifier for Email option selected for LO: 0 = System Defaults 1 = Custom Emails 2 = No Emails
lo_root_title	n/a	nvarchar(500)	LO root parent title
lo_provider	Training Provider	nvarchar(100)	Training provider name
lo_provider_address1	Provider Location Address 1	nvarchar(50)	Training provider address (1st line)
lo_provider_address2	Provider Location Address 2	nvarchar(50)	Training provider address (2nd line)
lo_provider_mailstop	Provider Mailstop	int	Training provider mailstop
lo_provider_city	Provider City	nvarchar(50)	Training provider city

lo_provider_state	<i>Provider State</i>	nvarchar(50)	Training provider state (for US only)
lo_provider_zip	<i>Provider Zip</i>	nvarchar(50)	Training provider zipcode
lo_created_by	<i>n/a</i>	nvarchar(402)	Full name of the user who created LO
lo_created_by_fullname	<i>Training Session Admin;</i> <i>Created By (Name)</i>	nvarchar(402)	Full name of the user who created LO
lo_created_by_user_ref	<i>Created By (User ID)</i>	nvarchar(100)	Textual identifier (user_ref from report.rpt_user) of the user who created LO
lo_modified_by	<i>n/a</i>	nvarchar(402)	Full name of the user who last made changes in the LO
lo_modified_by_fullname	<i>Last Modified By</i>	nvarchar(402)	Full name of the user who last made changes in the LO
lo_modified_by_user_ref	<i>Last Modified By (User ID)</i>	nvarchar(100)	Descriptive identifier (user_ref from report.rpt_user) of the user who last made changes in the LO
lo_timezone_code	<i>n/a</i>	nvarchar(20)	Time zone code (relevant for ILT sessions)
lo_provider_active	<i>n/a</i>	char(1)	Flag indicating whether training provider is active (values 'Y'/'N')
lo_currency_code	<i>Cost Currency</i>	nvarchar(10)	LO price currency code
lo_currency_symbol	<i>n/a</i>	nvarchar(20)	LO price currency symbol
lo_language	<i>n/a</i>	nvarchar(200)	LO language
lo_status	<i>Training Status</i>	char(4)	Textual code for LO status: APPR = Approved CMPL = Completed CNCL = Cancelled EXPR = Expired Use report.vw rpt lo status local joined on lo_status to get localized 'Training Status'; refer to 'Mapping between report and lookup views'
classification	<i>Classification</i>	nvarchar(max)	Description of the educational objective classification (not localized) associated with learning object; use report.vw rpt lo classification local joined on object_id to get localized 'Classification'; refer to 'Mapping between report and lookup views'
lo_billing_entity_name	<i>Billing Entity</i>	nvarchar(1000)	Billing entity name for the LO
lo_postwork_titles	<i>Post-Work Training Titles</i>	nvarchar(800)	Post-Work Training Titles
lo_prework_titles	<i>Pre-Work Training Titles</i>	nvarchar(800)	Pre-Work Training Titles
lo_skills	<i>Training Skills</i>	nvarchar(800)	Comma separated list of training skills
lo_material_type_active	<i>Material Type Active</i>	bit	Flag indicating whether LO material type is active (values 0/1)
lo_publication_published	<i>Course</i>	int	Flag indicating whether course

	<i>Publication Published?</i>		publication was published (values 0/1)
lo_publication_created_by	<i>Course Publication Created By</i>	nvarchar(402)	Full name of the course publication creator
lo_publication_created_dt	<i>Course Publication Creation Date</i>	smalldatetime	Date when publication was created
training_deactivation_dt	<i>Training Deactivation Date</i>	datetime	Date when training was deactivated
lo_root_ref	<i>n/a</i>	nvarchar(100)	LO root parent descriptive identifier
keywords	<i>Keyword</i>	nvarchar(1000)	Training keywords (not localized); use report.vw rpt training local joined on object_id to get localized 'Keyword'; refer to ' Mapping between report and lookup views '
lo_title	<i>Training Title</i>	nvarchar(500)	Training title (not localized); use report.vw rpt training local joined on object_id to get localized 'Training Title'; refer to ' Mapping between report and lookup views '
lo_instructor	<i>Session Instructor Name</i>	nvarchar(402)	Full name of training instructor (relevant for ILT session)
training_latest_version	<i>Training Latest Version (Obsolete)</i>	nvarchar(50)	Number of the latest training version
electronic_signature_required	<i>Electronic Signature Required</i>	bit	Flag indicating whether electronic signature is required (values: 0/1)
course_code	<i>Course Code</i>	nvarchar(54)	Training course code
n/a	<i>Material URL</i>	<i>Use lookup view to get report field</i>	URL of the LO material (relevant for LO of type material). Use report.vw rpt lo material local joined on object_id to get localized <i>Material URL</i> ; refer to ' Mapping between report and lookup views '
is_ojt_enabled	<i>On The Job Training</i>	bit	Flag indicating whether training is 'On The Job Training' (values: 0/1)
lo_material_status	<i>DMS Status</i>	int	Internal Identifier for the Document Management System Material sourced status. Use report.vw rpt training material status local joined on lo_material_status to get localized <i>DMS Status</i> ; refer to ' Mapping between report and lookup views '
lo_is_mobile_compatible	<i>Mobile Compatible</i>	bit	Flag indicating whether a training has been marked as compatible with the Cornerstone mobile applications in the Course Catalog (values: 0/1)

is_latest_training_version	<i>Training Latest Version?</i>	bit	Flag indicating whether the training is the latest version from the Course Catalog (values: 0/1)
_last_touched_dt_utc	n/a	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
event_min_enrollment	<i>Event Min Enrollment</i>	int	The minimum enrollment for the Session defaults of an Event.
event_max_enrollment	<i>Event Max Enrollment</i>	int	The maximum enrollment for the Session defaults of an Event.
is_available_offline	<i>Allow Download Offline</i>	bit	Flag from the Course Catalog indicating if the online course can be downloaded for offline consumption (values: 0/1).
is_available_offline_network	<i>Allow Launch From Offline Network</i>	bit	Flag from the Course Catalog indicating if the online course can be launched from offline network location (values: 0/1).

Object name: **report.vw_rpt_transcript**

Object type: view

Unique key: **transc_user_id ASC, transc_object_id ASC, reg_num ASC**

Description: **Main view to get all user transcript related data**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
transc_user_id	n/a	int	Internal Identifier for user (from report.rpt_user)
transc_object_id	n/a	uniqueidentifier	Internal Identifier for learning object (LO)
reg_num	<i>Registration Number</i>	int	The number of times the user registered for the learning object (LO)
user_lo_status_id	<i>Transcript Status</i>	bigint	Internal Identifier for the Transcript training status; use report.vw_rpt_transcript_status_local to get localized 'Transcript Status'; refer to Mapping between report and lookup views
user_lo_score	<i>Transcript Score</i>	int	Transcript training item score
user_lo_create_dt	n/a	datetime	Transcript training item create date
user_lo_reg_dt	<i>Transcript Registration Date</i>	datetime	Transcript training item registration date

user_lo_start_dt	<i>n/a</i>	datetime	Transcript training item start date
user_lo_comp_dt	<i>Transcript Completed Date</i>	datetime	Transcript training item completion date
user_lo_last_access_dt	<i>n/a</i>	datetime	Transcript training item last access date
user_lo_minutes_participated	<i>Transcript Time in training (min)</i>	int	Transcript time in training (in minutes)
user_lo_num_attempts	<i>n/a</i>	int	Deprecated, it has NULL value
user_lo_assignor_id	<i>n/a</i>	int	Identifier of the transcript training item assignor (either user identifier (user_id from report.rpt_user) or -1 when no assignor ('Job Requirement'))
user_lo_assignor_ref	<i>Assigned by (ID)</i>	nvarchar(100)	Descriptive identifier (user_ref from report.rpt_user) of the transcript training item assignor
user_lo_assignor	<i>Assigned by (name)</i>	nvarchar(402)	Full name of the transcript training item assignor (when no assignor, then 'Job Requirement')
user_lo_comment	<i>n/a</i>	varchar(250)	Comments noted when transcript training item is edited
user_lo_min_due_date	<i>Transcript Due Date</i>	smalldatetime	Transcript training item due date
<i>n/a</i>	<i>Past Due Aging</i>	smalldatetime	Number of days past transcript due date. Report Field ' <i>Past Due Aging</i> ' is calculated as follows: DATEDIFF(d,user_lo_min_due_date , getdate())
is_removed	<i>Removed from Transcript?</i>	bit	Flag that indicates whether learning object(LO) is removed from user transcript: 1 = True 0 = False
user_lo_removed_reason_id	<i>Removal Reason</i>	int	Internal identifier for the reason why training item was removed from transcript; use report.vw_rpt_lo_removal_reason_local to get localized <i>Removal Reason</i> ; refer to ' Mapping between report and lookup views '
user_lo_removed_comments	<i>Removal Comments</i>	nvarchar(250)	Comments noted by remover when transcript training item is removed
user_lo_removed_dt	<i>Transcript Removed Date</i>	datetime	Date when training was removed from transcript
completed_sco	<i>n/a</i>	int	Number of completed modules inside an online course
archived	<i>Archived from Transcript?</i>	bit	Flag to indicate if training is archived (moved from Active Transcript into Archive transcript) or not
user_lo_assigned_comments	<i>Assign Comments</i>	nvarchar(250)	Comments noted when transcript training item was assigned to the user
user_lo_assigned_dt	<i>Transcript</i>	datetime	Date the comments were noted

	<i>Assigned Date</i>		when transcript training item was assigned to the user
training_purpose	<i>Training Purpose</i>	int	Internal identifier of the purpose that user requested the training for; use report.vw rpt training purpose local2 to get localized <i>Training Purpose</i> title; refer to ' Mapping between report and lookup views '
training_purpose_category	<i>Training Purpose Category</i>	int	Internal identifier of training purpose category; use report.vw rpt training purpose local2 to get localized training purpose category title; refer to ' Mapping between report and lookup views '
user_lo_last_action_dt	<i>Last Transcript Status Change Date</i>	datetime	Date when last action was taken on the user training item. Note: This field will have the date for any action that excludes archival and un-archival . Any action besides these occurring would be a candidate for setting this date.
user_lo_pct_complete	<i>Completed SCOs %</i>	decimal(5,2)	Percentage of the training completed by the user
exemptor_id	<i>n/a</i>	int	Internal identifier of the user who is Exemptor
exempt_comment	<i>Exemption Comments (User)</i>	nvarchar(100)	Comments noted by exemptor during exemption submission
approver_exempt_comment	<i>Exemption Comments (Exemptor)</i>	nvarchar(4000)	Exemption approver comments
exempt_dt	<i>Exemption Date</i>	datetime	Date of transcript training exemption
exempt_reason_id	<i>Exemption Reasons (User)</i>	int	Internal identifier of the reason to exempt the training by the exemptor; use report.vw lo exempt status reason local to get localized exemption reason title; refer to ' Mapping between report and lookup views '
exempt_approver_reason_id	<i>Exemption Reasons (Exemptor)</i>	int	The approver reason identifier to approve the exemption; use report.vw lo exempt status reason local to get localized exemption reason title; refer to ' Mapping between report and lookup views '
exempt_reason	<i>Exemption Reasons (User)</i>	nvarchar(200)	Title (not localized) of the reason to exempt the training by the exemptor
exempt_approver_reason	<i>Exemption</i>	nvarchar(200)	Title (not localized) of the approver

	<i>Reasons (Exemptor)</i>		reason to approve the exemption
is_assigned	<i>Assigned</i>	bit	Flag indicating whether training was assigned to the user or requested by the user
is_suggested	<i>Suggested</i>	bit	Flag indicating whether training was suggested to the user or not
is_required	<i>Required</i>	bit	Flag indicating whether training is mandatory for the user or not
is_latest_reg_num	<i>Greatest Registration Number</i>	int	Flag indicating whether user's registration for training item is latest or not: 1 = latest 0 = not latest
is_archive	<i>n/a</i>	int	Flag indicating whether user's training was archived or not: 1 = archived 0 = not archived
user_lo_pass	<i>Passed</i>	bit	Flag indicating whether user passed training course
user_lo_cancellation_reason_id	<i>Cancellation Reason</i>	int	Internal identifier for the reason the administrator canceled the user participation in the training; use report.vw_rpt_user_lo_action_reason_local to get localized cancellation reason; refer to 'Mapping between report and lookup views'
user_lo_cancellation_reason	<i>Cancellation Reason Comments</i>	nvarchar(300)	Comments for the reason the administrator canceled the user participation in the training
user_lo_withdrawal_reason_id	<i>Withdrawal Reason</i>	int	Internal identifier for the reason the user withdrew from the training; use report.vw_rpt_user_lo_action_reason_local to get localized withdrawal reason; refer to 'Mapping between report and lookup views'
user_lo_withdrawal_reason	<i>Withdrawal Reason Comments</i>	nvarchar(300)	Comments for the reason the user withdrew from the training
user_lo_from_training_plan	<i>From Training Plan?</i>	varchar(8)	Flag indicating whether the user took training as a part of training plan (values: Yes/No/Replaced)
user_lo_available_dt	<i>Available Date</i>	datetime	Date when training will be available for registering
user_lo_training_link_expiration_date	<i>Training Link Expiration Date</i>	datetime	Date when link to register for training will expire
user_lo_timezone_code	<i>n/a</i>	nvarchar(20)	Session's timezone code. Examples: 'GMT', 'UTC', 'UTC+12', etc.
user_lo_withdrawal_date	<i>Session Withdrawal</i>	datetime	The date a user withdraws from a session

	<i>Date</i>		
transcript_badge_id	<i>Training Badge Title</i>	int	Internal identifier for Training badge that was awarded to the user for completing the Training; use report.vw rpt feedback badge local to get localized 'Training Badge Title'; refer to ' Mapping between report and lookup views '
transcript_badge_points	<i>Training Badge Point Value</i>	int	The point value of the badge that was awarded to the user for completing the Training
transcript_training_points	<i>Training Point Value</i>	int	The point value that was awarded to the user for completing the Training
user_lo_status_group_id	<i>Transcript Status Group</i>	int	Internal identifier for Transcript Status Group which is the status group of the specific training status; use report.vw rpt transcript status group to get name of 'Transcript Status Group'; refer to ' Mapping between report and lookup views '
is_latest_version_on_transcript	<i>Latest Registration Number?</i>	bit	Flag that indicates if the specific training is the latest/greatest registration on the user's transcript across all versions (values: 0/1).
user_lo_last_modified_dt	<i>Transcript Last Modified Date</i>	smalldatetime	The latest date the transcript has been <i>updated</i> via the UI or the DLW for transcript registrations, assignments or completions.
_last_touched_dt_utc	<i>n/a</i>	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
is_express_class	<i>Is Express Class?</i>	bit	Flag that indicates if the specific training was assigned via Express Class (values: 0/1).
user_lo_equivalent_object_id	<i>Completed Equivalent Training Object ID</i> <i>Completed Equivalent</i>	uniqueidentifier	The Training Object ID of the 'Completed' training that triggered the 'Completed Equivalent' status of another training. Use report.vw rpt training local joined on user_lo_equivalent_object_id to

	<i>Training Title</i>		get localized 'Completed Equivalent Training Title' - the Training Title of the 'Completed' training that triggered the 'Completed Equivalent' status of another training. refer to 'Mapping between report and lookup views'
user_lo_equivalency_type	<i>Completed Equivalent Training Equivalency Type</i>	int	Internal identifier for the type of equivalency that connects the training in 'Completed Equivalent' status with the training in 'Completed' status that triggered the 'Completed Equivalent' status; use report.vw_rpt_transcript_equivalency_type_local to get localized 'Completed Equivalent Training Equivalency Type'; refer to 'Mapping between report and lookup views' Example of values for equivalency type: <i>Language Equivalency, Training Equivalency; Version Equivalency.</i>
user_lo_delivery_method_id	<i>Transcript Delivery Method</i>	int	Internal identifier for Transcript Delivery Method (Direct Assignment, Self-Requested, LAT, Express Class, Other); use report.vw_rpt_transcript_delivery_method_local to get localized 'Transcript Delivery Method'; refer to 'Mapping between report and lookup views'
is_standalone	<i>Standalone on Transcript</i>	bit	Flag indicating if a training on a user's transcript was registered as a standalone course and not as part of a curriculum (values: 0/1).
user_lo_remover_id	<i>n/a</i>	int	Internal identifier of the user who is the transcript training item remover

Object name: **report.vw_curriculum_user_info**

Object type: view

Unique key: **curriculum_user_id** ASC, **curriculum_id** ASC, **curriculum_reg_num** ASC

Description: Curriculum data: percentage of the curriculum completed by user

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
curriculum_user_id	<i>n/a</i>	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
curriculum_id	<i>n/a</i>	uniqueidentifier	Internal identifier for learning object Curriculum (object_id from report.vw_rpt_transcript)

curriculum_reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
current_section_id	n/a	uniqueidentifier	Internal identifier for section
current_page_id	n/a	int	Internal identifier for page
progress_percentage	Curriculum Completion Percentage	int	Percentage of the curriculum completed by user (values: 0-100)

Object name: report.vw_rpt_transcript_curricula

Object type: view

Unique key: transc_curr_user_id ASC, transc_curr_object_id ASC, transc_curr_reg_num ASC, transc_curr_id ASC, transc_curr_section_id ASC

Description: Curriculum data: curriculum' version, title, section's title

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
transc_curr_user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
transc_curr_object_id	n/a	uniqueidentifier	Internal identifier for learning object Curriculum (object_id from report.vw_rpt_transcript)
transc_curr_reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
transc_curr_id	Curriculum Title (Transcript)	uniqueidentifier	Internal identifier for Curriculum; use report.vw_rpt_training_local to get localized 'Curriculum Title (Transcript)'; refer to 'Mapping between report and lookup views'
transc_curr_version	Curriculum Version (Transcript)	nvarchar(50)	Version number of the Curriculum
transc_curr_section_id	Curriculum Section Title (Transcript)	uniqueidentifier	Internal identifier for Curriculum Section; use report.vw_rpt_training_local to get localized 'Curriculum Section Title (Transcript)'; refer to 'Mapping between report and lookup views'

Object name: report.vw_rpt_transcript_modifications

Object type: view

Description: Transcript edited fields

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
transc_mod__object_id	n/a	uniqueidentifier	Internal identifier for learning object (object_id from report.vw_rpt_transcript)

transc_mod__user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
transc_mod__reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
transc_mod__modification_date	<i>Transcript Edited Date</i>	datetime	The date that the user edited the users transcript
transc_mod__comment_by_user_id	<i>Transcript Edited By (User ID)</i>	nvarchar(100)	The ID of the user that edited the users transcript
transc_mod__comment_by_name	<i>Transcript Edited By (Name)</i>	nvarchar(401)	The full name of the user that edited the users transcript
transc_mod__comment_date	n/a	datetime	The date when comments were added due to edited of the transcript
transc_mod__comment	<i>Transcript Edited Comments</i>	nvarchar(250)	The comments that were added due to edited of the transcript

Object name: **report.vw_rpt_transcript_roster_comments**
 Object type: view
 Description: Transcript roster comments

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
transc_comments__object_id	n/a	uniqueidentifier	Internal identifier for learning object (object_id from report.vw_rpt_transcript)
transc_comments__user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
transc_comments__reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
transc_comments__comment_by_user_id	<i>Transcript Roster Commented By (User ID)</i>	nvarchar(100)	The ID of the user that added the comments to the roster
transc_comments__comment_by_name	<i>Transcript Roster Commented By (Name)</i>	nvarchar(401)	The full name of the user that added the comments to the roster
transc_comments__comment_date	<i>Transcript Roster Commented Date</i>	datetime	The date that the user added the comments to the roster
transc_comments__comment	<i>Transcript Roster Comments</i>	nvarchar(max)	The comments that were added to the roster

Object name: **report.vw_rpt_transcript_part_attendance**
 Object type: view
 Description: User attendance per individual training session part

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
pa__user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
pa__object_id	n/a	uniqueidentifier	Internal identifier for learning object (object_id from report.vw_rpt_transcript)
pa__reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
pa__part_id	<i>Part Name</i>	uniqueidentifier	Internal identifier for training session part; use report.vw_rpt_training_part_local to get localized <i>Part Name</i> ; refer to ' Mapping between report and lookup views '
pa__is_attended	<i>User Attended Part?</i>	bit	Flag that indicates if the specific User did or did not attend the individual Part of training session. Values: (1/0)

Object name: **report.vw_rpt_training_cf**
 Object type: view
 Description: Training custom fields - data are pivoted so that columns are custom field identifiers, and values are custom fields' values

- *Custom Report Section: **Training***
 Unique key: **train_cf_object_id** ASC

Column name	Data type	Description
train_cf_object_id	uniqueidentifier	Internal identifier for learning object (LO)
warehouse_training_custom_fields_object_id	uniqueidentifier	For backward compatibility (is equal to train_cf_object_id)
dynamic columns (lo_custom_field_<field_identifier>, example: lo_custom_field_00002, lo_custom_field_00003, etc.)	custom field type and size Note: Custom fields of type 'Multiple Checkbox' have nvarchar(400) data type.	Values for training custom fields Note: when training custom field has the following display type <ul style="list-style-type: none"> • Dropdown • Radio Button • Hierarchy • Branched Dropdown • Multiple Checkbox value_id identifier is stored instead of textual value; use report.vw_rpt_lo_form_cf_display_value_local view to get localized textual description.

Object name: **report.vw_rpt_transcript_cf**
 Object type: view
 Description: Transcript custom fields - data are pivoted so that columns are custom field identifiers, and values are custom fields' values

- Custom Report Section: **Transcript**

Unique key: **transc_cf_user_id** ASC, **transc_cf_object_id** ASC

Column name	Data type	Description
transc_cf_user_id	int	Internal identifier for user (user_id from report.rpt_user)
transc_cf_object_id	uniqueidentifier	Internal identifier for learning object (LO)
warehouse_transcript_custom_fields_user_id	int	For backward compatibility (is equal to transc_cf_user_id)
warehouse_transcript_custom_fields_object_id	uniqueidentifier	For backward compatibility (is equal to transc_cf_object_id)
dynamic columns (user_lo_custom_field_00003_<field_identifier>, example: user_lo_custom_field_00002, user_lo_custom_field_00003, etc.)	custom field type and size Note: Custom fields of type 'Multiple Checkbox' have nvarchar(400) data type.	Values for transcript custom fields. Note: when transcript custom field has the following display type <ul style="list-style-type: none"> • Dropdown • Radio Button • Hierarchy • Branched Dropdown • Multiple Checkbox value_id identifier is stored instead of textual value; use report.vw_rpt_lo_form_cf_display_value_local view to get localized textual description.

Object name: **report.vw_rpt_transcript_scom2004**

Object type: view

Description: SCORM 2004 Quiz data

Custom Report Category: **Transcript Report**

- Custom Report Section: **SCORM 2004 Quiz Data**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: SCORM 2004 Quiz Data</i>			
sco_user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
sco_crse_object_id	<i>SCO Name</i>	uniqueidentifier	Internal Identifier for SCO (object_id from report.vw_rpt_transcript); use report.vw_rpt_training_local joined on sco_crse_object_id to get localized 'SCO Name' as it appears on the course manifest; refer to ' Mapping between report and lookup views '
sco_crse_reg_num	n/a	int	Registration Number (number of times user registered for the learning object)
sco_object_id	n/a	uniqueidentifier	Internal Identifier for LO
sco_provider_id	<i>SCO ID</i>	nvarchar(100)	SCO ID
sco_attempt_dt	<i>Quiz Attempt Date</i>	datetime	The date when the specific quiz attempts has occurred
sco_attempt_number	<i>Quiz Attempt</i>	int	The attempt's number of the quiz (based on how many times the learner attempted the quiz)
sco_score	<i>Quiz Score</i>	decimal(18,5)	Quiz Score (number that reflects

			the performance of the learner for the objective)
sco_success_status	<i>Quiz Success Status</i>	nvarchar(20)	Quiz Success Status. Indicates whether the learner has mastered the SCO. Possible values: <ul style="list-style-type: none"> • "success" • "failure" • "unknown"
sco_question_id	<i>Quiz Question ID</i>	nvarchar(max)	Quiz Question ID
sco_question_weight	<i>Quiz Question Weighting</i>	decimal(18,5)	Weight given to the interaction relative to other interactions
sco_question_response	<i>Quiz Response</i>	nvarchar(max)	Quiz Response
sco_question_response_status	<i>Response Status</i>	nvarchar(255)	Response status (judgment of the correctness of the learner response). Possible values: <ul style="list-style-type: none"> • "Correct" • "Incorrect" • "Unanticipated" • "Neutral"
sco_question_description	<i>Quiz Question Description</i>	nvarchar(max)	Quiz Question Description
sco_question_type	<i>Quiz Question Type</i>	nvarchar(255)	Type of the Quiz Question. Possible values: <ul style="list-style-type: none"> • "True-false" • "Choice" • "Fill-in" • "Long-fill-in" • "Matching" • "Performance" • "Sequencing" • "Likert" • "Numeric" • "Other"

Object name: **report.vw_rpt_transcript_scorm_dump**
Object type: view
Description: SCO data
Custom Report Category: Transcript Report
- Custom Report Section: SCO Data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: SCO Data</i>			
sco_dump_user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
sco_dump_object_id	SCO Name	uniqueidentifier	Internal Identifier for SCO (object_id from report.vw_rpt_transcript); use report.vw_rpt_training_local joined on sco_dump_object_id to

			get localized 'SCO Name' as it appears on the course manifest; refer to 'Mapping between report and lookup views'
sco_dump_reg_num	n/a	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
sco_dump_launch_type	n/a	char(4)	n/a
sco_dump_id	SCO ID	nvarchar(400)	SCO ID as appears on the course manifest
sco_dump_suspend_data	Suspend Data	nvarchar(max)	Suspend Data (space to store and retrieve data between learner sessions)
sco_dump_bookmark	SCO Bookmark	nvarchar(max)	The learner's current location in the SCO
sco_dump_progress_measure	Progress Measure	decimal(18,5)	Measure of the progress the learner has made toward completing the SCO
sco_dump_scaled_score	Score Scaled	decimal(18,5)	Number that reflects the performance of the learner
sco_dump_raw_score	Score Raw	decimal(18,5)	Number that reflects the performance of the learner relative to the range bounded by the values of min and max
sco_dump_min_score	Score Min	decimal(18,5)	Minimum value in the range for the raw score
sco_dump_max_score	Score Max	decimal(18,5)	Maximum value in the range for the raw score

Object name: **report.vw_rpt_lo_notes**
 Object type: view
 Description: Training comments (*Training Roster Comments, Training Version Comments*)
 - Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
lo_notes_object_id	n/a	uniqueidentifier	Internal Identifier for LO (object_id from report.vw_rpt_training)
lo_notes_note_type_id	n/a	int	Internal identifier for type of training notes: 103 = Session notes 104 = Tuition notes 105 = Cohort notes
lo_notes_note	Training Version Comments	nvarchar(3000)	Training comments
lo_notes_comment_date	Training Roster Commented Date	smalldatetime	The date that the user added the comments to the roster. To get report field 'Training Roster Commented Date' use value of lo_notes_comment_date when lo_notes_object_type = 'SESN' and

			lo_notes_note_type_id =103 (Session notes)
n/a	<i>Training Roster Comments</i>	nvarchar(3000)	To get report field ' <i>Training Roster Comments</i> ' use value of lo_notes_note when lo_notes_object_type = 'SESN' and lo_notes_note_type_id =103 (Session notes)
lo_notes_object_type	n/a	varchar(4)	Internal code for type of training notes: SNOT = session notes TUIT = tuition notes SLCH = cohort notes
lo_notes_comment_by_user_id	<i>Training Roster Commented By (User ID)</i>	nvarchar(100)	The ID of the user that added the comments to the roster. To get report field ' <i>Training Roster Commented By (User ID)</i> ' use value of lo_notes_comment_by_user_id when lo_notes_object_type = 'SESN' and lo_notes_note_type_id =103 (Session notes)
lo_notes_comment_by_name	<i>Training Roster Commented By (Name)</i>	nvarchar(401)	The full name of the user that added the comments to the roster. To get report field ' <i>Training Roster Commented By (Name)</i> ' use value of lo_notes_comment_by_name when lo_notes_object_type = 'SESN' and lo_notes_note_type_id =103 (Session notes)

Object name: **report.vw_rpt_training_rating_review**
 Object type: view
 Description: Training course reviews (*User Course Review Title, User Course Review Desc*)
 - Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
rl_object_id	n/a	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
rl_user_id	n/a	int	Internal identifier for user (user_id from report.rpt_user)
rl_rating_id	n/a	int	Internal identifier for training course review
user_course_review_title	<i>User Course Review Title</i>	nvarchar(200)	Traning course review title
user_course_review_desc	<i>User Course Review Desc</i>	nvarchar(max)	Traning course review description
user_lo_rating	<i>User's Course Rating</i>	smallint	User's Course Rating
user_rating_is_anonymous	<i>Course Rating Reviewer Is Anonymous</i>	bit	Flag indicating whether the course rating reviewer is anonymous or not (values: 0/1): 1 = anonymous

			0 = not anonymous
user_course_rating_reviewer	<i>Course Rating Reviewer</i>	nvarchar(402)	Full name of the course rating reviewer (user that submitted the Course Rating and / or Review)

Object name: **report.vw_rpt_filter_lo_ou**
 Object type: view
 Unique key: **flo_ou_id** ASC, **flo_object_id** ASC
 Description: Training available to OU users
 - Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
flo_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
flo_ou_id	<i>OU Training Availability</i>	int	Internal identifier for OU with training availability; use report.vw_rpt_ou_title_local to get localized <i>OU Training Availability</i> title; refer to ' Mapping between report and lookup views '
flo_include_subs	<i>OU Training Availability Include Subordinates</i>	bit	Flag indicating whether sub OUs have access to the training (values: 0/1)
flo_availability_type	<i>OU Training Availability Type</i>	varchar(9)	OU training availability type: <ul style="list-style-type: none"> • Visible • Suggested • Required • Featured
flo_preapproved	<i>OU Training Availability Pre-Approved</i>	bit	Flag indicating whether OU users need to be approved once requested for training (values 0/1): 0 = users need to be approved 1 = automatically preapproved
flo_register_upon_approval	<i>OU Training Availability Register Upon Approval</i>	bit	Flag indicating whether OU users' status would change to register once they have been approved for training or their status would remain approved and users would need to register for training (values: 0/1): 1 = automatically registered upon approval)
flo_form_title	<i>OU Training Request Form</i>	nvarchar(500)	Training Request Form title

Object name: **report.vw_rpt_filter_lo_user**
 Object type: view
 Description: Training available to users
 Unique key: **flu_user_id** ASC, **flu_object_id** ASC
 - Custom Report Section: **Training**

Column name	Custom Report	Data type	Description
-------------	---------------	-----------	-------------

	Field		
<i>Custom Report Section: Training</i>			
flu_object_id	n/a	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
flu_user_id	n/a	int	Internal identifier for user who has availability to search and register for training (user_id from report.vw_rpt_user)
flu_user_name	User Training Availability	nvarchar(402)	Full name of the user who has availability to search and register for training
flu_include_subs	User Training Availability Include Subordinates	bit	Flag indicating whether user subordinates have access to the training (values: 0/1)
flu_availability_type	User Training Availability Type	varchar(9)	Training availability type: <ul style="list-style-type: none"> • Visible • Suggested • Required • Featured
flu_preapproved	User Training Availability Pre-Approved	bit	Flag indicating whether user needs to be approved once requested for training (values 0/1): 0 = users need to be approved 1 = automatically preapproved
flu_register_upon_approval	User Training Availability Register Upon Approval	bit	Flag indicating whether user status would change to register once he has been approved for training or his status would remain approved and user would need to register for training (values: 0/1): 1 = automatically registered upon approval)
flu_form_title	User Training Request Form	nvarchar(500)	Training Request Form title

Object name: **report.vw_rpt_training_schedule**
 Object type: view
 Description: ILT (instructor led training) session schedule
Unique key: *schedule_id* ASC, *break_id* ASC, *lo_part_location_ou_id* ASC
 - Custom Report Section: **ILT Session Schedule (Part Level)**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: ILT Session Schedule (Part Level)</i>			
schedule_id	Part Name Part Description	uniqueidentifier	Internal Identifier for ILT schedule; use report.vw_rpt_training_part_local to get localized Part Name and Part Description; refer to ‘Mapping between report and lookup views’
rts_object_id	n/a	uniqueidentifier	Internal Identifier for training item
lo_schedule_start_dt	Part Start Date	smalldatetime	ILT session start date

lo_schedule_end_dt	<i>Part End Date</i>	smalldatetime	ILT session end date
lo_provider_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for ILT session provider
lo_session_admin	<i>Training Session Admin</i>	nvarchar(402)	Full name of the ILT session administrator
lo_part_location	<i>Part Location</i>	nvarchar(1000)	ILT session part location
lo_part_address1	<i>Part Location Address1</i>	nvarchar(110)	ILT session part address (first line)
lo_part_address2	<i>Part Location Address2</i>	nvarchar(55)	ILT session part address (second line)
lo_part_location_city	<i>Part Location City</i>	nvarchar(35)	ILT session part city
lo_part_location_state	<i>Part Location State</i>	nvarchar(30)	ILT session part state
lo_part_location_zip	<i>Part Location Zip</i>	nvarchar(20)	ILT session part zip code
lo_part_location_ou_id	<i>n/a</i>	int	ILT session part location OU identifier (ou_id from report.vw_rpt_ou)
lo_part_location_fax	<i>Part Location Fax</i>	nvarchar(25)	ILT session part fax number
timezone_code	<i>Part Time Zone</i>	nvarchar(20)	ILT session part timezone code
break_id	<i>n/a</i>	int	Internal Identifier for ILT session part break
lo_part_break_name	<i>Part Break Name</i>	nvarchar(50)	Name of the ILT session part break
lo_part_break_duration	<i>Part Break Duration</i>	int	Duration (in minutes) of the ILT session part break
lo_part_duration	<i>Part Duration</i>	int	Duration (in minutes) of the ILT session part including break (training and break time)
lo_part_training_hours	<i>Part Training Hours</i>	int	Duration (in minutes) of the ILT session training part not including break (only training time)
lo_part_attendance	<i># Users Attended Part</i>	int	Total number of users who have attended the individual Part (e.g. 5 Users attended Part 1)
lo_part_subjects	<i>Subject ID</i>	varchar(max)	Comma seperated list of the subject titles of ILT session part
lo_part_subjects_ids	<i>n/a</i>	varchar(max)	Comma seperated list of the subject identifiers of ILT session part

Object name: **report.vw_rpt_training_ilt_session_instructor**
 Object type: view
 Description: ILT (instructor led training) session part instructors

Unique key: *ins_schedule_id* ASC, *ins_instructor_id* ASC
 - Custom Report Section: **ILT Session Schedule (Part Level)**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: ILT Session Schedule (Part Level)</i>			
ins_schedule_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for ILT schedule (schedule_id from

			report.vw_rpt_training_schedule)
ins_instructor_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for ILT session instructor
ins_instructor_ref	<i>Part Instructor ID</i>	nvarchar(100)	ILT session part instructor's descriptive identifier (user_ref from report.rpt_user)
ins_instructor_fullname	<i>Part Instructor</i>	nvarchar(402)	ILT session part instructor's full name
ins_instructor_role_id	<i>Part Instructor Type</i>	char(4)	Type of the ILT session part instructor. Possible values: <ul style="list-style-type: none"> • PRIM = Primary • SCND = Secondary
ins_instructor_location	<i>Part Instructor Location</i>	int	Internal Identifier for the location of the Part instructor use report.vw_rpt_ou_title_local to get localized <i>Part Instructor Location</i> title; refer to ' Mapping between report and lookup views '
ins_instructor_phone	<i>Part Instructor Phone</i>	varchar(50)	Phone of the Part instructor
ins_instructor_email	<i>Part Instructor Email</i>	varchar(200)	Email of the Part instructor
ins_instructor_fax	<i>Part Instructor Fax</i>	varchar(100)	Fax of the Part instructor
ins_instructor_languages	<i>Part Instructor Languages</i>	nvarchar(100)	Languages that the Part instructor can speak
ins_instructor_education	<i>Part Instructor Education</i>	nvarchar(500)	Education of the Part instructor
ins_instructor_biography	<i>Part Instructor Biography</i>	nvarchar(2000)	Biography of the Part instructor
ins_instructor_certifications	<i>Part Instructor Certifications</i>	nvarchar(100)	Certifications that the Part instructor has
ins_instructor_approval_required	<i>Part Instructor Approval Required?</i>	bit	Flag indicating whether part instructor's approval is required (values 0/1)

Object name: **report.vw_rpt_training_ilt_session_cost**
 Object type: view
 Description: ILT session cost - *Custom Report Section: Training*

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
ilt_session_cost_object_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for ILT session training item (object_id from report.vw_rpt_training)
ilt_session_cost_price	<i>Session Cost</i>	money	ILT session attending price per user
ilt_session_cost_price_type_id	<i>n/a</i>	int	Internal Identifier for ILT session price type
ilt_session_cost_price_type	<i>Session Cost TypeType</i>	nvarchar(260)	ILT session session price type description
ilt_session_cost_currency	<i>n/a</i>	nvarchar(35)	ILT session session price currency

Object name: **report.vw_rpt_training_ilt_seat_allocation**

Object type: view

Description: **ILT session seat reservations and enrollment restrictions - Custom Report Section: *ILT Seat Allocation***

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: ILT Seat Allocation</i>			
ilt_seat_allocation_id	<i>n/a</i>	int	Internal Identifier for ILT session enrollment restriction
ilt_seat_allocation_object_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for ILT event's session for which reservations and enrollment restrictions were made
ilt_seat_allocation_included_subordinates	<i>Included Subordinates</i>	bit	Flag indicating whether ILT session reservations and enrollment restrictions would apply only to the OU or also its subordinates: 0 = only OU 1 = OU and subordinate OUs
ilt_seat_allocation_num_seats_reserved	<i>Number of seats reserved</i>	int	Number of ILT session seats reserved for the OU
ilt_seat_allocation_ou_id_reserved	<i>n/a</i>	int	Internal Identifier for the OU for which ILT event's session reservations were made
ilt_seat_allocation_num_seats_restricted	<i>Number of seats restricted</i>	int	Maximum number of users in the OU that can register for the ILT session
ilt_seat_allocation_ou_id_restricted	<i>n/a</i>	int	Internal Identifier for the OU for which ILT event's session enrollment restrictions were made
ilt_seat_allocation_enrollment_limit_type	<i>n/a</i>	int	Internal Identifier for type of Enrollment option selected for ILT sessions: 1 = Place Enrollment Restrictions by OU Type 2 = Place Enrollment Restrictions by OUs 3 = Manage Reservations And Restrictions
ilt_seat_allocation_priority_order	<i>n/a</i>	int	Priority order of created criterion for the OU. Priority order determines applicable reservations and restrictions when user belongs to more than one criterion.
ilt_seat_allocation_ou_type_id_reserved	<i>Organizational Unit Type Reserved</i>	int	Internal identifier for the OU type for which ILT event's session reservations were made: 2 = Organization 4 = Job (position) 16 = Cost Center 32 = Location, etc. Use report.vw_rpt_ou_type_local2 to get localized <i>Organizational Unit Type Reserved</i> title; refer to 'Mapping between report and lookup views'

ilt_seat_allocation_ou_type_id_restricted	<i>Organizational Unit Type Restricted</i>	int	Internal identifier for the OU type for which ILT event's session enrollment restrictions were made: 2 = Organization 4 = Job (position) 16 = Cost Center 32 = Location, etc. Use report.vw rpt ou type local2 to get localized <i>Organizational Unit Type Restricted</i> title; refer to 'Mapping between report and lookup views'
ilt_seat_allocation_ou_title_reserved	<i>Organizational Unit Reserved</i>	nvarchar(1000)	Title of the OU for which ILT event's session reservations were made
ilt_seat_allocation_ou_title_restricted	<i>Organizational Unit Restricted</i>	nvarchar(1000)	Title of the OU type for which ILT event's session enrollment restrictions were made
ilt_seat_allocation_enrollment_limit	<i>Enrollment Restrictions</i>	int	Flag indicating type of Enrollment option selected for ILT sessions (values: 0/1): 0 = Place Enrollment Restrictions (by OU type or OUs) 1 = Manage Reservations And Restrictions. Custom Report Field ' <i>Enrollment Restrictions</i> ' has textual description based on [ilt_seat_allocation_enrollment_limit] values: 0 = 'Place Enrollment Restrictions' 1 = 'Manage reservations and restrictions'

Object name: **report.vw_rpt_training_ilt_facility**

Object type: view

Unique key: **facility_id** ASC

Description: ILT facility data - *Custom Report Section: ILT Facility*

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: ILT Facility</i>			
facility_id	n/a	int	OU internal identifier (ou_id from report.vw_rpt_ou) of ILT facility
facility_parent_ref	<i>ILT Facility Parent</i>	nvarchar(100)	OU ref identifier (ref from report.vw_rpt_ou) of ILT facility parent
facility_title	<i>ILT Facility Name</i>	nvarchar(1000)	Title of ILT facility
facility_ref	<i>ILT Facility ID</i>	nvarchar(100)	OU ref identifier (ref from report.vw_rpt_ou) of ILT facility
facility_owner	<i>ILT Facility Owner</i>	nvarchar(402)	Full name of ILT facility owner
facility_type_id	<i>ILT Facility Type</i>	int	Internal identifier for ILT facility

			type: 1 = Region 2 = City 4 = Building 8 = Floor 16 = Room 32 = Seat/desk 64 = Not specified Use report.vw rpt facility type local to get localized <i>ILT Facility Type</i> title; refer to ' Mapping between report and lookup views '
facility_country	<i>ILT Facility Country</i>	char(3)	Country in which ILT facility is located
facility_address1	<i>ILT Facility Address#1</i>	nvarchar(110)	Address in which ILT facility is located (1st line of address)
facility_address2	<i>ILT Facility Address#2</i>	nvarchar(55)	Address which ILT facility is located (2nd line of address with additional details)
facility_city	<i>ILT Facility City</i>	nvarchar(35)	City in which ILT facility is located
facility_state	<i>ILT Facility State</i>	nvarchar(30)	State in which ILT facility is located
facility_zip	<i>ILT Facility Postal Code</i>	nvarchar(20)	Region zip code in which ILT facility is located
facility_timezone_code	<i>ILT Facility Time Zone</i>	nvarchar(20)	Time zone code in which the facility is located
facility_contact	<i>ILT Facility Contact</i>	nvarchar(50)	Full name of ILT facility main contact person
facility_phone	<i>ILT Facility Phone</i>	nvarchar(25)	ILT facility phone
facility_fax	<i>ILT Facility Fax</i>	nvarchar(25)	ILT facility fax
facility_email	<i>ILT Facility Email</i>	nvarchar(128)	ILT facility email
facility_occupancy	<i>ILT Facility Occupancy</i>	int	Maximum number of people that can be within ILT facility
facility_approval_required	<i>ILT Facility Approval Required</i>	bit	Flag indicating whether ILT facility owner's approval is required to schedule sessions at this facility: 1 = TRUE 0 = FALSE
facility_on_site	<i>ILT Facility On Site</i>	bit	Flag indicating whether ILT facility is on-site or outside of the corporation: 1 = on-site 0 = outside
facility_active	<i>ILT Facility Active</i>	bit	Flag indicating whether ILT facility is active: 1 = active 0 = inactive
OU custom fields			
oucf_id	<i>n/a</i>	int	For internal use (internal Identifier for OU)

dynamic columns* which are named according to their OU Custom Fields Ids, e.g. – ou_custom_field_00001, ou_custom_field_00002, etc.	<OU custom field name>	dynamic columns are typed and sized according to the custom field type and size	Values for Organizational Unit (OU) Custom Fields
---	------------------------	---	---

Object name: **report.vw_rpt_preferred_instructor**

Object type: view

Description: **ILT Preferred Instructor data - Custom Report Section: *ILT Preferred Instructor***

Column name	Custom Report Field	Data type	Description
Custom Report Section: <i>ILT Preferred Instructor</i>			
pref_ins__training_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training (LO) (object_id from report.vw_rpt_training)
pref_ins__name	<i>Preferred Instructor Name</i>	nvarchar(402)	Full Name (<Last Name, First Name>) of the preferred instructor for the Event.
pref_ins__pref_ins_id	<i>Preferred Instructor ID</i>	uniqueidentifier	Descriptive identifier (user_ref from report.rpt_user) of the preferred instructor for the Event
pref_ins__type	<i>Preferred Instructor Type</i>	varchar(4)	The type of the Preferred Instructor. Can only be Primary or Secondary. Values: 'PRIM' = Primary 'SCND' = Secondary
pref_ins__location	<i>Preferred Instructor Location</i>	int	Internal Identifier for the location of the preferred instructor for the Event; use report.vw_rpt_ou_title_local to get localized <i>Preferred Instructor Location</i> title; refer to ' Mapping between report and lookup views '
pref_ins__phone	<i>Preferred Instructor Phone</i>	varchar(50)	The phone of the preferred instructor for the Event
pref_ins__email	<i>Preferred Instructor Email</i>	varchar(200)	The email address of the preferred instructor for the Event
pref_ins__fax	<i>Preferred Instructor Fax</i>	varchar(100)	The fax of the preferred instructor for the Event
pref_ins__languages	<i>Preferred Instructor Languages</i>	nvarchar(100)	The languages that the preferred instructor for the Event can speak
pref_ins__education	<i>Preferred Instructor Education</i>	nvarchar(500)	The education of the preferred instructor for the Event
pref_ins__biography	<i>Preferred Instructor Biography</i>	nvarchar(2000)	The biography of the preferred instructor for the Event
pref_ins__certifications	<i>Preferred Instructor Certifications</i>	nvarchar(100)	The certifications that the preferred instructor for the Event has
pref_ins__approval_req	<i>Preferred Instructor Approval Required?</i>	bit	Flag indicating if the preferred instructor must provide approval (values: 0/1)

Object name: **report.vw_rpt_transcript_sf182_request**
 Object type: view
 Description: SF-182 (Standard Form 182) "Authorization, Agreement, and Certification of Training" requests for external training

Unique key: *sf_user_form_id ASC*
 - Custom Report Section: **SF-182 Request**

Column name	Custom Report Field	Data type	Description
culture_id	<i>n/a</i>	int	For internal use (internal identifier for culture)
Custom Report Section: SF-182 Request			
sf_user_form_id	<i>n/a</i>	int	Internal identifier for form
sf_user_id	<i>n/a</i>	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
sf_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_transcript)
Fields that correspond to SF-182 Form Section A – Trainee information			
sf_a_01_applicant_name	<i>Applicant's Name</i>	nvarchar(500)	Applicant name
sf_a_04_mailing_address1	<i>Mailing Address 1</i>	nvarchar(500)	Applicant's mailing address part 1
sf_a_04_mailing_address2	<i>Mailing Address 2</i>	nvarchar(500)	Applicant's mailing address part 2
sf_a_04_mailing_city	<i>Mailing City</i>	nvarchar(250)	Applicant's mailing city
sf_a_04_mailing_state	<i>Mailing State</i>	nvarchar(100)	Applicant 's mailing state
sf_a_04_mailing_zip_code	<i>Mailing Zip Code</i>	nvarchar(20)	Applicant's mailing zipcode
sf_a_05_phone_home	<i>Telephone Number - Personal</i>	nvarchar(20)	Applicant's home phone
sf_a_06_pos_level_id	<i>n/a</i>	int	Applicant's position level identifier
sf_a_06_pos_level	<i>Position Level</i>	nvarchar(250)	Applicant's position level description
sf_a_07_org_address1	<i>Organization Mailing Address</i>	nvarchar(500)	Applicant's organization mailing address part 1
sf_a_07_org_address2	<i>Organization Mailing Address 2</i>	nvarchar(500)	Applicant's organization mailing address part 2
sf_a_07_org_city	<i>Organization Mailing City</i>	nvarchar(250)	Applicant's organization mailing city
sf_a_07_org_state	<i>Organization Mailing State</i>	nvarchar(100)	Applicant's organization mailing state
sf_a_07_org_zip	<i>Organization Mailing Zip Code</i>	nvarchar(20)	Applicant's organization mailing zip code
sf_a_08_phone_office	<i>Telephone Number - Office</i>	nvarchar(20)	Applicant's organization office phone
sf_a_09_email_work	<i>E-mail Address - Work</i>	nvarchar(250)	Applicant's organization office phone
sf_a_10_pos_title	<i>Position Title</i>	nvarchar(200)	Applicant's position title
sf_a_11_special_accomodation_require d	<i>Does Applicant Need Special Accommodations?</i>	nvarchar(250)	Indicates whether applicant needs special accomodation
sf_a_11_special_accomodation_descript ion	<i>Special Accommodation Description</i>	nvarchar(4000)	Applicant's special accomodation description
sf_a_12_type_of_appointment	<i>Type of Appointment</i>	nvarchar(4000)	Type of appointment
sf_a_13_education_level	<i>Education Level</i>	nvarchar(250)	Applicant's level of education
sf_a_14_pay_plan	<i>Pay Plan</i>	nvarchar(4000)	Applicant's pay plan
sf_a_15_series	<i>Series</i>	nvarchar(4000)	Applicant's series

sf_a_16_grade	Grade	nvarchar(4000)	Applicant's grade
sf_a_17_step	SF Step	nvarchar(4000)	Applicant's SF step
Fields that correspond to SF-182 Form Section B – Training Course Data			
sf_b_01a_vendor_mailing_address1	Vendor Mailing Address 1	nvarchar(500)	Training vendor's mailing address part 1
sf_b_01a_vendor_mailing_address2	Vendor Mailing Address 2	nvarchar(500)	Training vendor's mailing address part 2
sf_b_01a_vendor_mailing_city	Vendor Mailing City	nvarchar(250)	Training vendor's mailing city
sf_b_01a_vendor_mailing_state	Vendor Mailing State	nvarchar(100)	Training vendor's mailing state
sf_b_01a_vendor_mailing_zip	Vendor Mailing Zip Code	nvarchar(20)	Training vendor's mailing zip code
sf_b_01a_vendor_name	Vendor Name	nvarchar(500)	Training vendor's name
sf_b_01b_vendor_training_location_mailing_address1	Training Location Mailing Address 1	nvarchar(500)	Training location's mailing address part 1
sf_b_01b_vendor_training_location_mailing_address2	Training Location Mailing Address 2	nvarchar(500)	Training location's mailing address part 2
sf_b_01b_vendor_training_location_mailing_city	Training Location Mailing City	nvarchar(250)	Training location's mailing city
sf_b_01b_vendor_training_location_mailing_state	Training Location Mailing State	nvarchar(100)	Training location's mailing state
sf_b_01b_vendor_training_location_mailing_zip	Training Location Mailing Zip Code	nvarchar(20)	Training location's mailing zip code
sf_b_01c_vendor_phone	Vendor Telephone	nvarchar(20)	Training vendor's phone
sf_b_01d_vendor_email	Vendor E-mail Address	nvarchar(250)	Training vendor's email
sf_b_02a_course_title	Course Title	nvarchar(400)	Training course title
sf_b_02b_course_number_code	Course Number Code	nvarchar(250)	Training course descriptive code identifier
sf_b_03_training_start_date	Training Start Date	datetime	Date the training started
sf_b_04_training_end_date	Training End Date	datetime	Date the training ended
sf_b_05_training_duty_hours	Training Duty Hours	decimal(202)	Number of the training duty hours
sf_b_06_training_non_duty_hours	Training Non Duty Hours	decimal(202)	Number of the training non-duty hours
sf_b_07_training_purpose_type_id	n/a	int	Training's purpose type internal identifier
sf_b_07_training_purpose_type	Training Purpose Type	nvarchar(250)	Training's purpose type description
sf_b_08_training_type_code_id	n/a	int	Training's type code internal identifier
sf_b_08_training_type_code	Training Type Code	nvarchar(250)	Training's type code description
sf_b_09_training_sub_type_code_id	n/a	int	Training's sub type code identifier
sf_b_09_training_sub_type_code	Training Sub-Type Code	nvarchar(250)	Training's sub type code description
sf_b_10_training_delivery_type_code_id	n/a	int	Training's delivery type code identifier
sf_b_10_training_delivery_type_code	Training Delivery Type Code	nvarchar(250)	Training's delivery type code description
sf_b_11_training_designation_type_code_id	n/a	int	Training's designation type code identifier
sf_b_11_training_designation_type_code	Training Designation Type Code	nvarchar(250)	Training's designation type code description
sf_b_12_training_credit	Training Credit	nvarchar(4000)	Credit for the training
sf_b_13_training_credit_type_code_id	n/a	int	Training's credit type code internal identifier

sf_b_13_training_credit_type_code	<i>Training Credit Type Code</i>	nvarchar(250)	Training's credit type code description
sf_b_14_training_accreditation_indicator	<i>Training Accreditation Indicator</i>	nvarchar(250)	Flag indicating whether the training accreditation is required (values: Yes/No)
sf_b_15_continued_service_agreement_required_indicator	<i>Continued Service Agreement Required Indicator</i>	nvarchar(250)	Flag indicating whether a continued service agreement is required (values: Yes/No)
sf_b_16_continued_service_agreement_expiration_date	<i>Continued Service Agreement Expiration Date</i>	datetime	Expiration date of the continued service agreement
sf_b_17_training_source_type_code_id	<i>n/a</i>	int	Training's source type code internal identifier
sf_b_17_training_source_type_code	<i>Training Source Type Code</i>	nvarchar(250)	Training's source type code description
sf_b_18_training_objectives	<i>Training Objectives</i>	nvarchar(1000)	Training objectives
Fields that correspond to SF-182 Form Section C – Cost and Billing information			
sf_c_01a_tuition_amt	<i>Direct Training Tuition and Fees Cost</i>	money	Training tuition amount
sf_c_01a_tuition_app_fund	<i>Direct Training Tuition and Fees Cost Fund</i>	nvarchar(500)	Training tuition appropriation amount
sf_c_01b_material_amt	<i>Direct Books and Materials Costs</i>	money	Training materials amount
sf_c_01b_material_app_fund	<i>Direct Books and Materials Costs Fund</i>	nvarchar(500)	Training materials appropriation amount
sf_c_01c_direct_total_amt	<i>Direct Total Cost</i>	nvarchar(4000)	Training total direct expenses amount
sf_c_01c_direct_total_app_fund	<i>Direct Total Cost Fund</i>	nvarchar(500)	Training total direct appropriation amount
sf_c_02a_travel_amt	<i>Indirect Training Travel Cost</i>	money	Training travel amount
sf_c_02a_travel_app_fund	<i>Indirect Training Travel Cost Fund</i>	nvarchar(500)	Training travel appropriation amount
sf_c_02b_diem_amt	<i>Indirect Training Per Diem Cost</i>	money	Training expenses per diem amount
sf_c_02b_diem_app_fund	<i>Indirect Training Per Diem Cost Fund</i>	nvarchar(500)	Training per diem appropriation amount
sf_c_02c_indirect_total_amt	<i>Indirect Total Cost</i>	nvarchar(4000)	Training total indirect expenses tuition amount
sf_c_02c_indirect_total_fund	<i>Indirect Total Cost Fund</i>	nvarchar(500)	Training total indirect appropriation amount
sf_c_03b_total_training_non_government_contribution_amt	<i>Total Training Non-Government Contribution Cost</i>	nvarchar(4000)	Total training non-government contribution cost
sf_c_04_document_number	<i>Document/Purchase Order/Requisition Number</i>	nvarchar(4000)	The document / purchasing order / requisition number
sf_c_05_8digit_station_symbol	<i>8-Digit Station Symbol</i>	nvarchar(4000)	8 - digit station symbol
sf_c_06_billing_instructions	<i>Billing Instructions</i>	nvarchar(4000)	Billing instructions

Object name: **report.vw_rpt_request_form**
 Object type: view

Description: Main view to get training request forms data
 Custom Report Category: **Transcript Report**
 Custom Report Section: **Training Request Forms**

Column name	Custom Report Field	Data type	Description
Custom Report Section: Training Request Forms			
user_id	n/a	int	Internal identifier for user (from report.rpt_user, report.vw_rpt_transcript)
rrf_object_id	n/a	uniqueidentifier	Internal identifier for training item (object_id from report.vw_rpt_transcript)
form_id	n/a	int	Internal Identifier for request form
req_form_default_submission_status	<i>Form Submission Status</i>	int	Internal Identifier for status of the submitted form 1 - Not Started 2 - Submitted 4 - Modified 8 - Completed 16 - Cancelled use report.vw_rpt_lo_form_status_local view to get localized status name; refer to ' Mapping between report and lookup views '
req_form_title	<i>Form Title</i>	nvarchar(500)	Request form title (not localized); use report.vw_rpt_lo_form_local to get localized <i>Form Title</i> ; refer to ' Mapping between report and lookup views '
req_form_descr	<i>Form Description</i>	nvarchar(1000)	Request form description (not localized); use report.vw_rpt_lo_form_local to get localized <i>Form Description</i> ; refer to ' Mapping between report and lookup views '
req_form_instruction	<i>Form Instruction</i>	nvarchar(1000)	Request form instructions (not localized); use report.vw_rpt_lo_form_local view to get localized form instructions; refer to ' Mapping between report and lookup views '
req_form_owners	<i>Form Owners</i>	nvarchar(1000)	Comma delimited list of the form owner names
Request Form custom fields - Custom Report Section: Training Request Forms			
warehouse_request_form_custom_fields_user_id	n/a	int	Internal Identifier for user (for internal use)
warehouse_request_form_custom_fields_object_id	n/a	uniqueidentifier	Internal Identifier for training item (for internal use)
dynamic columns (warehouse_request_form_custom_fields_ <custom field identifier>, example:	< Request Form custom field Name>	nvarchar(200)	Values for request form custom fields. Note: when request form custom

warehouse_request_form_custom_fields_00020, warehouse_request_form_custom_fields_00021, etc.)			field has the following display type <ul style="list-style-type: none"> • Dropdown • Radio Button • Hierarchy • Branched Dropdown • Multiple Checkbox value_id identifier is stored instead of textual value; use report.vw_rpt_lo_form_cf_display_value_local view to get localized textual description
--	--	--	---

Object name: **report.vw_rpt_training_prerequisite**
 Object type: view
 Description: Training prerequisites

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
prereq_parent_lo_object_id	n/a	uniqueidentifier	Internal identifier for training item (object_id from report.vw_rpt_training)
prereq_child_lo_object_id	<i>Prerequisite Training Object ID</i>	uniqueidentifier	Internal identifier (Object ID) of the Prerequisite Training
prereq_child_lo_title_default	<i>Prerequisite Training Title</i>	nvarchar(500)	Prerequisite Training Title (not localized); use report.vw_rpt_training_title_local to get localized 'Prerequisite Training Title'. IsNull(report.[vw_rpt_training_title_local].[training_title_local_lo_title_local], report.[vw_rpt_training_prerequisite].[prereq_child_lo_title_default])

Object name: **report.vw_rpt_training_curricula**
 Object type: view
 Description: Training Curriculum data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
curriculum_child_object_id	n/a	uniqueidentifier	Internal identifier for training item (lo_object_id from report.vw_rpt_training)
curriculum_section_object_id	<i>Curriculum Section Title</i>	uniqueidentifier	Internal identifier for Curriculum Section; use report.vw_rpt_training_local to get localized 'Curriculum Section Title'; refer to Mapping between report and lookup views
curriculum_object_id	<i>Curriculum Title</i>	uniqueidentifier	Internal identifier for Curriculum; use report.vw_rpt_training_local

			to get localized 'Curriculum Title'; refer to 'Mapping between report and lookup views'
curriculum_version	<i>Curriculum Version (Training)</i>	nvarchar(50)	Curriculum Version

Object name: **report.vw_rpt_training_subject**
 Object type: view
 Description: Training subjects (including parent subjects) data
 Unique key: **traning_subject__object_id ASC, training_subject__subject_id ASC**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
traning_subject__object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training item (lo_object_id from report.vw_rpt_training)
training_subject__subject_id	<i>Training Subject</i>	int	Internal identifier for training subject; use report.vw_rpt_subject_local2 to get localized 'Training Subject'; refer to 'Mapping between report and lookup views'
training_subject__parent_id	<i>Parent Training Subject</i>	int	Internal identifier for parent of the training subject; use report.vw_rpt_subject_local2 to get localized 'Parent Training Subject'; refer to 'Mapping between report and lookup views'

Object name: **report.vw_rpt_training_subject_equivalent**
 Object type: view
 Description: Training equivalent subjects (including parent equivalent subjects) data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
tes__subject_id	<i>n/a</i>	int	Internal identifier for training subject (training_subject__subject_id from report.vw_rpt_training_subject)
tes__equivalent_subject_id	<i>Equivalent Subject</i>	int	Internal identifier for training subject; use report.vw_rpt_subject_local2 to get localized 'Equivalent Subject'; refer to 'Mapping between report and lookup views'
tes__equivalent_subject_parent_id	<i>Parent Equivalent Subject</i>	int	Internal identifier for parent of the training subject; use report.vw_rpt_subject_local2 to get localized 'Parent Equivalent Subject'; refer to 'Mapping between report and lookup views'

Object name: **report.vw_rpt_transcript_ojt_history**
 Object type: view
 Description: Observed Training (On the Job Training & Express Class) data
 Custom Report Category: **Transcript Report**
 Custom Report Section: **Observed Training (On the Job Training & Express Class)**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Observed Training (On the Job Training & Express Class)</i>			
ojt_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training (object_id from report.vw_rpt_transcript)
ojt_user_id	<i>n/a</i>	int	Internal identifier for user (user_id from report.vw_rpt_transcript)
ojt_reg_num	<i>n/a</i>	int	Registration Number (number of times user registered for the learning object) (reg_num from report.vw_rpt_transcript)
ojt_attempt_number	<i>Observed Training Attempt Number</i>	int	The attempt number for the On The Job Training attempt. For Express Class, the attempt number should always be 1.
ojt_observer_user_ref	<i>Observer - Facilitator ID</i>	nvarchar(100)	The User ID (user_ref from report.vw_rpt_user) of the Facilitator who recorded the Express Class, or the Observer who recorded the On The Job Training.
ojt_observer_user_name_last	<i>Observer - Facilitator Last Name</i>	nvarchar(200)	The Last Name of the Facilitator who recorded the Express Class, or the Observer who recorded the On The Job Training.
ojt_observer_user_name_first	<i>Observer - Facilitator First Name</i>	nvarchar(200)	The First Name of the Facilitator who recorded the Express Class, or the Observer who recorded the On The Job Training.
ojt_completion_dt	<i>Date Observed</i>	datetime	Date observed for the training recorded via Express Class or On The Job Training.
ojt_training_hours	<i>Observed Training Hours</i>	nvarchar(7)	The Training Hours (if applicable) for the training recorded via Express Class or On The Job Training.
ojt_score	<i>Observed Training Score</i>	int	The score recorded by the Facilitator/Observer for Express Class / On The Job Training.
observed_status_id	<i>Observed Training Result</i>	int	Internal identifier for the result recorded for trainings assigned via Express Class or On The Job Training. 1 = Completed 2 = Failed 6 = Incomplete Use report.vw_rpt_transcript_observat

			ion_status_local to get localized 'Observed Training Result'; refer to 'Mapping between report and lookup views'
--	--	--	--

Object name: **report.vw_rpt_training_equivalent_training**
 Object type: view
 Description: Training equivalencies
 Custom Report Category: **Training Report**
 Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
tet_object_id	n/a	uniqueidentifier	Internal identifier for training (object_id from report.vw_rpt_training)
tet_equivalent_object_id	<i>Equivalent Training Object ID</i> <i>Equivalent Training Title</i>	uniqueidentifier	The ID of the equivalent training (associated to the 'Training Title' field). Use report.vw_rpt_training_local to get localized 'Equivalent Training Title'; refer to 'Mapping between report and lookup views'
tet_equivalent_training_version	<i>Equivalent Training Version</i>	nvarchar(50)	The version number of the equivalent training (associated to the 'Training Title' field).

Object name: **report.vw_rpt_training_language_equivalent_training**
 Object type: view
 Description: Training equivalencies based on language
 Custom Report Category: **Training Report**
 Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
tlet_object_id	n/a	uniqueidentifier	Internal identifier for training (object_id from report.vw_rpt_training)
tlet_equivalent_object_id	<i>Language Equivalent Training Object ID</i> <i>Language Equivalent Training Title</i>	uniqueidentifier	The ID of the language equivalent training (associated to the 'Training Title' field). Use report.vw_rpt_training_local to get localized 'Language Equivalent Training Title'; refer to 'Mapping between report and lookup views'
tlet_equivalent_training_version	<i>Language Equivalent Training Version</i>	nvarchar(50)	The version number of the language equivalent training (associated to the 'Training Title' field).

Object name: **report.vw_rpt_training_assignment**

Object type: view

Unique key: **proxy__proxy_id** ASC

Description: Training assignment data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
proxy__proxy_id	<i>n/a</i>	int	Internal identifier for training assignment
proxy__due_date_user_field	<i>Assignment Training Due Date - Relative Custom Field</i>	nvarchar(100)	The custom field that has been selected for the training due date of the assignment (only if 'Relative' is selected, 'Assignment Training Due Date - Type' = 'Relative', otherwise NULL).
proxy__schedule_relative_user_fiel d	<i>Assignment Processing Start Date - Relative Custom Field</i>	nvarchar(100)	The custom field that has been selected for the processing start date of the assignment (only if 'Relative' is selected).
proxy__assignment_id	<i>n/a</i>	int	Internal identifier for Assignment
proxy__object_id	<i>Assignment Training Object ID</i>	uniqueidentifier	The ID of the training that was selected in the Assignment.
<i>n/a</i>	<i>Assignment Training Title</i>		The title of the training that was selected in the Assignment. Use report.vw rpt training local joined on proxy__object_id to get localized 'Assignment Training Title'; refer to ' Mapping between report and lookup views '
proxy__assignment_type	<i>Assignment Type</i>	bit	Type of the assignment (values: 1/0): 1 = Dynamic 0 = Standard
proxy__assignment_status	<i>Assignment Status</i>	char(4)	Textual code for the status of the assignment (applies to both Standard and Dynamic). Values: 'ACTV' = Active 'CNCL' = Cancelled 'QUED' = Queued 'DONE' = Processed. Use report.vw rpt training assignment status type to get <i>Assignment Status</i> description; refer to ' Mapping between report and lookup views '
proxy__assignment_active	<i>Assignment Active?</i>	bit	Flag indicating if the assignment is active or not (applies only to Dynamic assignment) (values: 1/0): 1 = Active 0 = Cancelled
proxy__assignment_created_dt	<i>Assignment Created Date</i>	datetime	The date that the assignment was created
proxy__assignment_creator_name	<i>Assignment Created By</i>	nvarchar(401)	Full Name (First Name Last Name)

	<i>(Name)</i>		of the user that created the assignment
proxy__assignment_creator_user_id	<i>Assignment Created By (User ID)</i>	nvarchar(100)	The ID of the user (user_ref from report.vw_rpt_user) that created the assignment
proxy__assignment_comments	<i>Assignment Comments</i>	nvarchar(2000)	Comments for the assignment
proxy__assignment_training_workflow	<i>Assignment Training Workflow</i>	char(4)	Textual code indicating how the training included in the assignment will be assigned to users. Values: 'ASGN' = Assigned only 'RCMP' = New Version and Maintain Progress 'ENRL' = Assigned, Approved, and Registered 'APPR' = Assigned and Approved 'UPGD' = New Version 'CMPL' = Completed 'SCRE' = New Score. Use report.vw_rpt_training_assignment_enroll_type to get <i>Assignment Training Workflow</i> description; refer to ' Mapping between report and lookup views '
proxy__assignment_email_settings	<i>Assignment Email Settings</i>	int	Internal identifier for the email setting that was set for the assignment. Values: 0 = Default Emails 1 = Training Specific Emails 2 = Custom Emails 3 = Ad-Hoc Emails 4 = No Emails Use report.vw_rpt_training_assignment_email_option to get <i>Assignment Email Settings</i> description; refer to ' Mapping between report and lookup views '
proxy__tdd_type	<i>Assignment Training Due Date - Type</i>	int	Internal identifier for the type of assignment training due date. (Only if the training due date has been set for the assignment. If it has, then it indicates if it is relative or fixed). Values: 0 = None 1 = Fixed 2 = Relative to Assigned Date 3 = Relative to Hire Date 4 = Relative to Custom Field Use report.vw_rpt_training_assignment

			t_due_date_type to get <i>Assignment Training Due Date - Type</i> description; refer to 'Mapping between report and lookup views'
proxy__tdd_fixed_date	<i>Assignment Training Due Date - Fixed Date</i>	datetime	The date that the training will be due (only if 'Assignment Training Due Date - Type' = 'Fixed', otherwise NULL).
proxy__tdd_relative_integer	<i>Assignment Training Due Date - Relative Integer</i>	int	The integer that has been set for the training due date of the assignment (only if 'Assignment Training Due Date - Type' = 'Relative', otherwise NULL).
proxy__tdd_relative_unit	<i>Assignment Training Due Date - Relative Unit</i>	varchar(2)	The unit that has been selected for the training due date of the assignment (only if 'Assignment Training Due Date - Type' = 'Relative', otherwise NULL). Values: 'dd' = Days 'mm' = Months 'yy' = Years
proxy__assignment_training_purpose	<i>Assignment Training Purpose</i>	int	Internal identifier of training purpose for the assignment; use report.vw_rpt_training_purpose_1ocal2 to get localized <i>Assignment Training Purpose</i> title; refer to 'Mapping between report and lookup views'
proxy__atw_bypass_user_payment	<i>Assignment Training Workflow - Bypass User Payment</i>	bit	Flag indicating if user payment will be bypassed upon registration (values: 1/0)
proxy__assignment_dynamic_removal	<i>Assignment Dynamic Removal</i>	bit	Flag indicating if dynamic removal is enabled for the assignment (values: 1/0)
proxy__adr_in_progress_training	<i>Assignment Dynamic Removal - In Progress Training</i>	bit	Flag indicating if in progress training will be removed by dynamic removal (values: 1/0)
proxy__adr_training_within_curricula	<i>Assignment Dynamic Removal - Training within Curricula</i>	bit	Flag indicating if in training within curricula will be removed by dynamic removal (values: 1/0)
proxy__assignment_dynamic_reassignment	<i>Assignment Dynamic Re-assignment</i>	bit	Flag indicating if dynamic re-assignment is enabled for the assignment (values: 1/0)
proxy__adra_upgrade_to_latest_version	<i>Assignment Dynamic Re-assignment - Upgrade to Latest Version</i>	bit	Flag indicating if users will be upgraded to the latest version by dynamic re-assignment (values: 1/0)
proxy__aes_assign_training	<i>Assignment Email Settings - Assign Training</i>	bit	Flag indicating if Assign Training emails will be sent to users (only if 'Training Specific Emails' is selected) (values: 1/0)
proxy__aes_register_training	<i>Assignment Email Settings</i>	bit	Flag indicating if Register Training

	- Register Training		emails will be sent to users (only if 'Training Specific Emails' is selected) (values: 1/0)
ass_aes_training_with_curricula	Assignment Email Settings - Training within Curricula	bit	Flag indicating if emails will be sent for the training within the curriculum included in the assignment (values: 1/0)
proxy__assignment_processing_frequency	Assignment Processing Start Date - Type	int	Internal Identifier for the schedule type for the assignment processing frequency. This is when the assignment will process to check for users that meet the user criteria. Values: 1 = Immediately (Daily) 2 =Fixed (Annually) 3 = Relative (Relevant only when 'Assignment Type' = 'Dynamic'). Use report.vw rpt training assignment schedule type to get Assignment Processing Start Date - Type description; refer to 'Mapping between report and lookup views'
proxy_assignment_training_start_dt	Assignment Training Start Date	datetime	The date that the training will be available on the user's transcript (only if 'Assignment Type' = 'Standard')
proxy__assignment_recurrence	Assignment Recurrence	int	Internal identifier for Assignment Recurrence that indicates if recurrence has been set for the assignment (and if so, if the training will recur annually or relatively). Values: 1 = No 2 = Yes (Annually) 3 = Yes (Relative) NULL - when 'Assignment Type' does not equal 'Dynamic' Use report.vw rpt training assignment recurrence type to get Assignment Recurrence description; refer to 'Mapping between report and lookup views'
proxy__ar_annual_dt	Assignment Recurrence - Annual Date	datetime	The date that the training will recur (only if 'Annually' is selected, 'Assignment Recurrence - Type' = 'Annually', otherwise NULL).
proxy__ar_relative_int	Assignment Recurrence - Relative Integer	int	The integer that has been set for the recurrence setting of the assignment (only if 'Relative' is selected, 'Assignment Recurrence -

<p>proxy__ar_relative_unit</p>	<p><i>Assignment Recurrence - Relative Unit</i></p>	<p>varchar(2)</p>	<p>Type' = 'Relative', otherwise NULL). The unit that has been selected for the recurrence setting of the assignment (only if 'Relative' is selected, 'Assignment Recurrence - Type' = 'Relative', otherwise NULL). Values: 'dd' = Days 'mm' = Months 'yy' = Years</p>
<p>proxy__ar_relative_trigger</p>	<p><i>Assignment Recurrence - Relative Trigger</i></p>	<p>int</p>	<p>Internal identifier for the trigger that has been selected for the recurrence setting of the assignment (only if 'Relative' is selected, 'Assignment Recurrence - Type' = 'Relative', otherwise NULL). Values: 1 = Relative to Assigned Date 2 = Relative to Completed Date 3 = Relative to Registered Date 4 = Relative to Custom Field Use report.vw_rpt_training_assignment_recurrence_relative_type to get <i>Assignment Recurrence - Relative Trigger</i> description; refer to 'Mapping between report and lookup views'</p>
<p>proxy__ar_relative_only_if_complete</p>	<p><i>Assignment Recurrence - Relative only if Complete</i></p>	<p>bit</p>	<p>Flag indicating if the training will recur only if the previous occurrence is completed (only if 'Relative' is selected, 'Assignment Recurrence - Type' = 'Relative', otherwise NULL) (values: 0/1)</p>
<p>proxy__assignment_termination_type</p>	<p><i>Assignment Recurrence - Termination - Type</i></p>	<p>int</p>	<p>Internal identifier for termination type that indicates if recurrence termination has been set for the assignment. If it has, then it indicates if it is fixed or an occurrence limit. It has NULL value when 'Assignment Type' does not equal 'Dynamic'. Values: 1 = Never 2 = Fixed 3 = After Number of Occurrences Use report.vw_rpt_training_assignment_termination_type to get <i>Assignment Recurrence - Termination - Type</i> description; refer to 'Mapping between report and lookup views'</p>

proxy__ar_termination_fixed_dt	<i>Assignment Recurrence - Termination - Fixed Date</i>	datetime	The date that the recurrence will end (only if 'Fixed' is selected). It has NULL value when 'Assignment Recurrence - Termination - Type' does not equal 'Fixed'.
proxy__ar_termination_occurrence_limit	<i>Assignment Recurrence - Termination - Occurrence Limit</i>	int	The number of occurrences that need to happen before the recurrence ends (only if 'Occurrence Limit' is selected). It has NULL value when 'Assignment Recurrence - Termination - Type' does not equal 'Occurrence Limit'.
proxy__new_occurrence	<i>Assignment - New Occurrence</i>	bit	Flag indicating if the training will be assigned to users that already have it on their transcript (values: 0/1).
proxy__apsd_fixed_dt	<i>Assignment Processing Start Date - Fixed Date</i>	datetime	Date that the assignment will start to process and assign training to users (only if 'Assignment Processing Start Date - Type' = 'Fixed', for not Fixed Date, value = NULL)
proxy__apsd_relative_int	<i>Assignment Processing Start Date - Relative Integer</i>	int	The integer that has been set for the relative processing start date of the assignment (only if 'Assignment Processing Start Date - Type' = 'Relative', otherwise NULL)
proxy__apsd_relative_unit	<i>Assignment Processing Start Date - Relative Unit</i>	varchar(2)	The unit that has been selected for the relative processing start date of the assignment (only if 'Assignment Processing Start Date - Type' = 'Relative', otherwise NULL). Values: 'dd' = Days 'mm' = Months 'yy' = Years
proxy__apsd_relative_trigger	<i>Assignment Processing Start Date - Relative Trigger</i>	int	Internal identifier for the trigger that has been selected for the relative processing start date of the assignment (only if 'Assignment Processing Start Date - Type' = 'Relative', otherwise NULL) Values: 1 = 'Relative to Assigned Date' 2 = 'Relative to Completed Date' 3 = 'Relative to Registered Date' 4 = 'Relative to Custom Field' Use report.vw_rpt_training_assignment_schedule_relative_type to get <i>Assignment Processing Start Date - Relative Trigger</i> description; refer to 'Mapping between report and lookup views'
proxy__maintain_progress	<i>Custom Reports: n/a</i>	bit	Flag indicating the status of the

	<i>Reporting 2.0: 'Maintain Progress?'</i>		"Maintain Progress" toggle in the Learning Assignment (values: 0/1)
proxy__object_version	<i>Assignment Training Version</i>	nvarchar(50)	The version of the training that was selected in the Assignment

Object name: **report.vw_rpt_training_assignment_user_criteria**
 Object type: view
 Description: Training assignment user criteria (User ID, User Name, OU type, OU title, OU description, OU parent, OU owner)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
pf__proxy_id	<i>n/a</i>	int	Internal identifier for training assignment (proxy__proxy_id from report.vw_rpt_training_assignment)
pf__user_name	<i>Assignment User Criteria (User)</i>	nvarchar(401)	Full name (First Name Last Name) of the user who is included in the user criteria for the assignment
pf__user_ref	<i>Assignment User Criteria (User ID)</i>	nvarchar(100)	Descriptive identifier (user_ref from report.vw_rpt_user) of the user who is included in the user criteria for the assignment
pf__ou_title	<i>Assignment User Criteria (OU)</i>	nvarchar(1000)	Title of the OU that is included in the user criteria for the assignment
pf__ou_ref	<i>Assignment User Criteria (OU ID)</i>	nvarchar(100)	ID ([ref] from report.vw_rpt_ou) of the OU that is included in the user criteria for the assignment
pf__incl_subs	<i>Assignment User Criteria (OU) - Include Subordinates</i>	bit	Flag indicating if the OU (included in the user criteria for the assignment) includes subordinates (values: 0/1)
pf__ou_type	<i>Assignment User Criteria (OU Type)</i>	int	Internal identifier for the OU type selected in the Assignment User Criteria. Use report.vw_rpt_ou_type_local2 to get localized <i>Assignment User Criteria (OU Type)</i> ; refer to 'Mapping between report and lookup views'
pf__ou_id	<i>Assignment User Criteria (OU)</i> <i>Assignment User Criteria (OU Description)</i>	int	Internal identifier for the OU selected in the Assignment User Criteria. Use report.vw_rpt_ou_title_local to get localized title for <i>Assignment User Criteria (OU)</i> ; use report.vw_rpt_ou_description_local to get localized <i>Assignment User Criteria (OU Description)</i> ; refer to 'Mapping between report and lookup views'
pf__ou_parent_id	<i>Assignment User Criteria (OU Parent)</i>	int	Internal identifier for the Parent of the OU selected in the

			Assignment User Criteria. Use report.vw_rpt_ou_title_local to get localized title for <i>Assignment User Criteria (OU Parent)</i> ; refer to 'Mapping between report and lookup views'
pf_ou_owner_name	<i>Assignment User Criteria (OU Owner - Name)</i>	nvarchar(401)	Full name of the Owner for the OU selected in the Assignment User Criteria
pf_ou_owner_ref	<i>Assignment User Criteria (OU Owner - User ID)</i>	nvarchar(100)	User ID (user_ref from report.vw_rpt_user) of the Owner for the OU selected in the Assignment User Criteria

Object name: **report.vw_rpt_training_assignment_criteria_definition_file**
 Object type: view
 Description: Training assignment data (name of the file that was uploaded to the assignment)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
pup_proxy_id	n/a	int	Internal identifier for training assignment (proxy_proxy_id from report.vw_rpt_training_assignment)
pup_file_name	<i>Assignment User Criteria (CSV File)</i>	nvarchar(100)	The name of the file that was uploaded to the assignment

Object name: **report.vw_rpt_training_assignment_user**
 Object type: view
 Description: Training assignment data (flag indicating if users are dynamically removed from assignment)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
pu_proxy_id	n/a	int	Internal identifier for training assignment (proxy_proxy_id from report.vw_rpt_training_assignment)
pu_user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_user)
pu_object_id	n/a	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
pu_is_dymanic_remove	<i>Removed from Assignment?</i>	bit	Flag indicating if the specific User is currently dynamically removed from the assignment (values: 0/1)

Object name: **report.vw_rpt_training_assignment_set**
 Object type: view
Unique key: *ta_assignment_id* ASC
 Description: Training assignment data (assignment ID, title, description)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
ta_assignment_id	<i>Assignment ID</i>	int	The ID of the assignment (proxy_assignment_id from

			report.vw_rpt_training_assignment)
ta_assignment_title	Assignment Title	nvarchar(300)	Title of the assignment
ta_assignment_description	Assignment Description	nvarchar(500)	Description of the assignment

Object name: **report.vw_rpt_transcript_assignment_user**

Object type: view

Unique key: **peua__proxy_id ASC, peua__user_id ASC, peua__object_id ASC, peua__regnum ASC**

Description: Join view used in relations to report on the training that was selected for the Assignment but may not have been assigned to the user (due to language equivalencies)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Assignment</i>			
peua__proxy_id	n/a	int	Internal identifier for training assignment (pu__proxy_id from report.vw_rpt_training_assignment_user). Join field with report.vw_rpt_training_assignment_user
peua__user_id	n/a	int	Internal identifier for user (user_id from report.vw_rpt_transcript). Join field with report.vw_rpt_transcript, report.vw_rpt_training_assignment_user
peua__object_id	n/a	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_transcript). Join field with report.vw_rpt_transcript.
peua__regnum	n/a	int	Internal identifier for user (reg_num from report.vw_rpt_transcript). Join field with report.vw_rpt_transcript.
peua__is_progress_maintained	Custom Reports: n/a Reporting 2.0: 'Progress Maintained?'	bit	Flag indicating whether the training in the user's transcript has been associated to the LAT by the "Maintain Progress" LAT feature (values: 0/1)

Object name: **report.vw_rpt_training_playlist**

Object type: view

Unique key: **lo_playlist_object_id ASC**

Description: Playlist data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Playlist</i>			
lo_playlist_object_id	Training Object ID (Playlist)	uniqueidentifier	Internal identifier for Training Object (Playlist)
n/a	Training Title (Playlist)	Use lookup view to get report field	Training Title (Playlist). Use report.vw_rpt_training_local joined on lo_playlist_object_id to get localized 'Training Title'

			(Playlist)'; refer to 'Mapping between report and lookup views'
n/a	<i>Training ID (Playlist)</i>	<i>Use lookup view to get report field</i>	Training ID (Playlist). Use report.vw_rpt_lo_session_local joined on lo_playlist_object_id to get localized 'Training ID (Playlist)'; refer to 'Mapping between report and lookup views'
n/a	<i>Training Description (Playlist)</i>	<i>Use lookup view to get report field</i>	Training Description (Playlist). Use report.vw_rpt_training_local joined on lo_playlist_object_id to get localized 'Training Description (Playlist)'; refer to 'Mapping between report and lookup views'
n/a	<i>Keyword (Playlist)</i>	<i>Use lookup view to get report field</i>	Keyword (Playlist). Use report.vw_rpt_training_local joined on lo_playlist_object_id to get localized 'Keyword (Playlist)'; refer to 'Mapping between report and lookup views'
lo_playlist_created_by_fullname	<i>Created By (Name) (Playlist)</i>	nvarchar(402)	Full name of the user who created Playlist
lo_playlist_created_by_user_ref	<i>Created By (User ID) (Playlist)</i>	nvarchar(100)	Textual identifier (user_ref from report.vw_rpt_user) of the user who created Playlist
lo_playlist_modified_by_user_ref	<i>Last Modified By (User ID) (Playlist)</i>	nvarchar(100)	Descriptive identifier (user_ref from report.rpt_user) of the user who last made changes in the Playlist
lo_playlist_modified_by_fullname	<i>Last Modified By (Playlist)</i>	nvarchar(402)	Full name of the user who last made changes in the Playlist
lo_playlist_modified_dt	<i>Last Modified Date (Playlist)</i>	smalldatetime	Last Date when Playlist was modified
lo_playlist_active	<i>Training Active (Playlist)</i>	char(1)	Flag indicating whether the Playlist is active: Y = active N = inactive
lo_playlist_created_by_user_id	n/a	int	For internal use. Internal identifier (user_id from report.vw_rpt_user) of the user who created Playlist
lo_playlist_create_dt	<i>Training Creation Date (Playlist)</i>	datetime	Creation date of Training (Playlist)
lo_playlist_status_type	<i>Training Status (Playlist)</i>	char(4)	Textual code for Training Status (Playlist): APPR = Approved CMPL = Completed CNCL = Cancelled EXPR = Expired Use report.vw_rpt_lo_status_local joined on lo_playlist_status_type to get localized 'Training Status (Playlist)'; refer to 'Mapping between report and lookup views'
lo_playlist_type	<i>Training Type (Playlist)</i>	nvarchar(255)	Training Type (Playlist) description
lo_playlist_private	<i>Private Status (Playlist)</i>	bit	Flag indicating whether Playlist has

			'Private' status (values 0/1). A specific Playlist can be set as Private or Visible. When visible, the availability of the playlist is extended to others.
lo_playlist_follower_count	<i>Number of Followers (Playlist)</i>	int	The number of followers that are following a Playlist
lo_object_type	<i>n/a</i>	varchar(4)	Training Type (Playlist). Values: 'PLST'

Object name: **report.vw_rpt_training_playlist_items**

Object type: view

Unique key: **lo_playlist_items_object_id ASC, lo_playlist_items_item_object_id ASC**

Description: Data about training that within a Playlist (date when training was added/modified in the Playlist, training comments, training order)

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Playlist</i>			
lo_playlist_items_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for Playlist (lo_playlist_object_id from report.vw_rpt_training_playlist). Join field with report.vw_rpt_training_playlist.
lo_playlist_items_item_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for training within a Playlist (object_id from report.vw_rpt_training). Join field with report.vw_rpt_training.
lo_playlist_items_item_create_dt	<i>Training Date/Time Added (in Playlist)</i>	datetime	The date that the training was added to the Playlist.
lo_playlist_items_item_modify_dt	<i>Training Date/Time Modified (in Playlist)</i>	datetime	The date that the training was re-ordered or a comment was edited.
lo_playlist_items_item_annotation	<i>Training Annotation (in Playlist)</i>	nvarchar(4000)	Each training in a playlist can have a comment. This is specific to the playlist and is user inputted.
lo_playlist_items_item_order_value	<i>Training Order (in Playlist)</i>	float	Each training in a playlist has a rank order. This is specific to a playlist and is defined by the curator.

Object name: **report.vw_rpt_training_playlist_follower**

Object type: view

Unique key: **plf_playlist_object_id ASC, plf_playlist_follower_user_id ASC**

Description: Playlist followers' data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Playlist</i>			
plf_playlist_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for Playlist (lo_playlist_object_id from report.vw_rpt_training_playlist). Join field with report.vw_rpt_training_playlist.
plf_playlist_follower_user_id	<i>n/a</i>	int	Internal identifier (user_id from report.vw_user) of the person following a playlist

plf_playlist_follower_user_ref	<i>Follower ID (Playlist)</i>	nvarchar(100)	User ID (user_ref from report.vw_user) of the person following a playlist
plf_playlist_follower_fullname	<i>Follower Name (Playlist)</i>	nvarchar(402)	Full name (Last name, First name) of the person following a playlist

Object name: **report.vw_rpt_curriculum**

Object type: view

Unique key: **curriculum__object_id** ASC

Description: Curriculum training data

Custom Report Category: **Curriculum Transcript Report**

Custom Report Section: **Curriculum**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Curriculum</i>			
curriculum__object_id	<i>Training Object ID (Curriculum)</i>	uniqueidentifier	Internal identifier for training object (Curriculum)
n/a	<i>Curriculum Title (Curriculum)</i>	<i>Use lookup view to get report field</i>	Curriculum Title. Use report.vw_rpt_training_local joined on curriculum__object_id to get localized 'Curriculum Title (Curriculum)'; refer to ' Mapping between report and lookup views '
n/a	<i>Training Description (Curriculum)</i>	<i>Use lookup view to get report field</i>	Training Description (Curriculum). Use report.vw_rpt_training_local joined on curriculum__object_id to get localized 'Training Description (Curriculum)'; refer to ' Mapping between report and lookup views '
n/a	<i>Keywords (Curriculum)</i>	<i>Use lookup view to get report field</i>	Keywords (Curriculum). Use report.vw_rpt_training_local joined on curriculum__object_id to get localized 'Keywords (Curriculum)'; refer to ' Mapping between report and lookup views '
n/a	<i>Training Purpose (Curriculum)</i>	<i>Use lookup view to get report field</i>	Internal identifier for the curriculum training purpose; use report.vw_rpt_training_purpose_local joined on curriculum__object_id to get localized <i>Training Purpose (Curriculum)</i> title; refer to ' Mapping between report and lookup views '
curriculum__course_code	<i>Course Code (Curriculum)</i>	nvarchar(54)	Training course code (Curriculum)
curriculum__created_by_name	<i>Created By (Name) (Curriculum)</i>	nvarchar(402)	Full name of the user who created Curriculum
curriculum__created_by_user_id	<i>Created By (User ID) (Curriculum)</i>	nvarchar(100)	Textual identifier (user_ref from report.vw_rpt_user) of the user who created Curriculum
curriculum__version	<i>Curriculum Version (Curriculum)</i>	nvarchar(50)	Curriculum Version
curriculum__modified_by_name	<i>Last Modified By (Curriculum)</i>	nvarchar(402)	Full name of the user who last made changes in the Curriculum

curriculum__modified_by_user_id	<i>Last Modified By (User ID) (Curriculum)</i>	nvarchar(100)	Descriptive identifier (user_ref from report.rpt_user) of the user who last made changes in the Curriculum
curriculum__modified_date	<i>Last Modified Date (Curriculum)</i>	smalldatetime	Last Date when Curriculum was modified
curriculum__active	<i>Training Active (Curriculum)</i>	char(1)	Flag indicating whether the Curriculum is active: Y = active N = inactive
curriculum__deactivation_date	<i>Training Deactivation Date (Curriculum)</i>	datetime	Date when training (Curriculum) was deactivated
curriculum__status	<i>n/a</i>	char(4)	Textual code for Curriculum Status
curriculum__status_type	<i>Training Status (Curriculum)</i>	char(4)	Textual code for Training Status (Curriculum): APPR = Approved CMPL = Completed CNCL = Cancelled EXPR = Expired Use report.vw rpt lo status local joined on curriculum__status_type to get localized 'Training Status (Curriculum)'; refer to ' Mapping between report and lookup views '
curriculum__type	<i>Training Type (Curriculum)</i>	nvarchar(255)	Description of curriculum training type
curriculum__object_type	<i>n/a</i>	varchar(4)	Textual code for curriculum training type, e.g. PRGM = Curriculum
curriculum__training_version_effective_dt	<i>Training Version Effective Date (Curriculum)</i>	datetime	Effective date of training version for Curriculum
curriculum__is_latest_training_version	<i>Latest Curriculum Version?</i>	bit	Flag indicating whether Curriculum version is latest or not (values: 0/1)

Object name: **report.vw_rpt_transcript_src_curriculum**

Object type: view

Description: Key fields for learning objects (identifiers for user, training object, registration number) for Curriculum and training within Curriculum, user transcript relations between training and its containers

Custom Report Category: **Curriculum Transcript Report**

Custom Report Section: **Curriculum**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Curriculum</i>			
cp__user_id	<i>n/a</i>	int	Internal Identifier for user (from report.rpt_user) – join field with report.vw_rpt_transcript (transc_user_id)
cp__object_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for training item withing Curriculum - join field with report.vw_rpt_transcript (transc_object_id) to get transcript data for learning objects within Curriculum
cp__reg_num	<i>n/a</i>	smallint	Registration Number of the training item withing Curriculum - the

			number of times the user registered for the training with Curriculum - join field with report.vw_rpt_transcript (reg_num) to get transcript data for learning objects within Curriculum
cp_curriculum_object_id	n/a	uniqueidentifier	Internal Identifier for Curriculum - join field with report.vw_rpt_transcript (transc_object_id) to get transcript data for Curriculum
cp_curriculum_reg_num	n/a	smallint	Curriculum Registration Number - the number of times the user registered for the Curriculum - join field with report.vw_rpt_transcript (reg_num) to get transcript data for Curriculum
cp_curriculum_section_object_id	Curriculum Section Title (Curriculum)	uniqueidentifier	Internal identifier for curriculum section; use report.vw_rpt_training_local to get localized 'Curriculum Section Title (Curriculum)'; refer to 'Mapping between report and lookup views'
cp_curriculum_due_date	Transcript Due Date (Curriculum)	smalldatetime	Due date of the Curriculum
cp_status_id	Transcript Status (from Curriculum)	bigint	Internal identifier for transcript status; use report.vw_rpt_transcript_status_local to get localized 'Transcript Status (from Curriculum)'; refer to 'Mapping between report and lookup views'

Object name: **report.vw_rpt_training_cohort**
 Object type: view
 Unique key: **tchrt_object_id** ASC
 Description: Cohort Training data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
tchrt_object_id	n/a	uniqueidentifier	Internal identifier for training within cohort (lo_object_id from report.vw_rpt_training). Join field with report.vw_rpt_training.
tchrt_cohort_object_id	Cohort Title (Training)	uniqueidentifier	Internal identifier for the Cohort that a training is in; use report.vw_rpt_training_local to get localized 'Cohort Title (Training)'; refer to 'Mapping between report and lookup views'
tchrt_program_object_id	Program Title	uniqueidentifier	Internal identifier for the Program that a training is in; use report.vw_rpt_training_local to

			get localized 'Program Title'; refer to 'Mapping between report and lookup views'
tchrt_section_object_id	Cohort Section Title (Training)	uniqueidentifier	Internal identifier for section in the Cohort that a training is in; use report.vw_rpt_training_local to get localized 'Cohort Section Title (Training)'; refer to 'Mapping between report and lookup views'

Object name: **report.vw_rpt_transcript_cohort**

Object type: view

Unique key: **transc_chrt_user_id** ASC, **transc_chrt_object_id** ASC, **transc_chrt_reg_num** ASC

Description: Cohort transcript data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
transc_chrt_user_id	n/a	int	Internal Identifier for user (from report.rpt_user) – join field with report.vw_rpt_transcript (transc_user_id)
transc_chrt_object_id	n/a	uniqueidentifier	Internal Identifier for training item withing Cohort - join field with report.vw_rpt_transcript (transc_object_id)
transc_chrt_reg_num	n/a	smallint	Registration Number of the training item withing Cohort - the number of times the user registered for the training withing Cohort - join field with report.vw_rpt_transcript (reg_num)
transc_chrt_cohort_object_id	Cohort Title (Transcript)	uniqueidentifier	Internal identifier for the Cohort that a training is in; use report.vw_rpt_training_local to get localized 'Cohort Title (Transcript)'; refer to 'Mapping between report and lookup views'
transc_chrt_section_object_id	Cohort Section Title (Transcript)	uniqueidentifier	Internal identifier for section in the Cohort that a training is in; use report.vw_rpt_training_local to get localized 'Cohort Section Title (Transcript)'; refer to 'Mapping between report and lookup views'

Object name: **report.vw_rpt_training_cohort_instructor**

Object type: view

Unique key: **chi_cohort_object_id** ASC

Description: Cohort instructor data

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
chi_cohort_object_id	n/a	uniqueidentifier	Internal identifier for cohort (lo_object_id from report.vw_rpt_training). Join field

			with report.vw_rpt_training.
chi_instructor_user_id	n/a	int	Internal identifier (user_id from report.vw_user) of the instructor associated with a Cohort.
chi_instructor_user_ref	n/a	nvarchar(100)	User ID (user_ref from report.vw_user) of the instructor associated with a Cohort.
chi_instructor_fullname	<i>Cohort Instructor Name</i>	nvarchar(402)	Full name (Last name, First name) of the instructor associated with a Cohort.

Object name: **report.vw_rpt_transcript_device_interactions**

Object type: view

Description: Course Interaction data about how users are taking courses on the iOS or Android Learn native apps

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Course Interaction</i>			
tdi_user_id	n/a	int	Internal Identifier for user (from report.rpt_user) – join field with report.vw_rpt_transcript (transc_user_id)
tdi_object_id	n/a	uniqueidentifier	Internal Identifier for training item (course) - join field with report.vw_rpt_transcript (transc_object_id)
tdi_reg_num	n/a	smallint	Registration Number of the training item (course) - the number of times the user registered for the training - join field with report.vw_rpt_transcript (reg_num)
tdi_platform_id	<i>Platform</i>	int	The platform used to launch the Online Course. Values: 1 = iOS 2 = Android 3 = Browser
tdi_course_start_dt	<i>Course Start</i>	datetime	The timestamp that shows when a user launches the online course either inside or outside of the mobile app(s).
tdi_course_stop_dt	<i>Course Stop</i>	datetime	The timestamp that shows when a user closes the online course either inside or outside of the mobile app(s).
tdi_course_duration_sec	<i>Course Time Spent (in seconds)</i>	int	The duration of time spent in a given Online Course within a session either inside or outside of the mobile app(s).
tdi_was_course_completed	<i>Course Finished</i>	bit	The status of the course progress after a user closes the course within a session either inside or outside of the mobile app(s).

Object name: **report.vw_rpt_transcript_waitlist_position**
 Object type: view
Unique key: *twlp_user_id* ASC, *twlp_object_id* ASC
 Description: Position in the waiting list queue for training item

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
twlp_user_id	<i>n/a</i>	int	Internal Identifier for user (from report.rpt_user) – join field with report.vw_rpt_transcript (transc_user_id)
twlp_object_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for training item - join field with report.vw_rpt_transcript (transc_object_id)
twlp_waitlist_position	<i>Waitlist Priority Rank</i>	int	The respective order in the waiting list queue for training item

Object name: **report.vw_rpt_transcript_completed_equivalent_version**
 Object type: view
Unique key: *tce_object_id* ASC
 Description: Completed Equivalent Training Version

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Transcript</i>			
tce_object_id	<i>n/a</i>	uniqueidentifier	Internal Identifier for Equivalent training item - join field with report.vw_rpt_transcript (user_lo_equivalent_object_id)
tce_version	<i>Completed Equivalent Training Version</i>	nvarchar(50)	The Training Version of the 'Completed' training that triggered the 'Completed Equivalent' status of another training.

Object name: **report.vw_rpt_curriculum_structure**
 Object type: view
Unique key: *curriculum_object_id* ASC, *cstr_object_id* ASC, *cstr_parent_object_id* ASC
 Description: Curriculum structure
 Custom Report Category: **Curriculum Training Report**
 Custom Report Section: **Training**

Column name	Custom Report Field	Data type	Description
<i>Custom Report Section: Training</i>			
cstr_curriculum_object_id	<i>n/a</i>	uniqueidentifier	Internal identifier for Curriculum
cstr_object_id	<i>Training Title</i>	uniqueidentifier	Training Title. Use report.vw_rpt_training_local to get localized 'Training Title'; refer to ' Mapping between report and lookup views '
cstr_parent_object_id	<i>Section Parent</i>	uniqueidentifier	Title of the parent object of curriculum child. When a curriculum child (Training, Section, Observation Checklist, Form, etc.) are inside the Curriculum, this is the Parent Section Title. For Section

			<p>first level or Training outside sections, this is the Curriculum Title.</p> <p>Use report.vw rpt training local to get localized 'Section Parent'; refer to 'Mapping between report and lookup views'</p>
cstr__required_training_per_section	<i>Required Training per Section</i>	int	Number of required training within the section.
cstr__display_seq	<i>Display Sequence</i>	int	Display Sequence. All child objects in the curriculum structure have a display sequence that is used to display the curriculum in the structure (not the real sequence from the next item that actually let user take training in a specific order).
cstr__relation_seq	<i>Sequence</i>	int	Sequence of the child objects in the curriculum structure.
cstr__is_pay_upfront	<i>Pay-Upfront</i>	bit	Flag indicating if 'Pay-Upfront' option is set for the training in the curriculum structure. That defines training behavior at the users level when the training is assigned. (values: 0/1)
cstr__is_preapproved	<i>Pre-Approved</i>	bit	Flag indicating if 'Pre-Approved' option is set (values: 0/1).
cstr__is_auto_register	<i>Auto-Register</i>	bit	Flag indicating if 'Auto-Register' option is set for the training in the curriculum structure. That defines training behavior at the users level when the training is assigned. (values: 0/1).
cstr__is_auto_launch	<i>Auto-Launch</i>	bit	Flag indicating if 'Auto-Launch option' is set for the training in the curriculum structure. That defines training behavior at the users level when the training is assigned. (values: 0/1).
cstr__is_reassign_curriculum	<i>Reassign Curriculum</i>	bit	Flag indicating if 'Reassign Curriculum upon Test Failure' option is set for the training in the curriculum structure. That defines training behavior at the users level when the training is assigned. (values: 0/1).
cstr__max_attempts	<i>Max Attempts</i>	int	Maximum number of attempts for Tests defined in the curriculum structure.
cstr__due_date_type_id	<i>Due Date Criteria</i>	int	Internal identifier for Due Date Criteria (e.g. <i>Fixed Date, No Due Dates, Relative to Hire Date, Relative to Previous Step, etc.</i>). Use

			report.vw_rpt_curriculum_child_d ue date type local to get localized 'Due Date Criteria'; refer to ' Mapping between report and lookup views '
cstr__due_date	<i>Fixed Due Date</i>	smalldatetime	The Due Date for the training when the Fixed Date criteria is selected in the curriculum structure.
cstr__days_to_complete	<i>Relative Days (Due Date)</i>	int	Relative Days for Due Date - number of days after specified event (<i>Assigned Date of Training Item, Most Recent Version Date, Hire Date, Previous Step</i>) when the 'Relative Days (Due Date)' criteria is selected for 'Due Date' in the curriculum structure.
_last_touched_dt_utc	<i>n/a</i>	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_training_provider**

Object type: view

Unique key: **provider_id ASC**

Description: Training providers

Column name	Data type	Description
provider_id	int	Unique identifier of the training provider.
_last_touched_dt_utc	nvarchar(4000)	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
address1	nvarchar(50)	Training provider address (1st line).
address2	nvarchar(50)	Training provider address (2nd line).
city	nvarchar(50)	Training provider city.
is_active	bit	Flag indicating whether training provider is active: 1 = True, 0 = False.
provider_name	nvarchar(100)	Training provider name.
state	nvarchar(50)	Training provider state.
zip	nvarchar(50)	Training provider zip code.

Object name: **report.vw_rpt_subject**

Object type: view

Unique key: *subject_id* ASC

Description: Subjects covered in Course Catalog Entries.

Reporting fields are available only in *Reporting 2.0*.

Column name	Report Field	Data type	Description
subject_id	<i>Subject ID</i>	int	Unique identifier of the training subject.
title	<i>Subject Name</i>	nvarchar(100)	This field displays the name of the subject. This is the name in the logged in users culture.
active	<i>n/a</i>	bit	Flag indicating whether subject is active: 1 = True, 0 = False.
parent_id	<i>Parent Subject ID</i>	subject_id	This field displays the subject id for the parent subject.
_last_touched_dt_utc	<i>n/a</i>	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_subject_training**

Object type: view

Unique key: *subject_id* ASC, *object_id* ASC

Description: Subject(s) associated to Training(s).

Note: Reporting fields are available only in *Reporting 2.0*.

Column name	Report Field	Data type	Description
subject_id	<i>n/a</i>	nt	Unique identifier of the training subject.
object_id	<i>n/a</i>	uniqueidentifier	Reference ID of a Training Course Catalog Entry which covers the training subject.
_last_touched_dt_utc	<i>n/a</i>	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_subject_equivalent**

Object type: view

Unique key: *subject_id* ASC, *equivalent_subject_id* ASC

Description: Subjects which are considered equivalent (unidirectional).

Reporting fields are available only in *Reporting 2.0*.

Column name	Report Field	Data type	Description
subject_id	<i>Subject ID</i>	int	Unique identifier of the training subject.
equivalent_subject_id	<i>Equivalent Subject ID</i>	int	This field displays the subjects ID that are associated as equivalent. The value for this field is pulled from the Subjects Management page.
created_by	<i>n/a</i>	int	Unique identifier of the user who created equivalent subject.
create_dt	<i>n/a</i>	datetime2	Date the equivalent subject was created.
_last_touched_dt_utc	<i>n/a</i>	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_user_subject**

Object type: view

Unique key: *usert_id* ASC, *subject_id* ASC

Description: Subjects associated with users.

Note: Reporting fields are available only in *Reporting 2.0*.

Column name	Report Field	Data type	Description
user_id	<i>n/a</i>	nt	Unique identifier of the user who have saved this subject on their Universal Profile or via Learner Home.
subject_id	<i>n/a</i>	nt	Unique identifier of the training subject.

Object name: **report.vw_rpt_transcript_user_part_attendance**

Object type: view

Unique key: *upa_usert_id* ASC, *upa_object_id* ASC

Description: Number of session parts attended by users

Custom Report Section: **Transcript**

Column name	Report Field	Data type	Description
upa_user_id	<i>n/a</i>	int	Unique identifier of the user (transc_user_id in report.vw_rpt_transcript)
upa_object_id	<i>n/a</i>	uniqueidentifier	Unique identifier of the Training Course Catalog Entry in the

			transcript (transc_object_id in report.vw_rpt_transcript).
user_part_attendance	<i># Parts User Attended</i>	int	Total number of parts the User has attended (e.g. Emma attended 2 Parts of Session 1)

3. Appendix

Lookup Views

Object name: **report.vw_rpt_ou_title_local**
 Object type: view
Unique key: *ou_id* ASC, *culture_id* ASC
 Description: Localized Organizational Unit title

Column name	Data type	Description
ou_id	int	Internal identifier for OU
title	nvarchar(4000)	OU title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_ou_local**
 Object type: view
Unique key: *ou_id* ASC, *culture_id* ASC
 Description: Localized Organizational Unit title

Column name	Data type	Description
ou_id	int	Internal identifier for OU
culture_id	int	Unique identifier of the culture
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default (values: 1/0): 1 = default 0 = not default
title	nvarchar(4000)	OU title

Object name: **report.vw_rpt_ou_description_local**
 Object type: view
Unique key: *ou_id* ASC, *culture_id* ASC
 Description: Localized Organizational Unit description

Column name	Data type	Description
ou_id	int	Internal identifier for OU
description	nvarchar(4000)	OU description
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_ou**
 Object type: view
Unique key: *ou_id* ASC
 Description: Organizational Unit (OU)

Column name	Data type	Description
ou_id	int	Internal Identifier for Organizational Unit (OU)
title	nvarchar(4000)	OU title
ref	nvarchar(100)	Textual identifier for OU
type_id	int	Internal Identifier for OU type (type_id from report.vw_rpt_ou_type)
owner_id	int	Internal Identifier for OU owner (user_id from report.vw_rpt_user)
parent_id	int	Internal Identifier for parent OU (referenced ou_id from report.vw_rpt_ou)
approver_id	int	Internal Identifier for approver (user_id from report.vw_rpt_user)
active	bit	Flag indicating whether OU is active or not

Object name: **report.vw_rpt_ou_path**

Object type: view

Unique key: **ou_id** ASC

Description: OU hierarchy

Column name	Data type	Description
ou_id	int	Internal Identifier for Organizational Unit (OU)
parent_id	int	Internal Identifier for parent OU (referenced ou_id from report.vw_rpt_ou)
type_id	int	Internal Identifier for OU type (type_id from report.vw_rpt_ou_type)
title	nvarchar(4000)	OU title
ref	nvarchar(100)	Textual identifier for OU
path	hierarchyid	Path
depth	int	Depth
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_lo_removal_reason_local**

Object type: view

Unique key: **rrl_reason_id** ASC, **culture_id** ASC

Description: Localized training removal reason

Column name	Data type	Description
rrl_reason_id	int	Internal identifier for the reason why training item was removed from transcript
rrl_title	nvarchar(1000)	Training removal reason title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_training_purpose_local**

Object type: view

Unique key: *tpl_object_id* ASC, *tpl_purpose_id* ASC, *culture_id* ASC
Description: Localized purpose of training request

Column name	Data type	Description
tpl_object_id	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training, report.vw_rpt_transcript)
tpl_purpose_id	int	Internal identifier of the purpose that user requested the training for
tpl_title	nvarchar(50)	Training request purpose title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: report.vw_rpt_training_purpose_local2
Object type: view
Unique key: *purpose_id* ASC, *culture_id* ASC
Description: Localized training purpose (by purpose ID)

Column name	Data type	Description
purpose_id	int	Internal identifier for the training purpose
title	nvarchar(50)	Training purpose title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: report.vw_rpt_lo_material_local
Object type: view
Unique key: *object_id* ASC, *culture_id* ASC
Description: Localized training Material URL

Column name	Data type	Description
object_id	uniqueidentifier	Internal identifier for the training Material
lo_material_url	nvarchar(1000)	Training Material URL
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: report.vw_rpt_training_available_language
Object type: view
Unique key: *object_id* ASC, *available_culture_id* ASC
Description: Languages that are available for a for a particular LO

Column name	Data type	Description
object_id	uniqueidentifier	Internal identifier for the LO
available_culture_id	int	Identifier for the available language for the LO

Object name: report.vw_lo_exempt_status_reason_local
Object type: view
Unique key: *lesrl_reason_id* ASC, *lesrl_culture_id* ASC
Description: Localized training exemption reason

Column name	Data type	Description
lesrl_reason_id	int	Internal identifier for training exemption reason
lesrl_reason	nvarchar(200)	Training exemption reason title
lesrl_culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_lo_exempt_status_reason_approver_local**

Object type: view

Unique key: *lesrIA_reason_id* ASC, *lesrIA_culture_id* ASC

Description: Localized training exemption reason

Note: Data are the same as in *report.vw_lo_exempt_status_reason_local*

Column name	Data type	Description
lesrIA_reason_id	int	Internal identifier for training exemption reason
lesrIA_reason	nvarchar(200)	Training exemption reason title
lesrIA_culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_classification_local**

Object type: view

Unique key: *lcl_object_id* ASC, *culture_id* ASC

Description: Localized educational objective classification

Column name	Data type	Description
lcl_object_id	uniqueidentifier	Internal identifier for learning object (LO)
classification_local	nvarchar(max)	Classification description
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_material_type_local**

Note: *report.vw_rpt_lo_material_type_local* was deprecated and will be deleted in Release 20.04.00 (Oct 2020).

Use **report.vw_rpt_training_material_type_local** instead of deprecated object.

Refer to "Deprecated Objects - RTDW Documentation" for details.

Object type: view

Unique key: *lml_type_id* ASC, *culture_id* ASC

Description: Localized material type

Column name	Data type	Description
lml_type_id	int	Internal identifier for material type of the LO material
lml_title	nvarchar(1000)	Material type title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_training_material_type_local**

Object type: view

Unique key: *type_id* ASC, *culture_id* ASC

Description: Localizations for training material types

Column name	Data type	Description
type_id	int	Unique identifier of the training material type.
culture_id	int	Unique identifier of the culture.
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
is_default	bit	Flag indicating whether the culture is the default one: 1 = True, 0 = False.

title	nvarchar(1000)	The name of the training material type.
-------	----------------	---

Object name: **report.vw_rpt_ou_type**
 Object type: view
Unique key: *type_id* ASC
 Description: Organizational Unit type

Column name	Data type	Description
type_id	int	Internal identifier for OU type
csod_type	nvarchar(400)	Internal name for OU type
type	nvarchar(400)	Display name of the OU type
identifier	int	Internal identifier for internal use to index the OUs displayed in user search screen results
show_in_user_record	bit	Flag indicating whether OU type is shown in the user record screen (values 0/1)
show_in_availability	bit	Flag indicating whether OU type is shown in the the availability selection controls (values 0/1)
show_in_analytics	bit	Flag indicating whether OU type is shown in selection columns in User section in the Custom Report Wizard (values 0/1)
soap_fed	bit	Flag indicating whether OU type will be sent through customer datafeed service (values 0/1)
dynamic	bit	Flag indicating whether OU type can be associated with users dynamically, like groups (values 0/1)
multiple	bit	Flag indicating whether a user can have multiple groups (values 0/1)
required	bit	Flag indicating whether OU type is mandatory when passing OU type files through datafeed (values 0/1)
system_type	bit	Flag indicating whether OU type is CSOD system OU type or Custom OU type (values 0/1): 1 = CSOD system OU type 0 = Custom OU type
active	bit	Flag indicating whether OU type is active (values 0/1)
description	nvarchar(2000)	OU type description

Object name: **report.vw_rpt_ou_type_local**
Note: *report.vw_rpt_ou_type_local* was deprecated and will be deleted in Release 20.04.00 (Oct 2020).
 Use **report.vw_rpt_ou_type_local2** instead of deprecated object.
 Refer to *"Deprecated Objects - RTDW Documentation"* for details.

Object type: view
Unique key: *otl_type_id* ASC, *culture_id* ASC
 Description: Localized Organizational Unit type

Column name	Data type	Description
otl_type_id	int	Internal identifier for OU type (type_id from report.vw_rpt_ou_type)
otl_title	nvarchar(400)	OU type title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_ou_type_local2**
 Object type: view

Unique key: *ou_type_id* ASC, *culture_id* ASC

Description: Localizations for Organizational Unit types.

Column name	Data type	Description
ou_type_id	int	Unique identifier of the Organizational Unit type.
culture_id	int	Unique identifier of the culture.
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
is_default	bit	Flag indicating whether the culture is the default one: 1 = True, 0 = False.
type_name	nvarchar(400)	Organizational Unit type name.

Object name: report.vw_rpt_user_lo_action_reason_local

Object type: view

Unique key: *arl_reason_id* ASC, *culture_id* ASC

Description: Localized action (withdrawal, cancellation) reason

Column name	Data type	Description
arl_reason_id	int	Internal identifier for action (withdrawal, cancellation) reason
arl_title	nvarchar(400)	Action (withdrawal, cancellation) reason title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: report.vw_rpt_lo_publication_local

Object type: view

Unique key: *lpl_publication_id* ASC, *culture_id* ASC

Description: Localized course publication

Column name	Data type	Description
lpl_publication_id	int	Internal identifier for course publication
lpl_title	nvarchar(500)	Course publication title
lpl_descr	nvarchar(4000)	Course publication description
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: report.vw_rpt_session_schedule_local

Note: report.vw_rpt_session_schedule_local was deprecated and will be deleted in Release 20.04.00 (Oct 2020).

Use report.vw_rpt_training_part_local instead of deprecated object.

Refer to "Deprecated Objects - RTDW Documentation" for details

Object type: view

Unique key: *ssl_schedule_id* ASC, *culture_id* ASC

Description: Localized session schedule part

Column name	Data type	Description
ssl_schedule_id	uniqueidentifier	Internal identifier for ILT schedule
ssl_title	nvarchar(500)	Session schedule part name
ssl_descr	nvarchar(4000)	Session schedule part description
culture_id	int	The culture identifier (culture_id from

		report.vw_rpt_culture)
--	--	------------------------

Object name: **report.vw_rpt_training_part_local**

Object type: view

Unique key: *schedule_id* ASC, *culture_id* ASC

Description: Localizations for training part names and descriptions

Column name	Data type	Description
schedule_id	uniqueidentifier	Unique identifier of the ILT schedule
culture_id	int	Unique identifier of the culture.
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.
is_default	bit	Flag indicating whether the culture is the default one: 1 = True, 0 = False.
part_descr	nvarchar(4000)	Training part description.
part_name	nvarchar(500)	Training part name.

Object name: **report.vw_rpt_facility_type_local**

Object type: view

Unique key: *ftl_type_id* ASC, *culture_id* ASC

Description: Localized ILT facility type

Column name	Data type	Description
ftl_type_id	int	Internal identifier for ILT facility
ftl_title	nvarchar(25)	ILT facility type title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_form_status_local**

Object type: view

Unique key: *fsl_status_id* ASC, *culture_id* ASC

Description: Localized form submission status

Column name	Data type	Description
fsl_status_id	int	Internal identifier for form status (from report.vw_rpt_request_form)
fsl_status_display_name	nvarchar(500)	Form status display name
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_form_local**

Object type: view

Unique key: *fl_form_id* ASC, *culture_id* ASC

Description: Localized form title and description

Column name	Data type	Description
fl_form_id	int	Internal identifier for request form (from report.vw_rpt_request_form)

fl_title	nvarchar(500)	Request form title
fl_descr	nvarchar(1000)	Request form description
fl_instruction	nvarchar(1000)	Request form instructions
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_form_cf_display_value_local**

Object type: view

Unique key: *cfvl_value_id* ASC, *culture_id* ASC

Description: Localized custom field value

Column name	Data type	Description
cfvl_field_id	int	Internal identifier for custom field
cfvl_value_id	int	Internal identifier for custom field value
cfvl_title	nvarchar(1000)	Custom field textual value
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_subject_local**

Note: *report.vw_rpt_lo_subject_local* was deprecated and will be deleted in Release 20.04.00 (Oct 2020).

Use **report.vw_rpt_subject_local2** instead of deprecated object.

Refer to "Deprecated Objects - RTDW Documentation" for details

Object type: view

Description: Localized training subjects (per LO)

Column name	Data type	Description
lsl_object_id	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
lsl_title	nvarchar(200)	Training subject title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_subject_local**

Note: *report.vw_rpt_subject_local* was deprecated and will be deleted in Release 20.04.00 (Oct 2020).

Use **report.vw_rpt_subject_local2** instead of deprecated object.

Refer to "Deprecated Objects - RTDW Documentation" for details

Object type: view

Unique key: *sl_subject_id* ASC, *culture_id* ASC

Description: Localized training subjects (per subject)

Column name	Data type	Description
sl_subject_id	int	Internal identifier for training subject
sl_title	nvarchar(200)	Training subject title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_subject_local2**

Object type: view

Unique key: *subject_id* ASC, *culture_id* ASC

Description: Localizations for training subject titles (per subject).

Column name	Data type	Description
-------------	-----------	-------------

subject_id	int	Internal identifier for training subject
culture_id	int	Unique identifier of the culture
title	nvarchar(200)	Training subject title
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default (values: 1/0): 1 = default 0 = not default
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_lo_prerequisite_local**

Object type: view

Unique key: *lpl_object_id* ASC, *culture_id* ASC

Description: Localized training prerequisites

Column name	Data type	Description
lpl_object_id	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
lpl_title	nvarchar(1000)	Training prerequisite title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_competencies_local**

Object type: view

Unique key: *lcl_object_id* ASC, *culture_id* ASC

Description: Localized training competencies

Column name	Data type	Description
lcl_object_id	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
lcl_title	nvarchar(250)	Training competencies title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_training_local**

Object type: view

Unique key: *object_id* ASC, *culture_id* ASC

Description: Localized training title, description, keywords for all types of training objects

Column name	Data type	Description
object_id	uniqueidentifier	Internal identifier for training object
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default for this LO (values: 1/0): 1 = default

		0 = not default Each training object can have only one default culture.
title	nvarchar(1000)	Training title
descr	nvarchar(4000)	Training description
keywords	nvarchar(2000)	Training keywords
_last_touched_dt_utc	datetime2	Internal system field. Date and time at which the record was added to or modified in the data warehouse. This is not the time at which the record was modified in the UI. This field does not track data deletions ¹ and may be overwritten during some ETLs ² . See the endnotes for important details regarding when this field is overwritten and the tracking of data deletions.

Object name: **report.vw_rpt_lo_signature_local**

Object type: view

Unique key: *lsl_object_id* ASC, *culture_id* ASC

Description: Localized electronic training signature

Column name	Data type	Description
lsl_object_id	uniqueidentifier	Internal identifier for LO (object_id from report.vw_rpt_training)
lsl_signature_msg	nvarchar(1000)	Electronic signature message
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_lo_status_local**

Object type: view

Unique key 1: *lsl_status_id* ASC, *culture_id* ASC

Unique key 2: *lsl_status_type* ASC, *culture_id* ASC

Description: Localized training status

Column name	Data type	Description
lsl_status_id	int	Internal identifier for training status (lo_status_id from report.vw_rpt_training)
lsl_status_type	char(4)	Training status textual code (lo_status from report.vw_rpt_training): APPR = Approved CMPL = Completed CNCL = Cancelled EXPR = Expired
lsl_title	nvarchar(50)	Training status title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_training_title_local**

Object type: view

Unique key: *training_title_local_object_id* ASC, *culture_id* ASC

Description: Localized training title

Column name	Data type	Description
training_title_local_object_id	uniqueidentifier	Internal identifier for training object (lo_object_id from report.vw_rpt_training)
training_title_local_lo_title_local	nvarchar(1000)	Training title

training_title_local_culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
--	-----	--

Object name: **report.vw_rpt_feedback_badge_local**
 Object type: view
Unique key: *fbl_feedback_badge_id* ASC, *culture_id* ASC
 Description: Localized feedback badge title

Column name	Data type	Description
fbl_feedback_badge_id	int	Internal identifier for feedback badge
fbl_title	nvarchar(50)	Feedback badge title
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_transcript_status**
 Object type: view
Unique key: *status_id* ASC
 Description: Transcript status

Column name	Data type	Description
status_id	bigint	Internal identifier for transcript status
status	nvarchar(200)	Transcript status title

Object name: **report.vw_rpt_transcript_status_local**
 Object type: view
Unique key: *status_id* ASC, *culture_id* ASC
 Description: Localized transcript status

Column name	Data type	Description
status_id	bigint	Internal identifier for transcript status
status	nvarchar(200)	Transcript status title
seq	int	Identifier for Internal use
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_training_type**
 Object type: view
Unique key: *object_type* ASC
 Description: Training type

Column name	Data type	Description
object_type	char(4)	Training type textual code: CRSE = Online Class EVNT = Event MTRL = Material PRGM = Curriculum SCO = Quick Course VID = Video, etc.
description	nvarchar(255)	Training type description
object_type_id	int	Internal identifier for training type
approval_process	bit	Flag indicating whether users need to be approved once requested this training type
register_upon_approval	bit	Flag indicating whether user status would change to register once he has been approved for training or his status would remain approved and user would need to

		register for training (values: 0/1): 1 = automatically registered upon approval)
--	--	---

Object name: **report.vw_rpt_training_type_local**

Object type: view

Unique key: *object_type* ASC, *culture_id* ASC

Description: Localized training type

Column name	Data type	Description
object_type	char(4)	Training type textual code: CRSE = Online Class EVNT = Event MTRL = Material PRGM = Curriculum SCO = Quick Course VID = Video, etc.
description	nvarchar(255)	Localized Training type description
object_type_id	int	Internal identifier for training type
approval_process	bit	Flag indicating whether users need to be approved once requested this training type
register_upon_approval	bit	Flag indicating whether user status would change to register once he has been approved for training or his status would remain approved and user would need to register for training (values: 0/1): 1 = automatically registered upon approval)
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default (values: 1/0): 1 = default 0 = not default

Object name: **report.vw_rpt_training_session_schedule**

Object type: view

Unique key: *schedule_id* ASC

Description: Training session schedule data

Column name	Data type	Description
schedule_id	uniqueidentifier	Internal Identifier for training schedule
session_id	uniqueidentifier	Internal Identifier for training session
start_dt	smalldatetime	Training session start date
end_dt	smalldatetime	Training session end date
create_dt	smalldatetime	Date when record was created
timezone	nvarchar(20)	Training session timezone
start_dt_utc	smalldatetime	Training session start date (UTC time)
end_dt_utc	smalldatetime	Training session end date (UTC time)
title	nvarchar(50)	Training session title
descr	nvarchar(100)	Training session description
part_duration	int	Duration (in minutes) of the ILT session part including break (training and break time)
total_break_duration	int	Duration (in minutes) of the ILT session break
scheduler_id	int	Internal Identifier for scheduler
display_in_user_time	bit	Flag indicating whether data will be displayed in user time or not

Object name: **report.vw_rpt_training_version**

Object type: view

Unique key: *from_lo_id* ASC, *lo_id* ASC

Description: Training versions

Column name	Data type	Description
from_lo_id	uniqueidentifier	The LO prior version identifier
lo_id	uniqueidentifier	The LO current version identifier
related_lo_id	uniqueidentifier	The original LO version identifier
major_version_no	int	The version major number
minor_version_no	int	The version minor number
patch_version_no	int	The version patch number
identity_no	int	The version identifier (usually equal to major version number)
eff_dt	datetime	Effective date of the LO version (LO version is relevant from this date)
formatted_version_no	nvarchar(50)	Formatted version number that includes major and minor versions (Example: 2.0)
status_type	char(4)	Training status textual code: APPR = Approved CMPL = Completed CNCL = Cancelled EXPR = Expired

Object name: **report.vw_rpt_training_cf_text_local**

Object type: view

Unique key: *field_id* ASC, *object_id* ASC, *culture_id* ASC

Description: Localized training custom fields values

Column name	Data type	Description
object_id	uniqueidentifier	Internal identifier for training (object_id from report.vw_rpt_training)
field_id	int	Internal identifier for training custom field
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
value	nvarchar(2000)	Textual value of training custom field

Object name: **report.vw_rpt_lo_event_local**

Object type: view

Unique key: *lel_object_id* ASC, *culture_id* ASC

Description: Localized LO event (ILT course) descriptive identifiers

Column name	Data type	Description
lel_object_id	uniqueidentifier	Internal identifier for LO event (object_id from report.vw_rpt_training where [object_type] in ('EVNT', 'SESN'))
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
event_identifier	nvarchar(100)	LO event descriptive identifier localized value per specific culture

Object name: **report.vw_rpt_training_assignment_status_type**

Object type: view

Unique key: `type_id` ASC
Description: Training assignment status type

Column name	Data type	Description
<code>type_id</code>	char(4)	Textual code for the status of the training assignment, e.g. 'ACTV', 'CNCL', 'QUED', 'DONE'
descr	varchar(100)	Description of the status of the training assignment

Object name: `report.vw_rpt_training_assignment_enroll_type`
Object type: view
Unique key: `type_id` ASC
Description: Training assignment enrollment type

Column name	Data type	Description
<code>type_id</code>	char(4)	Textual code for training assignment enrollment type, e.g. 'ASGN' = Assigned only 'RCMP' = New Version and Maintain Progress 'ENRL' = Assigned, Approved, and Registered 'APPR' = Assigned and Approved 'UPGD' = New Version 'CMPL' = Completed 'SCRE' = New Score
descr	varchar(100)	Description of the training assignment enrollment type

Object name: `report.vw_rpt_training_assignment_email_option`
Object type: view
Unique key: `option_id` ASC
Description: Training assignment email setting

Column name	Data type	Description
<code>option_id</code>	int	Internal identifier for the email setting that was set for the assignment, e.g. 0 = Default Emails 1 = Training Specific Emails 2 = Custom Emails 3 = Ad-Hoc Emails 4 = No Emails
option_name	varchar(1000)	Description of the training assignment email setting

Object name: `report.vw_rpt_training_assignment_recurrence_relative_type`
Object type: view
Unique key: `type_id` ASC
Description: Training assignment recurrence relative type

Column name	Data type	Description
<code>type_id</code>	int	Internal identifier for the assignment recurrence relative type, e.g. 1 = 'Relative to Assigned Date' 2 = 'Relative to Completed Date' 3 = 'Relative to Registered Date' 4 = 'Relative to Custom Field'
descr	varchar(100)	Description of the assignment recurrence relative type

Object name: `report.vw_rpt_training_assignment_schedule_relative_type`

Object type: view

Unique key: *type_id* ASC

Description: Training assignment schedule relative type

Column name	Data type	Description
type_id	int	Internal identifier for the assignment schedule relative type, e.g. 1 = 'Relative to Assigned Date' 2 = 'Relative to Completed Date' 3 = 'Relative to Registered Date' 4 = 'Relative to Custom Field'
descr	varchar(100)	Description of the assignment schedule relative type

Object name: **report.vw_rpt_training_assignment_due_date_type**

Object type: view

Unique key: *type_id* ASC

Description: Training assignment due date type

Column name	Data type	Description
type_id	int	Internal identifier for the type of assignment training due date, e.g. 0 = None 1 = Fixed 2 = Relative to Assigned Date 3 = Relative to Hire Date 4 = Relative to Custom Field
descr	varchar(100)	Description of the type of assignment training due date

Object name: **report.vw_rpt_training_assignment_termination_type**

Object type: view

Unique key: *type_id* ASC

Description: Training assignment recurrence termination type

Column name	Data type	Description
type_id	int	Internal identifier for recurrence termination type, e.g. 1 = Never 2 = Fixed 3 = After Number of Occurrences
descr	varchar(100)	Description of the type of assignment recurrence termination type

Object name: **report.vw_rpt_training_assignment_schedule_type**

Object type: view

Unique key: *type_id* ASC

Description: Training assignment schedule type for processing frequency

Column name	Data type	Description
type_id	int	Internal Identifier for the schedule type for the assignment processing frequency, e.g. 1 = Immediately (Daily) 2 = Fixed (Annually) 3 = Relative
descr	varchar(100)	Description of the schedule type for the assignment processing frequency

Object name: **report.vw_rpt_training_assignment_recurrence_type**

Object type: view

Unique key: *type_id* ASC

Description: Training assignment recurrence type

Column name	Data type	Description
type_id	int	Internal identifier for the assignment recurrence type that indicates if recurrence has been set for the assignment (and if so, if the training will recur annually or relatively), e.g. 1 = No 2 = Yes (Annually) 3 = Yes (Relative)
descr	varchar(100)	Description of the assignment recurrence type

Object name: **report.vw_rpt_transcript_status_group**

Object type: view

Unique key: *type_id* ASC

Description: Transcript Status Group

Column name	Data type	Description
user_lo_status_group_id	int	Internal identifier for Transcript Status Group which is the status group of the specific training status
user_lo_status_group	varchar(50)	Transcript Status Group

Object name: **report.vw_rpt_lo_session_local**

Object type: view

Unique key: *lsl_object_id* ASC, *culture_id* ASC

Description: Localized Training IDs

Column name	Data type	Description
lsl_object_id	uniqueidentifier	Internal identifier for training (object_id from report.vw_rpt_training)
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
session_identifier	nvarchar(100)	Training ID

Object name: **report.vw_rpt_training_material_status_local**

Object type: view

Unique key: *status_id* ASC, *culture_id* ASC

Description: Localized Document Management System Material sourced status

Column name	Data type	Description
status_id	int	Internal identifier for the Document Management System Material sourced status.
dms_status	nvarchar(100)	Document Management System Material sourced status
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_transcript_observation_status_local**

Object type: view

Unique key: *status_id* ASC, *culture_id* ASC

Description: Localized observed training result

Column name	Data type	Description
status_id	int	Internal identifier for the result recorded for training
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default (values: 1/0): 1 = default 0 = not default
status	nvarchar(200)	The result recorded for training (e.g. Completed, Failed, Incomplete)

Object name: **report.vw_rpt_connect_item_type_local**

Object type: view

Unique key: *type_id* ASC, *culture_id* ASC

Description: Localized connect posting type

Column name	Data type	Description
type_id	int	Internal identifier for the connect posting type
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)
is_default	bit	Flag indicating whether the culture (culture identifier culture_id) is default (values: 1/0): 1 = default 0 = not default
type	nvarchar(100)	Connect posting type (e.g. Completed, Failed, Incomplete)

Object name: **report.vw_rpt_transcript_delivery_method_local**

Object type: view

Unique key: *dml_delivery_method_id* ASC, *culture_id* ASC

Description: Localized Transcript Delivery Method

Column name	Data type	Description
dml_delivery_method_id	int	Internal identifier for the Transcript Delivery Method
dml_delivery_method	nvarchar(100)	Transcript Delivery Method
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_transcript_equivalency_type_local**

Object type: view

Unique key: *eqtl_equivalency_type_id* ASC, *culture_id* ASC

Description: Localized transcript equivalency type

Column name	Data type	Description
eqtl_equivalency_type_id	int	Internal identifier for the transcript equivalency type
eqtl_equivalency_type_name	nvarchar(100)	Transcript equivalency type
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Object name: **report.vw_rpt_curriculum_child_due_date_type_local**

Object type: view

Unique key: *cdt_type_id* ASC, *culture_id* ASC

Description: Localized curriculum child due date type

Column name	Data type	Description
cdt_type_id	int	Internal identifier for the Curriculum child due date type
cdt_type_name	nvarchar(200)	Curriculum child due date type
culture_id	int	The culture identifier (culture_id from report.vw_rpt_culture)

Reference Table. Mapping between report and lookup views to get localized descriptions

Report View		Custom Report Field	Lookup View		
View Name	Identifier field		View Name	Description field	Join fields
<i>Custom Report Section: Transcript</i>					
report.vw_rpt_transcript	user_lo_removed_reason_id	Removal Reason	report.vw_rpt_lo_remove_reason_local	rrl_title	rrl_reason_id, culture_id = {user's culture}
report.vw_rpt_transcript	training_purpose	Training Purpose	report.vw_rpt_training_purpose_local2	title	purpose_id, culture_id = {user's culture}
report.vw_rpt_transcript	training_purpose_category	Training Purpose Category	report.vw_rpt_training_purpose_local2	tpl_title	purpose_id, culture_id = {user's culture}
report.vw_rpt_transcript	exempt_reason_id	Exemption Reasons (User)	report.vw_lo_exempt_status_reason_local	lesrl_reason	lesrl_reason_id, culture_id = {user's culture}
report.vw_rpt_transcript	exempt_approver_reason_id	Exemption Reasons (Exemptor)	report.vw_lo_exempt_status_reason_local	lesrl_reason	lesrl_reason_id, culture_id = {user's culture}
report.vw_rpt_transcript	transcript_badge_id	Training Badge Title	report.vw_rpt_feedback_badge_local	fbl_title	fbl_feedback_badge_id, culture_id = {user's culture}
report.vw_rpt_transcript_curricula	transc_curr_section_id	Curriculum Section Title (Transcript)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_transcript_curricula	transc_curr_id	Curriculum Title (Transcript)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_transcript_part_attendance	schedule_id	Part Name	report.vw_rpt_training_part_local	part_name	schedule_id, culture_id = {user's culture}
report.vw_rpt_transcript	user_lo_status_group_id	Transcript Status Group	report.vw_rpt_transcript_status_group	user_lo_status_group	user_lo_status_group_id
report.vw_rpt_transcript_cohort	transc_chrt_cohort_object_id	Cohort Title (Transcript)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_transcript_cohort	transc_chrt_section_object_id	Cohort Section Title (Transcript)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_transcript	user_lo_delivery_method_id	Transcript Delivery Method	report.vw_rpt_transcript_delivery_method_local	dml_delivery_method	dml_delivery_method_id, culture_id = {user's culture}
report.vw_rpt_transcript	user_lo_equivalency_type	Completed Equivalent Training Equivalency Type	report.vw_rpt_transcript_equivalency_type_local	eqtl_equivalency_type_name	eqtl_equivalency_type_id, culture_id = {user's culture}
report.vw_rpt_transcript	user_lo_equivalent_object_id	Completed Equivalent Training Title	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_transcript	user_lo_status_id	Transcript Status	report.vw_rpt_transcript_status_local	status	status_id, culture_id = {user's

Custom Report Section: Training					
report.vw_rpt_training	lo_object_id	<i>Classification</i>	report.vw_rpt_lo_classification_local	classification_local	lcl_object_id, culture_id = {user's culture}
report.vw_rpt_training	lo_object_id	<i>Material Type Name</i>	report.vw_rpt_training_material_type_local	title	type_id, culture_id = {user's culture}
report.vw_rpt_training	user_lo_cancellation_reason_id	<i>Cancellation Reason</i>	report.vw_rpt_user_lo_action_reason_local	arl_title	arl_reason_id, culture_id = {user's culture}
report.vw_rpt_training	user_lo_withdrawal_reason_id	<i>Withdrawal Reason</i>	report.vw_rpt_user_lo_action_reason_local	arl_title	arl_reason_id, culture_id = {user's culture}
report.vw_rpt_training	lo_publication_id	<i>Course Publication Title</i>	report.vw_rpt_lo_publication_local	lpl_title	lpl_publication_id, culture_id = {user's culture}
report.vw_rpt_training_subject	training_subject_subject_id	<i>Training Subject</i>	report.vw_rpt_subject_local2	title	subject_id, culture_id = {user's culture}
report.vw_rpt_training_subject	training_subject_parent_id	<i>Parent Training Subject</i>	report.vw_rpt_subject_local2	title	subject_id, culture_id = {user's culture}
report.vw_rpt_training_subject_equivalent	tes__equivalent_subject_id	<i>Equivalent Subject</i>	report.vw_rpt_subject_local2	title	subject_id, culture_id = {user's culture}
report.vw_rpt_training_subject_equivalent	tes__equivalent_subject_parent_id	<i>Parent Equivalent Subject</i>	report.vw_rpt_subject_local2	title	subject_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Training Competencies</i>	report.vw_rpt_lo_competencies_local	lcl_title	lcl_object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Training ID</i>	report.vw_rpt_lo_session_local	session_identifier	lsl_object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Training Title</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Training Description</i>	report.vw_rpt_training_local	descr	object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Keyword</i>	report.vw_rpt_training_local	keywords	object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Electronic Signature Message</i>	report.vw_rpt_lo_signature_local	lsl_signature_msg	lsl_object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Training Purpose</i>	report.vw_rpt_training_purpose_local	tpl_title	tpl_object_id, culture_id = {user's culture}
report.vw_rpt_training	lo_status	<i>Training Status</i>	report.vw_rpt_lo_status_local	lsl_title	lsl_status_type, culture_id = {user's culture}
report.vw_rpt_training_curricula	curriculum_section_object_id	<i>Curriculum Section Title</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training_curricula	curriculum_object_id	<i>Curriculum Title</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training	object_id	<i>Material</i>	report.vw_rpt_lo_material	lo_mater	object_id, culture_id =

		<i>URL</i>	erial_local	ial_url	{user's culture}
report.vw_rpt_training_equivalent_training	tet__equivalent_object_id	<i>Equivalent Training Title</i>	report.vw_rpt_trainin_g_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training_language_equivalent_training	tlet__equivalent_object_id	<i>Language Equivalent Training Title</i>	report.vw_rpt_trainin_g_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training	lo_material_status	<i>DMS Status</i>	report.vw_rpt_trainin_g_material_status_loca	dms_stat	status_id, culture_id = {user's culture}
report.vw_rpt_filter_lo_ou	flo_ou_id	<i>OU Training Availability</i>	report.vw_rpt_ou_titl_e_local	title	ou_id, culture_id = {user's culture}
report.vw_rpt_training_cohort	tchrt_cohort_obje	<i>Cohort Title (Training)</i>	report.vw_rpt_trainin_g_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training_cohort	tchrt_program_o	<i>Program Title</i>	report.vw_rpt_trainin_g_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training_cohort	tchrt_section_obj	<i>Cohort Section Title (Training)</i>	report.vw_rpt_trainin_g_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training	lo_connect_item_type_id	<i>Connect Posting Type</i>	report.vw_rpt_connec_t_item_type_local	type	type_id, culture_id = {user's culture}
Custom Report Section: ILT Session Schedule (Part Level)					
report.vw_rpt_training_schedule	schedule_id	<i>Part Name</i>	report.vw_rpt_trainin_g_part_local	part_na	schedule_id, culture_id = {user's culture}
report.vw_rpt_training_schedule	schedule_id	<i>Part Description</i>	report.vw_rpt_trainin_g_part_local	part_des	schedule_id, culture_id = {user's culture}
report.vw_rpt_training_ilt_session_instructor	ins_instructor_loc	<i>Part Instructor Location</i>	report.vw_rpt_ou_titl_e_local	title	ou_id, culture_id = {user's culture}
Custom Report Section: ILT Facility					
report.vw_rpt_training_ilt_facility	facility_type_id	<i>ILT Facility Type</i>	report.vw_rpt_facility_type_local	ftl_title	ftl_type_id, culture_id = {user's culture}
Custom Report Section: ILT Seat Allocation					
report.vw_rpt_training_ilt_seat_allocation	ilt_seat_allocatio	<i>Organizatio</i>	report.vw_rpt_ou_typ	type_na	ou_type_id, culture_id = {user's culture}
report.vw_rpt_training_ilt_seat_allocation	n_ou_type_id_res	<i>Unit Type Reserved</i>	e_local2	me	
report.vw_rpt_training_ilt_seat_allocation	n_ou_title_restric	<i>Organizatio</i>	report.vw_rpt_ou_typ	type_na	ou_type_id, culture_id = {user's culture}
report.vw_rpt_training_ilt_seat_allocation	ted	<i>Unit Type Restricted</i>	e_local2	me	
Custom Report Section: ILT Preferred Instructor					
report.vw_rpt_preferr	pref_ins__locatio	<i>Preferred Instructor Location</i>	report.vw_rpt_ou_titl_e_local	title	ou_id, culture_id = {user's culture}
ed_instructor	n				
Custom Report Category: Transcript Report Custom Report Section: Training Request Forms					
report.vw_rpt_request_form	req_form_default	<i>Form Submission Status</i>	report.vw_rpt_lo_form_statu	fsl_statu	fsl_status_id, culture_id = {user's culture}
report.vw_rpt_request_form	_submission_stat		s_local	s_display	
report.vw_rpt_request_form	form_id	<i>Form Title</i>	report.vw_rpt_lo_for	fl_title	fl_form_id, culture_id = {user's culture}
report.vw_rpt_request_form			m_local		

report.vw_rpt_request_form	form_id	Form Description	report.vw_rpt_lo_for m_local	fl_descr	fl_form_id, culture_id = {user's culture}
report.vw_rpt_request_form	form_id	Form Instruction	report.vw_rpt_lo_for m_local	fl_instruc tion	fl_form_id, culture_id = {user's culture}
report.vw_rpt_request_form	warehouse_reque st_form_custom_ fields_<custom field identifier>,>	Localized request form custom field value	report.vw_rpt_lo_for m_cf_display_value_l ocal	cfvl_title	warehouse_request_fo rm_custom_fields_ <custom field identifier>, culture_id = {user's culture}, cfvl_field_id = { custom field identifier}
Custom Report Category: Transcript Report Custom Report Section: SCORM 2004 Quiz Data					
report.vw_rpt_transcri pt_scorm2004	sco_crse_object_i d_id	SCO Name	report.vw_rpt_trainin g_local	title	object_id, culture_id = {user's culture}
Custom Report Category: Transcript Report Custom Report Section: SCO Data					
report.vw_rpt_transcri pt_scorm_dump	sco_dump_object _id	SCO Name	report.vw_rpt_trainin g_local	title	object_id, culture_id = {user's culture}
Custom Report Section: Assignment					
report.vw_rpt_training _assignment	proxy__assignme nt_status	Assignment Status	report.vw_rpt_trainin g_assignment_status_ type	descr	type_id
report.vw_rpt_training _assignment	proxy__assignme nt_training_workf low	Assignment Training Workflow	report.vw_rpt_trainin g_assignment_enroll_ type	descr	type_id
report.vw_rpt_training _assignment	proxy__assignme nt_email_settings	Assignment Email Settings	report.vw_rpt_trainin g_assignment_email_ option	option_n ame	option_id
report.vw_rpt_training _assignment	proxy_apsd_relati ve_trigger	Assignment Processing Start Date - Relative Trigger	report.vw_rpt_trainin g_assignment_schedul e_relative_type	descr	type_id
report.vw_rpt_training _assignment	proxy__tdd_type	Assignment Training Due Date - Type	vw_rpt_training_assig nment_due_date_typ e	descr	type_id
report.vw_rpt_training _assignment	proxy__ar_relativ e_trigger	Assignment Recurrence - Relative Trigger	report.vw_rpt_trainin g_assignment_recurr ence_relative_type	descr	type_id
report.vw_rpt_training _assignment	proxy__assignme nt_termination_t ype	Assignment Recurrence - Termination - Type	report.vw_rpt_trainin g_assignment_termin ation_type	descr	type_id
report.vw_rpt_training _assignment	proxy__assignme nt_training_purpo se	Assignment Training Purpose	report.vw_rpt_trainin g_purpose_local2	title	purpose_id, culture_id = {user's culture}
report.vw_rpt_training _assignment	proxy__assignme nt_processing_fre quency	Assignment Processing Start Date - Type	report.vw_rpt_trainin g_assignment_schedul e_type	descr	type_id

report.vw_rpt_training_assignment	proxy__assignment_recurrence	Assignment Recurrence	report.vw_rpt_training_assignment_recurrence_type	descr	type_id
report.vw_rpt_training_assignment_user_criteria	pf__ou_type	Assignment User Criteria (OU Type)	report.vw_rpt_ou_type_local2	type_name	ou_type_id, culture_id = {user's culture}
report.vw_rpt_training_assignment_user_criteria	pf__ou_id	Assignment User Criteria (OU)	report.vw_rpt_ou_title_local	title	ou_id, culture_id = {user's culture}
report.vw_rpt_training_assignment_user_criteria	pf__ou_id	Assignment User Criteria (OU Description))	report.vw_rpt_ou_description_local	description	ou_id, culture_id = {user's culture}
report.vw_rpt_training_assignment_user_criteria	pf__ou_parent_id	Assignment User Criteria (OU Parent)	report.vw_rpt_ou_title_local	title	ou_id, culture_id = {user's culture}
Custom Report Category: Transcript Report Custom Report Section: Assignment					
report.vw_rpt_training_assignment	proxy__object_id	Assignment Training Title	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
Custom Report Category: Playlist Report Custom Report Section: Playlist					
report.vw_rpt_training_playlist	lo_playlist_object_id	Training ID (Playlist)	report.vw_rpt_lo_session_local	session_identifier	lsl_object_id, culture_id = {user's culture}
report.vw_rpt_training_playlist	lo_playlist_object_id	Training Title (Playlist)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_training_playlist	lo_playlist_object_id	Training Description (Playlist)	report.vw_rpt_training_local	descr	object_id, culture_id = {user's culture}
report.vw_rpt_training_playlist	lo_playlist_object_id	Keyword (Playlist)	report.vw_rpt_training_local	keywords	object_id, culture_id = {user's culture}
report.vw_rpt_training_playlist	lo_playlist_status_type	Training Status (Playlist)	report.vw_rpt_lo_status_local	lsl_title	lsl_status_type, culture_id = {user's culture}
Custom Report Category: Curriculum Transcript Report Custom Report Section: Curriculum					
report.vw_rpt_curriculum	curriculum__object_id	Curriculum Title (Curriculum)	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_curriculum	curriculum__object_id	Training Description (Curriculum)	report.vw_rpt_training_local	descr	object_id, culture_id = {user's culture}
report.vw_rpt_curriculum	curriculum__object_id	Keywords (Curriculum)	report.vw_rpt_training_local	keywords	object_id, culture_id = {user's culture}
report.vw_rpt_curriculum	curriculum__object_id	Training Purpose (Curriculum)	report.vw_rpt_training_purpose_local	tpl_title	tpl_object_id, culture_id = {user's culture}
report.vw_rpt_curriculum	curriculum__status_type	Training Status (Curriculum)	report.vw_rpt_lo_status_local	lsl_title	lsl_status_type, culture_id = {user's culture}
report.vw_rpt_transcript_src_curriculum	cp__status_id	Transcript Status (from Curriculum)	report.vw_rpt_transcript_status_local	status	status_id, culture_id = {user's culture}

report.vw_rpt_transcript_src_curriculum	cp_curriculum_section_object_id	<i>Curriculum Section Title (Curriculum)</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
Custom Report Category: Transcript Report Custom Report Section: Observed Training (On the Job Training & Express Class)					
report.vw_rpt_transcript_ojt_history	observed_status_id	<i>Observed Training Result</i>	report.vw_rpt_transcript_observation_status_local	status	status_id, culture_id = {user's culture}
Custom Report Category: Curriculum Training Report Custom Report Section: Training					
report.vw_rpt_curriculum_structure	cstr__object_id	<i>Training Title</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_curriculum_structure	cstr__parent_object_id	<i>Section Parent</i>	report.vw_rpt_training_local	title	object_id, culture_id = {user's culture}
report.vw_rpt_curriculum_structure	cstr__due_date_type_id	<i>Due Date Criteria</i>	report.vw_rpt_curriculum_child_due_date_type_local	cdt_type_name	cdt_type_id, culture_id = {user's culture}

Endnotes

¹ `_Last_touched_dt_utc` does not track data deletions. When a record is deleted, the date/time of the deletion is not captured because the record ceases to exist in RTDW. If a client uses CSOD's GDPR data deletion features to delete data in CSOD, they should manually clean up the deleted data in their target system.

² `_Last_touched_dt_utc` is overwritten during a full ETL event. There are times when CSOD must execute a full ETL to update RTDW. These scenarios include, but are not limited to, performing a Master Data Load or Historical Data Load. During such an event, all fields are rewritten, and their timestamp is reset to match the date/time of the full ETL. Any attempt to retrieve data after a full ETL using this field as the delta condition will return all the records.